

ISSN 2518-1467 (Online),
ISSN 1991-3494 (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ

Х А Б А Р Ш Ы С Ы

ВЕСТНИК

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН

THE BULLETIN

THE NATIONAL ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN

PUBLISHED SINCE 1944

3

MAY – JUNE 2021

ALMATY, NAS RK

NAS RK is pleased to announce that Bulletin of NAS RK scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of Bulletin of NAS RK in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential multidiscipline content to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы «ҚР ҰҒА Хабаршысы» ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруда. Web of Science зерттеушілер, авторлар, баспашылар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабаршысының Emerging Sources Citation Index-ке енуі біздің қоғамдастық үшін ең өзекті және беделді мультидисциплинарлы контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Вестник НАН РК» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Вестника НАН РК в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному мультидисциплинарному контенту для нашего сообщества.

Бас редактор:

ҚОЙГЕЛДИЕВ Мәмбет Құлжабайұлы (бас редактор), тарих ғылымдарының докторы, профессор, ҚР ҰҒА академигі (Алматы, Қазақстан) Н = 3

Редакция алқасы:

ОМАРОВ Бауыржан Жұмаханұлы (бас редактордың орынбасары), филология ғылымдарының докторы, профессор, ҚР ҰҒА академигі (Нұр-Сұлтан, Қазақстан) Н = 4

МАТЫЖАНОВ Кенжехан Слямжанұлы (бас редактордың орынбасары), филология ғылымдарының докторы, профессор, ҚР ҰҒА корреспондент мүшесі (Алматы, Қазақстан) Н = 1

САПАРБАЕВ Әбдіжапар Жұманұлы, экономика ғылымдарының докторы, профессор, ҚР ҰҒА құрметті мүшесі, Халықаралық инновациялық технологиялар академиясының президенті (Алматы, Қазақстан) Н = 4

ЙОВИЦА Радуга Патетре, Ph.D (археология), Нью-Йорк университетінің профессоры (Нью-Йорк, АҚШ) Н = 19

БАНАС Йозеф, әлеуметтану ғылымдарының докторы, Жешув технологиялық университетінің профессоры (Жешув, Польша) Н = 26

ЛУКЪЯНЕНКО Ирина Григорьевна, экономика ғылымдарының докторы, профессор, Украинаның еңбек сіңірген ғылым және техника қайраткері, «Киев-Могила академиясы» ұлттық университетінің кафедра меңгерушісі (Киев, Украина) Н = 2

МАКУЛОВА Айымжан Төлегенқызы, экономика ғылымдарының докторы, профессор, Нархоз Университеті (Алматы, Қазақстан) Н = 3

ИСМАҒҰЛОВ Оразақ Исмағұлұлы, тарих ғылымдарының докторы, профессор, ҚР ҰҒА академигі (Нұр-Сұлтан, Қазақстан) Н = 6

ӘБЖАНОВ Ханкелді Махмұтұлы, тарих ғылымдарының докторы, профессор, ҚР ҰҒА академигі (Алматы, Қазақстан) Н = 4

БИЖАНОВ Ахан Хұсайынұлы, саясаттану ғылымдарының докторы, ҚР ҰҒА корреспондент-мүшесі, Философия, саясаттану және дінтану институтының директоры (Алматы, Қазақстан) Н = 1

ТАЙМАҒАМБЕТОВ Жакен Қожахметұлы, тарих ғылымдарының докторы, профессор, ҚР ҰҒА академигі (Алматы, Қазақстан) Н = 4

СҮЛЕЙМЕНОВ Майдан Күнтуарұлы, заң ғылымдарының докторы, профессор, ҚР ҰҒА академигі (Алматы, Қазақстан) Н = 1

САБИКЕНОВ Салахиден Нұрсарыұлы, заң ғылымдарының докторы, профессор, ҚР ҰҒА академигі (Алматы, Қазақстан) Н = 2

ҚОЖАМЖАРОВА Дариякул Пернешқызы, тарих ғылымдарының докторы, профессор, ҚР ҰҒА академигі (Алматы, Қазақстан) Н = 2

БАЙТАНАЕВ Бауыржан Әбішұлы, тарих ғылымдарының докторы, ҚР ҰҒА академигі (Алматы, Қазақстан) Н = 1

БАЗАРБАЕВА Зейнеп Мүслімқызы, филология ғылымдарының докторы, профессор, ҚР ҰҒА академигі (Алматы, Қазақстан) Н = 1

ШАУКЕНОВА Зарема Каукенқызы, әлеуметтану ғылымдарының докторы, профессор, ҚР ҰҒА академигі (Алматы, Қазақстан) Н = 1

ЖОЛДАСБЕКОВА Баян Өмірбекқызы, филология ғылымдарының докторы, профессор, ҚР ҰҒА корреспондент мүшесі (Алматы, Қазақстан) Н = 2

НУРҚАТОВА Ляззат Төлегенқызы, әлеуметтану ғылымдарының докторы, профессор, ҚР ҰҒА корреспондент мүшесі (Алматы, Қазақстан) Н = 1

«Қазақстан Республикасы Ұлттық ғылым академиясының Хабаршысы».

ISSN 2518-1467 (Online),

ISSN 1991-3494 (Print).

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РҚБ (Алматы қ.).

Қазақстан Республикасының Ақпарат және коммуникациялар министрлігінің Ақпарат комитетінде 12.02.2018 ж. берілген № 16895-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Тақырыптық бағыты: *іргелі ғылымдар саласындағы жаңа жетістіктер нәтижелерін жария ету.*

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекен-жайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., тел.: 272-13-19, 272-13-18

<http://www.bulletin-science.kz/index.php/en/>

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2021

Типографияның мекен-жайы: «Аруна» ЖК, Алматы қ., Муратбаева көш., 75.

Главный редактор:

КОЙГЕЛЬДИЕВ Мамбет Кулжабаевич (главный редактор), доктор исторических наук, профессор, академик НАН РК (Алматы, Казахстан) Н = 3

Редакционная коллегия:

ОМАРОВ Бауыржан Жумаханулы (заместитель главного редактора), доктор филологических наук, профессор, академик НАН РК (Нур-Султан, Казахстан) Н = 4

МАТЫЖАНОВ Кенжехан Слямжанович (заместитель главного редактора), доктор филологических наук, профессор, член-корреспондент НАН РК (Алматы, Казахстан) Н = 1

САПАРБАЕВ Абдижапар Джуманович, доктор экономических наук, профессор, почетный член НАН РК, президент Международной академии инновационных технологий (Алматы, Казахстан) Н = 4

ЙОВИЦА Радуга Пэтрэ, доктор философии (Ph.D, археология), профессор Нью-Йоркского университета (Нью-Йорк, США) Н = 19

БАНАС Йозеф, доктор социологических наук, профессор Жешувского технологического университета (Жешув, Польша) Н = 26

ЛУКЪЯНЕНКО Ирина Григорьевна, доктор экономических наук, профессор, заслуженный деятель науки и техники Украины, заведующая кафедрой Национального университета «Киево-Могилянская академия» (Киев, Украина) Н = 2

МАКУЛОВА Айымжан Тулегеновна, доктор экономических наук, профессор, Университет Нархоз (Алматы, Казахстан) Н = 3

ИСМАГУЛОВ Оразак Исмагулович, доктор исторических наук, профессор, академик НАН РК (Нур-Султан, Казахстан) Н = 6

АБЖАНОВ Ханкелди Махматович, доктор исторических наук, профессор, академик НАН РК (Алматы, Казахстан) Н = 4

БИЖАНОВ Ахан Хусаинович, доктор политических наук, член-корреспондент НАН РК, директор Института философии, политологии и религии (Алматы, Казахстан) Н = 1

ТАЙМАГАМБЕТОВ Жакен Кожаметович, доктор исторических наук, профессор, академик НАН РК (Алматы, Казахстан) Н = 4

СУЛЕЙМЕНОВ Майдан Кунтуарович, доктор юридических наук, профессор, академик НАН РК (Алматы, Казахстан) Н = 1

САБИКЕНОВ Салахиден Нурсариевич, доктор юридических наук, профессор, академик НАН РК (Алматы, Казахстан) Н = 2

КОЖАМЖАРОВА Дариякуль Пернешевна, доктор исторических наук, профессор, академик НАН РК (Алматы, Казахстан) Н = 2

БАЙТАНАЕВ Бауржан Абишевич, доктор исторических наук, академик НАН РК (Алматы, Казахстан) Н = 1

БАЗАРБАЕВА Зейнеп Муслимовна, доктор филологических наук, профессор, член-корреспондент НАН РК (Алматы, Казахстан) Н = 1

ШАУКЕНОВА Зарема Каукеновна, доктор социологических наук, профессор, академик НАН РК (Алматы, Казахстан) Н = 1

ЖОЛДАСБЕКОВА Баян Омирбековна, доктор филологических наук, профессор, член-корреспондент НАН РК (Алматы, Казахстан) Н = 2

НУРКАТОВА Ляззат Толеговна, доктор социологических наук, профессор, член-корреспондент НАН РК (Алматы, Казахстан) Н = 1

«Вестник Национальной академии наук Республики Казахстан».

ISSN 2518-1467 (Online),

ISSN 1991-3494 (Print).

Собственник: РОО «Национальная академия наук Республики Казахстан» (г. Алматы).

Свидетельство о постановке на учет периодического печатного издания в Комитете информации Министерства информации и коммуникаций и Республики Казахстан № 16895-Ж, выданное 12.02.2018 г.

Тематическая направленность: *публикация результатов новых достижений в области фундаментальных наук.*

Периодичность: 6 раз в год.

Тираж: 300 экземпляров.

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, тел. 272-13-19, 272-13-18

<http://www.bulletin-science.kz/index.php/en/>

© Национальная академия наук Республики Казахстан, 2021

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75.

Editor in chief

KOIGELDIEV Mambet Kulzhabaevich (Editor-in-Chief), Doctor of History, Professor, Academician of NAS RK (Almaty, Kazakhstan) H = 3

Editorial board:

OMAROV Bauyrzhan Zhumakhanuly (Deputy Editor-in-Chief), Doctor of Philology, Professor, Academician of NAS RK (Nur-Sultan, Kazakhstan) H = 4

MATYZHANOV Kenzhekhan Slyamzhanovich (Deputy Editor-in-Chief), Doctor of Philology, Professor, Corresponding Member of NAS RK (Almaty, Kazakhstan) H = 1

SAPARBAYEV Abdizhappar Dzhumanovich, Doctor of Economics, Professor, Honorary Member of NAS RK, President of the International Academy of Innovative Technology, (Almaty, Kazakhstan) H = 4

JOVICA Radu Petre, Ph.D, History, Archeology, Professor, New York University (New York, USA) H = 19

BANAS Joseph, Doctor of Social science, Professor, Rzeszow University of Technology (Rzeszow, Poland) H = 26

LUKYANENKO Irina, doctor of economics, professor, honored worker of Science and Technology of Ukraine, head of the department of the National University «Kyiv-Mohyla Academy» (Kiev, Ukraine) H = 2

MAKULOVA Aymzhan Tulegenovna, doctor of economics, professor, Narkhoz University (Almaty, Kazakhstan) H = 3

ISSMAGULOV Orazak Issmagulovich, Doctor of Historical Sciences, Professor, Academician of NAS RK (Nur-Sultan, Kazakhstan) H = 6

ABZHANOV Khankeldi Makhmutovich, Doctor of Historical Sciences, Professor, Academician of NAS RK (Almaty, Kazakhstan) H = 4

BIZHANOV Akhan Khusainovich, Doctor of Political Sciences, Corresponding Member of NAS RK, Director of the Institute of Philosophy, Political Science and Religion (Almaty, Kazakhstan) H = 1

TAIMAGAMBETOV Zhaken Kozhakhmetovich, Doctor of Historical Sciences, Professor, Academician of NAS RK, (Almaty, Kazakhstan) H = 4

SULEYMENOV Maidan Kuntuarovich, Doctor of Law, Professor, Academician of NAS RK (Almaty, Kazakhstan) H = 1

SABIKENOV Salakhiden Nursarievich, Doctor of Law, Professor, Academician of NAS RK (Almaty, Kazakhstan) H = 2

KOZHAMZHAROVA Dariyakul Perneshevna, Doctor of Historical Sciences, Professor, Academician of NAS RK (Almaty, Kazakhstan) H = 2

BAITANAEV Baurzhan Abishevich, Doctor of Historical Sciences, Academician of NAS RK (Almaty, Kazakhstan) H = 1

BAZARBAYEVA Zeinep Muslimovna, Doctor of Philology, Professor, Academician of NAS RK (Almaty, Kazakhstan) H = 1

SHAUKENOVA Zarema, Doctor of Sociology, Professor, Academician of NAS RK (Almaty, Kazakhstan) H = 1

DZHOLDASBEKOVA Bayan Umirbekovna, Doctor of Philology, Professor, Corresponding Member of NAS RK H = 2

NURKATOVA Lyazzat Tolegenovna, Doctor of Social Sciences, Professor, Corresponding Member of the National Academy of Sciences of the Republic of Kazakhstan (Almaty, Kazakhstan) H = 1

Bulletin of the National Academy of Sciences of the Republic of Kazakhstan.

ISSN 2518-1467 (Online),

ISSN 1991-3494 (Print).

Owner: RPA «National Academy of Sciences of the Republic of Kazakhstan» (Almaty).

The certificate of registration of a periodical printed publication in the Committee of information of the Ministry of Information and Communications of the Republic of Kazakhstan No. 16895-Ж, issued on 12.02.2018.

Thematic focus: *publication of the results of new achievements in the field of basic sciences.*

Periodicity: 6 times a year.

Circulation: 300 copies.

Editorial address: 28, Shevchenko str., of. 220, Almaty, 050010, tel. 272-13-19, 272-13-18

<http://www.bulletin-science.kz/index.php/en/>

© National Academy of Sciences of the Republic of Kazakhstan, 2021

Address of printing house: ST «Aruna», 75, Muratbayev str, Almaty.

V.G. Semenov¹, A.D. Baimukanov², A.S. Alentayev³, R.M. Mudarisov⁴, A.K. Karynbayev⁵

¹Chuvash State Agricultural Academy, Cheboksary, Chuvash Republic, Russia;

²Russian State Agrarian University - Moscow Agricultural Academy named after K.A. Timiryazev, Moscow, Russia;

³Kazakh Scientific Research Institute of Animal Breeding and Fodder Production, Almaty, Kazakhstan ;

⁴Bashkir State Agrarian University, Ufa, Republic of Bashkortostan, Russia;

⁵Taraz innovative – humanitarian university, Taraz, Kazakhstan

E-mail: semenov_v.g@list.ru,

DAIRY PRODUCTIVITY OF HOLSTEIN COWS OF DIFFERENT BREEDINGS UNDER THE CONDITIONS OF COMMERCIAL DAIRY FARMS

Abstract. This work aims to identify the level of productivity of Holstein cows of different breedings.

The experimental studies were performed using purebred Holstein animals imported from Germany, Hungary, and Finland.

When studying the exterior-constitutional features of livestock raised on the farm, it was found that Holstein cows as a whole were characterized by a relatively strong constitution, a proportionally developed and slightly elongated body with average live weight, deep chests with well-defined milk veins, glandular and properly attached bath-like and cup-shaped udder, with an average intensity of milk yield (2.12-2.4 kg/min). According to the expressiveness of dairy forms, the best indicators were for animals of Hungarian breeding with the linear affiliation of Reflection Sovering, and in cows of German and Finnish breedings - Montwik Chieftain.

A study of the dairy productivity of cows showed that the greatest milk yield over 305 days for three lactations, depending on the linear affiliation, was for Hungarian cows: during the 1st lactation - 6465.9-6951.2 kg, the 2nd lactation - 7463.5-7706.2 kg, according to the 3rd lactation - 8254.2-8297.7 kg of milk.

A comparative evaluation of the dairy production of cows showed that the highest dairy productivity was noted in cows of the Reflection Sovering line. Thus, the average milk yield in cows of this line in the first three lactations was higher than in analogs of the Finnish breeding by 885 kg (13.02%) and German one - by 892 kg or 13.1% ($P < 0.05$), Vis Beck Ideal by 444.5 kg (6.2%) and 807 kg or 12.0% ($P < 0.01$) respectively. The animals of the Montwik Chieftain line of the Hungarian breeding exceeded in the milk yield of the German cows by 176.5 kg (2.4%) and the Finnish cows by 238.2 kg or 3.3%. Indicators of the coefficient of variation in milk yield show that the herd of Holstein cows in the first and third lactations is very heterogeneous. According to the second lactation, the representatives of the Vis Beck Ideal line of the German selection and the Montwik.

It was established that in the coefficient of consistency of lactation, cows of German breeding exceeded the analogs of the Finnish and Hungarian breedings by 4.7 and 6.7%, respectively. Herewith, in the Hungarian cows, the lactation full value indicator was higher by 18.3% and 1%, which indicates higher stability of milk yield of cows of this group for the entire lactation.

In such a way, our analysis of the morphofunctional properties of the udder showed that the investigated groups of animals correspond to the technological requirements for industrial keeping technology and organizing machine milking.

Key words: cows, selection, lines, lactation, exterior constitutional features, dairy productivity.

Introduction. Increasing milk production and improving its quality have been and remain one of the priority tasks of animal husbandry in the countries of the Eurasian Economic Union (EAEU) [1].

Its solution should be based on the intensification of dairy farming, the main factor of which is to improve the genetic potential of cattle [2, 3, 4, 5].

At the present stage of development of dairy cattle breeding, there is an advance in the breeds of dairy, meat, and combined directions of productivity

using high productive breeds of the world gene pool, in particular, the Holstein [6, 7, 8].

The productive traits of farmed breeds of dairy cattle are largely determined by their genotype. In this regard, in recent years, much attention has been paid to the study of biological characteristics and the identification of adaptation processes that affect the realization of the genetic potential of cows, to organize further breeding with imported livestock and their offspring [9, 10, 11].

To date, the issues of the impact of the origin country of the imported livestock on the productive traits of the Holstein cows due to the peculiarities of the formation and improvement of breeding herds have not been fully studied.

This work aims to identify the level of productivity of Holstein cows of different breedings.

Materials and methods. The experimental studies were performed using purebred Holstein animals imported from Germany, Hungary, and Finland.

The feeding and keeping conditions of the experimental cows were the same following the technology adopted at the farm. In the stall period, cows were kept loose in four-row typical cowsheds. Feeding and milking were carried out according to the common daily routine at the farm, on a high-performance Farmtec herringbone milking device. In the summer, cows were kept in the pen without grazing.

Under the aim and objectives of the study, out of 886 cows of the herd, three groups of 21 animals in each were formed - analogs taking into account age, selection, and linearity of 7 animals each (Montwik Chieftain 95679, Vis Beck Ideal 0933122, Reflection Sovering 198998).

Cows belonging to different lines and breeding, as well as reproductive qualities were determined based on an analysis of the genealogical structure of the herd, using breed certificates, cards, artificial insemination journals, and other documents of primary zootechnical registration.

Exterior-constitutional features of cows were studied to determine the physique type and direction of productivity by taking 7 basic measurements of the body, followed by the calculation of 6 physique and photographing indices. The animals were measured three hours after feeding, 6 animals in each group.

The live weight of cows was determined at 3 months of appropriate lactation by individual weighing in the morning before feeding.

Dairy productivity of cows was determined according to computerized data, the intensity of milk transfer using the Dairymaster program.

To determine the quality indicators of milk, an average sample was taken for two adjacent days. The chemical composition of milk was determined in the laboratories of the departments of private zootechnics and animal breeding; physiology, biochemistry, and animal feeding of the Bashkir State Agrarian University.

The morphofunctional properties of the cow udder were studied by the method of F.L. Harkavi "Evaluation of the udder and milk yield of cows of dairy and dairy-meat breeds", and productive longevity according to zootechnic records for all lactations.

All considered indicators of the scientific and economic experiment were subjected to biometric processing by the method of variation statistics.

Results. The farm uses a hay-concentrate type of cow feeding, balanced in terms of the basic nutrients content following the developed standards by FSC for animal husbandry.

To compensate for the deficiency of protein, as well as minerals and vitamins in the production of compound feed on the farm it is used sunflower meal and premix.

In the stall period, in the diet structure of the total nutritional value, rough forage accounted for about 10%, succulent and watery forage - 46.4%, including silage - 20, haylage - 14.4, root crops - 12% and concentrated (including carbohydrate) - 44.0%.

With an eye to 100 kg of live weight, 3.3 kg of dry matter with a concentration of 1 kg - 10.8 MJ of exchange energy were accounted for. For 1 EFU, 100 g of digestible protein was accounted for, with a sugar-protein ratio of 0.9-1.0.

In the summer period, according to nutrition, the share of concentrates in the structure of the diet accounted for 46.2%, green mass - 26.8%, hay - 9.0%, and molasses - 8.0%. 10.6 MJ of exchange energy accounted for per 1 kg of dry matter and 102.5 g of digestible protein per 1 ECE.

When studying the exterior-constitutional features of livestock raised on the farm, it was found that Holstein cows as a whole were characterized by a relatively strong constitution, a proportionally developed and slightly elongated body with average live weight, deep chests with well-defined milk veins, glandular and properly attached bath-like and cup-shaped udder, with an average intensity of milk yield (2.12-2.4 kg/min). According to the expressiveness of dairy forms, the best indicators were for animals of Hungarian breeding with the linear affiliation of Reflection Sovering, and in cows of German and Finnish breedings - Montwik Chieftain.

Our research has established that no significant differences in the live weight of cows depending on their origin have been identified. Herewith, during the first two lactations, some advantage was observed in the group of cows of German breeding (523.2-554.5 kg), and subsequently in Hungarian (547.3-594.1 kg).

At the same time, Hungarian cows were characterized by better linear growth indicators and exceeded the German selection analogs in height at the withers by 1.6 cm, in chest width - by 1.8 cm, in oblique body length - by 5.0 cm, in chest depth - by 4.6 cm ($P < 0.05$) and in chest girth - by 5.6 cm, inferior to the cows of the Finnish breeding in chest girth by 2.4 cm and chest depth by 2.2 cm ($P < 0.05$). In the chest breadth, the representatives of the Finnish breeding exceeded their German peers by 4 cm ($P < 0.05$).

Cows of Hungarian origin were characterized by a greater elongation by 7.3% and significantly ($P < 0.05$) exceeded their analogs in Finnish breeding, and in terms of blockiness rate, thoracic and pelvic-thoracic index by 9.0%; 1.4% and 5.3%, respectively ($P < 0.05$).

Thus, Hungarian cows had a more expressed exterior characteristic of high productive dairy cattle.

A study of the dairy productivity of cows showed that the greatest milk yield over 305 days for three lactations, depending on the linear affiliation, was for Hungarian cows: during the 1st lactation - 6465.9-6951.2 kg, the 2nd lactation - 7463.5-7706.2 kg, according to the 3rd lactation - 8254.2-8297.7 kg of milk (Table 1).

Table 1 - Milk yield of Holstein cows of different genotypes for 305 days of lactation

Line	German breeding		Finnish breeding		Hungarian breeding	
	M±m	Cv,%	M±m	Cv,%	M±m	Cv,%
First lactation						
Vis Beck Ideal 0933122	5609.5±445.40	19.8	6554.3±318.6*	14.4	6811.6±406.51**	10.9
Montwik Chieftain 95679	6463.5±336.93	12.8	6312.7±405.31	15.6	6465.9±312.2	10.9
Reflection Sovering 198998	6343.3±409.69	16.1	6357.2±319.05	11.4	6951.2±423.2*	16.7
Second lactation						
Vis Beck Ideal 0933122	6995.5±197.67	7.1	7082.9±266.8	23.1	7463.5±192.13	14.3
Montwik Chieftain 95679	7321.7±740.09	24.8	7384.5±305.5	12.9	7505.1±214.12	6.1
Reflection Sovering 198998	6754.7±496.74	23.0	6809.7±345.1	11.4	7706.2±565.17*	17.8
Third lactation						
Vis Beck Ideal 0933122	7546.8±496.31	13.2	7603.3±320.7	20.2	8297.7±265.31*	11.1
Montwik Chieftain 95679	7910.35±509.15	18.4	7813.5±369.7	11.4	8254.2±202.54	16.1
Reflection Sovering 198998	7244.35±234.15	14.5	7195.4±289.35	13.3	8359.45±311.26*	10.5

*P<0.05; P**<0.01

A comparative evaluation of the dairy production of cows showed that the highest dairy productivity was noted in cows of the Reflection Sovering line. Thus, the average milk yield in cows of this line in the first three lactations was higher than in analogs of the Finnish breeding by 885 kg (13.02%) and German one - by 892 kg or 13.1% (P<0.05), Vis Beck Ideal by 444.5 kg (6.2%) and 807 kg or 12.0% (P<0.01) respectively. The animals of the Montwik Chieftain line of the Hungarian breeding exceeded in the milk yield of the German cows by 176.5 kg (2.4%) and the Finnish cows by 238.2 kg or 3.3%. Indicators of the coefficient of variation in milk yield show that the herd of Holstein cows in the first and third lactations is very heterogeneous. According to the second lactation, the representatives of the Vis Beck Ideal line of the German selection and the Montwik Chieftain of the Hungarian breeding, the coefficients of variation are significantly smoothed.

The analysis of the physicochemical indicators of milk in experimental cows indicates that significant differences were revealed only in fat content. As a result, the milk of the Hungarian cows was characterized by the lowest dry matter content and higher density. According to the fat content in milk, the German cows exceeded the Finnish analogs and Hungarian counterparts by 0.24 and 0.42%, respectively. In our opinion, this may be due to the peculiarities of breeding work aimed at increasing the fat content of herds (Table 2).

It was established that in the coefficient of consistency of lactation, cows of German breeding exceeded the analogs of the Finnish and Hungarian breedings by 4.7 and 6.7%, respectively. Herewith, in the Hungarian cows, the lactation full value indicator was higher by 18.3% and 1%, which indicates higher stability of milk yield of cows of this group for the entire lactation (Table 3).

Table 2 - Physico-chemical indicators of cow milk

Indicator	Breeding		
	German	Finnish	Hungarian
Dry matter, %	12.68±0.06	12.52±0.04	12.3±0.02
nonfat milk solids, %	8.38±0.08	8.46±0.06	8.42±0.1
Fat content, %	4.30±0.02	4.06±0.03	3.88±0.02*
Protein content, %	3.22±0.02	3.24±0.01	3.30 ±0.01
Lactose, %	4.52±0.04	4.60±0.04	4.44±0.05
Minerals, %	0.64±0.11	0.62±0.08	0.68±0.09
Density, °A	28.20±0.41	28.48±0.56	30.10±0.1
Acidity, °T	16.3±0.01	16.32±0.13	16.4±0.13

*P<0.05

Table 3 - The coefficients of consistency and full value of lactation of cows, (M±m)

Indicator	Breeding		
	German	Finnish	Hungarian
Milk yield for 305 days of lactation, kg	6995.1±139	6962.5±127	7524.3±153*
The highest daily milk yield, kg	26.5	27.9	30.9
Coefficient of consistency of lactation, %	86.5	81.8	79.8
Coefficient of the full value of lactation, %	83.7	101	102

*P<0.05

The suitability of cows for industrial keeping technology is largely determined by the morphological and functional properties of the udder (Table 4).

Table 4 - Morphological and functional properties of the udder of cows of different breeds, (M±m)

Indicator	Breeding		
	German	Finnish	Hungarian
width	35.9±1.21	36.1±1.29	36.9±1.33
length	42.7±1.25	43.6±1.12	45.4±1.14
Horizontal girth	122.6±3.39	124.3±3.6	127.7±4.1
Forequarters depth	31.4±1.44	32.3±1.5	32.7±1.52
Daily milk yield, kg	26.5 ± 0.67	28.55 ± 0.71*	31.33 ± 0.83**
Milking time, min	12.52 ± 0.16	12.6 ± 0.23	13.0± 0.28
The milk flow rate, kg/min	2.12 ± 0.04	2.26 ± 0.05*	2.41 ± 0.07*

P* <0.05 ; P** <0.01

It was found that, according to the main udder measurements, the cows of the Hungarian breeding were distinguished by higher indicators. They had a larger udder length by 2.7 cm and 1.8 cm and an udder girth by 5.1 cm and 3.4 cm or 4.2-2.7% compared with measurements of German and Finnish cows.

It was established that the Hungarian cows also differed by a higher milk flow rate (the amount of milk milked per 1 minute). With a daily milk yield of 31.33 kg (P<0.01), their milk flow rate was 2.41 kg/min (P<0.05), while in the Germans with a daily milk yield of 26.5 kg, the studied indicator was equal to 2.12 kg/min. In cows of Finnish breeding, the milk flow rate was 2.62 kg/min (P<0.05) with a daily milk yield of 28.55 kg.

In such a way, our analysis of the morphofunctional properties of the udder showed that the investigated groups of animals correspond to the technological requirements for industrial keeping technology and organizing machine milking.

Conclusion. Thus, new data on the feasibility of using Holstein cows of different breeds have been obtained, some paratypical factors have been substantiated that contribute to the manifestation of the high genetic potential of dairy productivity. An additional reserve has been identified for increasing milk production and improving its quality through the rational use of Holstein cattle in industrial technology.

В.Г. Семенов¹, А.Д. Баймұқанов², А.С. Алентаев³, Р.М. Мударисов⁴, А.К. Карынбаев⁵

¹Чуваш мемлекеттік ауылшаруашылық академиясы, Чебоксары,

Чуваш Республикасы, Ресей;

²Ресей мемлекеттік аграрлық университеті - К. А. Тимирязев атындағы Мәскеу ауылшаруашылық академиясы, Мәскеу, Ресей;

³Қазақ мал шаруашылығы және жемшөп өндірісі ғылыми-зерттеу институты, Алматы, Қазақстан;

⁴Башкир мемлекеттік аграрлық университеті, Уфа, Башқұртстан Республикасы, Ресей;

⁵Тараз инновациялық – гуманитарлық университеті, Тараз, Қазақстан

E-mail: semenov_v.g@list.ru,

СҮТ – ТАУАР ФЕРМАЛАР ЖАҒДАЙЫНДА ТҮРЛІ СЕЛЕКЦИЯДАҒЫ ГОЛШТИНДЕРДІҢ СҮТТІ ӨНІМДІЛІГІ

Аннотация. Жұмыстың мақсаты – өсіру барысында түрлі селекциядағы Голштейн сиыр тұқымдарның өнімділік деңгейін анықтау.

Тәжірибиелік зерттеулер Германия, Венгрия және Финляндия елдерінен әкелінген таза тұқымды Голштейн жануарларымен жүргізілді.

Шаруашылықтағы жануарлардың сыртқы – Конституциялық ерекшеліктері Голштейн тұқымдары жалпы алғанда мықты Конституцияға ие, орта массалы сиырларда ұзынша келген дене тұрқымен, жақсы жетілген сүтті тамырлармен, ванна тәрізді және табакша тәрізді формалармен сипатталады. Сүт берудің орташа интенсивтілігі (2,12-2,4 кг/мин). Сүтті формалары бойынша венгер селекциясының Рефлекшн, Соверинг линиялы шығу тегі иелері, неміс және фин сиырлары - Монтвик Чифтейн.

Сиырлардың сүт өнімділігін зерттеулер көрсеткендей, үш лактация бойынша 305 күн сауым мерзімінде Венгр селекция сиырлары өнімділікті көрсетті: I лактация – 6465,9-6951,2 кг, II лактация – 7463,5-7706,2 кг, III лактация – 8254,2-8297,7 кг /сүт.

Сиырлардың сүт өнімділігінің салыстырмалы бағалауы көрсеткендей, ең жоғары сүт өнімділігі Рефлекшн Соверинг сиыр линияларынан алынды. Аталған линия сиырларының алғашқы үш лактация бойынша орташа сауым жоғары болды, фин селекциясы 885 кг (13,02 %) және немісте - 892 кг немесе на 13,1 % (P<0,05), 892 кг или на 13,1 % (P<0,05), сәйкесінше Вис Бек Айдиал линиясы 444,5 кг (6,2 %) және 807 кг немесе на 12,0 % (P<0,01). Венгер селекциясының Монтвик Чифтейн линиясының жануарлары неміс селекциясы аналогторынан 176,5 кг (2,4%) және фин селекциясынан 238,2 кг немесе

на 3,3% басым болды. Сүт шығымдылығының өзгеру коэффициентінің индикаторлары бірінші және үшінші лактация кезеңіндегі Голштейн сиырларының табы өте гетерогенді екенін көрсетеді. Екінші лактацияға сәйкес Вис Бек Айдиал желісінің өкілдері және Венгриялық Монтвик Шифтейн, вариация коэффициенттері айтарлықтай теңестіріледі.

Лактацияның тұрақтылық коэффициенті бойынша неміс селекциясының сиырлары Фин және Венгр аналогтарынан 4,7 және 6,7 % басым болды. Алайда, Венгр селекциясының сиырларының лактация толықтығының көрсеткіші 18,3 және 1% жоғары болды, ол аталған сиырлардың сауым тұрақтылығы жоғары болды.

Сонымен, желіннің морфофункционалды қасиеттерін талдауға арналған жұмыстарды қорытындылай келе, зерттелген топ жануарлары технологиялық талаптарға сай келеді және машинамен саууға ұйымдастыруға болады.

Түйін сөздер: сиырлар, селекция, сызықтар, сыртқы – Конституционды ерекшеліктер, сүт өнімділігі.

В.Г. Семенов¹, А.Д. Баймуқанов², А.С. Алентаев³, Р.М. Мударисов⁴, А.К. Карынбаев⁵

¹Чувашская государственная сельскохозяйственная академия,
Чебоксары, Чувашская Республика, Россия,

²Российский государственный аграрный университет – Московская сельскохозяйственная академия им. К.А. Тимирязева, Москва, Россия

³Товарищество с ограниченной ответственностью «Казахский научно-исследовательский институт животноводства и кормопроизводства», Алматы, Республика Казахстан

⁴Башкирский государственный аграрный университет,
Уфа, Республика Башкортостан, Россия

⁵Таразский инновационно-гуманитарный университет, Тараз, Республика Казахстан
E-mail: semenov_v.g@list.ru,

МОЛОЧНАЯ ПРОДУКТИВНОСТЬ ГОЛШТИНОВ РАЗНЫХ СЕЛЕКЦИЙ В УСЛОВИЯХ МОЛОЧНО-ТОВАРНЫХ ФЕРМ

Аннотация. Цель работы – выявление уровня продуктивности коров голштинской породы разных селекций при разведении.

Экспериментальные исследования выполняли на чистопородных животных голштинской породы, завезенных из Германии, Венгрии и Финляндии.

При изучении экстерьерно-конституциональных особенностей разводимого в хозяйстве скота установлено, что животные голштинской породы в целом характеризовались сравнительно крепкой конституцией, пропорционально развитым и слегка удлинённым туловищем со средней живой массой коров, глубокой грудью хорошо выраженными молочными венами, железистым и правильно прикрепленным выменем ваннообразной и чашеобразной формы, со средней интенсивностью молокоотдачи (2,12-2,4 кг/мин). По выраженности молочных форм лучшими показателями обладали животные венгерской селекции с линейной принадлежностью Рефлекшн Соверинг, а у коров немецкой и финской – Монтвик Чифтейн.

Исследование молочной продуктивности коров показали, что наибольший надой за 305 дней по трем лактациям в зависимости от линейной принадлежности был у коров венгерской селекции: по I лактации – 6465,9-6951,2 кг, по II лактации – 7463,5-7706,2 кг, по III лактации – 8254,2-8297,7 кг молока.

Установлено, что по коэффициенту постоянства лактации коровы немецкой селекции превосходили аналогов финской и венгерской – соответственно на 4,7 и 6,7 %. В то же время у коров венгерской селекции показатель полноценности лактации был выше на 18,3 и 1%, что свидетельствует о более высокой устойчивости удоев коров данной группы за всю лактацию.

Таким образом, проведённый нами анализ морфофункциональных свойств вымени показал, что исследуемые группы животных соответствуют технологическим требованиям, предъявляемым к промышленной технологии содержания и организации машинного доения.

Ключевые слова: коровы, селекция, линий, лактация, экстерьерно-конституциональные особенности, молочная продуктивность.

Information about the authors:

Semenov Vladimir Grigoryevich - Doctor of Biological Sciences, professor, Honored Worker of Science of the Chuvash Republic, professor of the Department of Morphology, Obstetrics and Therapy, Chuvash State Agricultural University, 29, Karl Marx str., Cheboksary, 428003, Chuvash Republic, Russia, E-mail: semenov_v.g@list.ru, <https://orcid.org/0000-0002-0349-5825>;

Mударisov Rinat Mansafovich - Doctor of Agricultural Sciences, Professor of the Department of Beekeeping, Private Zootechnics and Animal Breeding, Bashkir State Agrarian University, 34, 50-let Oktyabrya str., Ufa, Republic of Bashkortostan, 450001, Russia, E-mail: r-mударisov@mail.ru, <https://orcid.org/0000-0002-8579-3761>;

Baimukanov Aidar Dastanbekuly - master degree student of the Department of Breeding and Feeding of Farm Animals, Faculty of Zootechnics and Biology, Russian State Agrarian University - Moscow Agricultural Academy named after K.A. Timiryazev, Moscow, Russia E-mail: aidartaidar98@mail.ru, <https://orcid.org/0000-0001-9669-864X>;

Alentayev Aleidar Saldarovich – Doctor of Agricultural Sciences, Chief Researcher of the Department of Technology for Scientific Support of Dairy Cattle, Kazakh Scientific Research Institute of Animal Breeding and Fodder Production, 51, Zhandosov str., Almaty, Republic of Kazakhstan,, e-mail: alentaev55@mail.ru, <https://orcid.org/0000-0003-0046-5003>;

Kondruchina Svetlana Gennadiyevna - Candidate of Veterinary Sciences, Associate Professor of the Department of Morphology, Obstetrics and Therapy, Chuvash State Agricultural Academy, 29, Karl Marx str., Cheboksary, 428003, Chuvash Republic, Russia, E-mail: kondruchinasvetlana@yandex.ru, <https://orcid.org/0000-0002-0326-2132>.

REFERENCES

[1] Baimukanov D.A., Rodionov G.V., Yuldashbayev Yu.A., Alentayev A.S., Doshanov D.A. (2016) Keeping technology for dairy cattle and milk production [Tekhnologiya soderzhaniya molochnogo skota i proizvodstva moloka]. Tutorial. ISBN 978-601-310-197-2. Almaty: Evero. 252 p. (in Russ.).

[2] Bekenov D.M., Spanov A.A., Chindaliyev A.E., Baimukanov A.D., Sultanbai D.T., Zhaksylykova G.K., Kalimoldinova A.S. (2019). Comparative study of fruitfulness of cow insemination of a milking herd at various levels of productivity in the conditions of Bayserke-Agro LLP. Bulletin of the National Academy of Sciences of the Republic of Kazakhstan. Volume 6, Number 382 (2019), 335–338. <https://doi.org/10.32014/2019.2518-1467.178>. ISSN 2518-1467 (Online), ISSN 1991-3494 (Print).

[3] Bekenov D.M., Spanov A.A., Sultanbai D.T., Zhaksylykova G.K., Baimukanov A.D. (2019). The effect of canola meal application in the diet of dairy cows of Holstein breed in «Bayserke Agro» LLP. Bulletin of the National Academy of Sciences of the Republic of Kazakhstan. Volume 6, Number 382 (2019), 83–86. <https://doi.org/10.32014/2019.2518-1467.148>. ISSN 2518-1467 (Online), ISSN 1991-3494 (Print).

[4] Chindaliyev A.E., Kalimoldinova A., Alipov A., Baimukanov A. (2019) Using a linear assessment of the exterior of cows [Ispol'zovaniye lineynoy otsenki ekster'yera korov]. Chief zootechnician. Moscow. No. 8. p. 32-37. (in Russ.).

[5] Alentayev A.S., Baimukanov D.A., Smailov S.D., Semenov V.G., Abdrakhmanov K.T., Begaliyeva D.A., Omarov M.M. Efficiency of breeding of the Alatau breed of brown cattle in the "Adal" agro-industrial company JSC // Bulletin of the National Academy of Sciences of the Republic of Kazakhstan. ISSN 1991-3494. Volume 5, Number 375 (2018), P.p. 12-29. <https://doi.org/10.32014/2018.2518-1467.2>.

[6] Chindaliyev A. E., Baimukanov D. A., Karynbayev A. K., Chindaliyev E. Results of the targeted selective and breeding work of the Simmental red-and-motley breed of dairy cattle // Bulletin of the National Academy of Sciences of the Republic of Kazakhstan. ISSN 1991-3494. Volume 6, Number 376 (2018), P.p.34-38. <https://doi.org/10.32014/2018.2518-1467.24>.

[7] Mudarisov R.M., Akhmetzyanova G.R., Semenov V.G. (2015) Exterior-constitutional and economic-biological characteristics of Holstein cows [Ekster'yerno-konstitutsional'nyye i khozyaystvenno-biologicheskkiye osobennosti korov golshtinskoy porody]. Food Security and Sustainable Agriculture development of AIC Proceedings of Int. scientific-practical conf. Cheboksary. ChSAA. p.449-454. (in Russ.).

[8] Semenov V.G., Gerasimova N.I., Volkov A.V., Lopatnikov A.V. (2017) Realization of reproductive and productive qualities of cattle. Rational nature management and socio-economic development of rural areas as the basis for the effective functioning of the AIC in the region [Realizatsiya vosproizvoditel'nykh i produktivnykh kachestv krupnogo rogatogo skota. Ratsional'noye prirodopol'zovaniye i sotsial'no-ekonomicheskoye razvitiye sel'skikh territoriy kak osnova effektivnogo funktsionirovaniya APK regiona]. Proceedings of All-Russian scientific-practical conf. with the international participation dedicated to the 80th anniversary of the honored worker of agriculture of the Russian Federation, honorary citizen of the Chuvash Republic A.P. Aydak. Cheboksary, 2017. p. 314-319. (in Russ.).

[9] Ryan N J, Meade K G, Williams E J, O'Farrelly C, Grant J, Evans A C O and Beltman M E 2020 Purulent vaginal discharge diagnosed in pasture-based Holstein-Friesian cows at 21 days postpartum is influenced by previous lactation milk yield and results in diminished fertility J. Dairy Sci. 103(1) 666-675 doi: 10.3168/jds.2019-17116

[10] Kazhgaliyev N Z, Shauyenov S K, Omarkozhauy N, Shaikenova K H and Shurkin A I 2016 Adaptability and productive qualities of imported beef cattle under the conditions of the northern region of Kazakhstan Biosci Biotech Res Asia 13(1) 531-538 doi: 10.13005/bbra/2065

[11] Paul A K, Yoisungnern T and N Bunaparte 2015 Hormonal treatment and estrus synchronization in cows: A mini-review Journal of Advanced Veterinary and Animal Research 2 (1) 10-17 DOI: 10.5455/javar.2015.b45

**Publication Ethics and Publication Malpractice
in the journals of the National Academy of Sciences of the Republic of Kazakhstan**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

[www:nauka-nanrk.kz](http://www.nauka-nanrk.kz)

ISSN 2518-1467 (Online), ISSN 1991-3494 (Print)

<http://www.bulletin-science.kz/index.php/en/>

Редакторы *М.С. Ахметова, Д.С. Аленов, Р.Ж. Мрзабаева*
Верстка на компьютере *В.С. Зикирбаева*

Подписано в печать 12.06.2021.

Формат 60x881/8. Бумага офсетная. Печать – ризограф.

22, 25 п.л. Тираж 300. Заказ 3.