

ISSN 2518-1491 (Online),
ISSN 2224-5286 (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ

Д.В.Сокольский атындағы «Жанармай,
катализ және электрохимия институты» АҚ

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН
АО «Институт топлива, катализа и
электрохимии им. Д.В. Сокольского»

NEWS

OF THE ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN
JSC «D.V. Sokolsky institute of fuel, catalysis
and electrochemistry»

SERIES
CHEMISTRY AND TECHNOLOGY

1 (433)

JANUARY – FEBRUARY 2019

PUBLISHED SINCE JANUARY 1947

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK

NAS RK is pleased to announce that News of NAS RK. Series of chemistry and technologies scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of chemistry and technologies in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of chemical sciences to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы "ҚР ҰҒА Хабарлары. Химия және технология сериясы" ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруда. Web of Science зерттеушілер, авторлар, баспашылар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Химия және технология сериясы Emerging Sources Citation Index-ке енуі біздің қоғамдастық үшін ең өзекті және беделді химиялық ғылымдар бойынша контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Известия НАН РК. Серия химии и технологий» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАН РК в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по химическим наукам для нашего сообщества.

Б а с р е д а к т о р ы
х.ғ.д., проф., ҚР ҰҒА академигі **М.Ж. Жұрынов**

Р е д а к ц и я а л қ а с ы:

Ағабеков В.Е. проф., академик (Белорус)
Волков С.В. проф., академик (Украина)
Воротынцев М.А. проф., академик (Ресей)
Газалиев А.М. проф., академик (Қазақстан)
Ергожин Е.Е. проф., академик (Қазақстан)
Жармағамбетова А.К. проф. (Қазақстан), бас ред. орынбасары
Жоробекова Ш.Ж. проф., академик (Қырғыстан)
Иткулова Ш.С. проф. (Қазақстан)
Манташян А.А. проф., академик (Армения)
Пралиев К.Д. проф., академик (Қазақстан)
Баешов А.Б. проф., академик (Қазақстан)
Бүркітбаев М.М. проф., академик (Қазақстан)
Джусипбеков У.Ж. проф. корр.-мүшесі (Қазақстан)
Молдахметов М.З. проф., академик (Қазақстан)
Мансуров З.А. проф. (Қазақстан)
Наурызбаев М.К. проф. (Қазақстан)
Рудик В. проф., академик (Молдова)
Рахимов К.Д. проф. академик (Қазақстан)
Стрельцов Е. проф. (Белорус)
Тәшімов Л.Т. проф., академик (Қазақстан)
Тодераш И. проф., академик (Молдова)
Халиков Д.Х. проф., академик (Тәжікстан)
Фарзалиев В. проф., академик (Әзірбайжан)

«ҚР ҰҒА Хабарлары. Химия және технология сериясы».

ISSN 2518-1491 (Online),

ISSN 2224-5286 (Print)

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» Республикалық қоғамдық бірлестігі (Алматы қ.)

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрағат комитетінде 30.04.2010 ж. берілген №1089-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,
<http://chemistry-technology.kz/index.php/en/arithiv>

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2019

Типографияның мекенжайы: «Аруна» ЖК, Алматы қ., Муратбаева көш., 75.

Главный редактор
д.х.н., проф., академик НАН РК **М. Ж. Журинов**

Редакционная коллегия:

Агабеков В.Е. проф., академик (Беларусь)
Волков С.В. проф., академик (Украина)
Воротынцев М.А. проф., академик (Россия)
Газалиев А.М. проф., академик (Казахстан)
Ергожин Е.Е. проф., академик (Казахстан)
Жармагамбетова А.К. проф. (Казахстан), зам. гл. ред.
Жоробекова Ш.Ж. проф., академик (Кыргызстан)
Иткулова Ш.С. проф. (Казахстан)
Манташян А.А. проф., академик (Армения)
Пралиев К.Д. проф., академик (Казахстан)
Баешов А.Б. проф., академик (Казахстан)
Буркитбаев М.М. проф., академик (Казахстан)
Джусипбеков У.Ж. проф. чл.-корр. (Казахстан)
Мулдахметов М.З. проф., академик (Казахстан)
Мансуров З.А. проф. (Казахстан)
Наурызбаев М.К. проф. (Казахстан)
Рудик В. проф., академик (Молдова)
Рахимов К.Д. проф. академик (Казахстан)
Стрельцов Е. проф. (Беларусь)
Ташимов Л.Т. проф., академик (Казахстан)
Тодераш И. проф., академик (Молдова)
Халиков Д.Х. проф., академик (Таджикистан)
Фарзалиев В. проф., академик (Азербайджан)

«Известия НАН РК. Серия химии и технологии».

ISSN 2518-1491 (Online),

ISSN 2224-5286 (Print)

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан» (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №10893-Ж, выданное 30.04.2010 г.

Периодичность: 6 раз в год

Тираж: 300 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел. 272-13-19, 272-13-18,
<http://chemistry-technology.kz/index.php/en/arhiv>

© Национальная академия наук Республики Казахстан, 2019

Адрес редакции: 050100, г. Алматы, ул. Кунаева, 142,
Институт органического катализа и электрохимии им. Д. В. Сокольского,
каб. 310, тел. 291-62-80, факс 291-57-22, e-mail:orgcat@nursat.kz

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

E d i t o r i n c h i e f

doctor of chemistry, professor, academician of NAS RK **M.Zh. Zhurinov**

E d i t o r i a l b o a r d :

Agabekov V.Ye. prof., academician (Belarus)
Volkov S.V. prof., academician (Ukraine)
Vorotyntsev M.A. prof., academician (Russia)
Gazaliyev A.M. prof., academician (Kazakhstan)
Yergozhin Ye.Ye. prof., academician (Kazakhstan)
Zharmagambetova A.K. prof. (Kazakhstan), deputy editor in chief
Zhorobekova Sh.Zh. prof., academician (Kyrgyzstan)
Itkulova Sh.S. prof. (Kazakhstan)
Mantashyan A.A. prof., academician (Armenia)
Praliyev K.D. prof., academician (Kazakhstan)
Bayeshov A.B. prof., academician (Kazakhstan)
Burkitbayev M.M. prof., academician (Kazakhstan)
Dzhusipbekov U.Zh. prof., corr. member (Kazakhstan)
Muldakhmetov M.Z. prof., academician (Kazakhstan)
Mansurov Z.A. prof. (Kazakhstan)
Nauryzbayev M.K. prof. (Kazakhstan)
Rudik V. prof., academician (Moldova)
Rakhimov K.D. prof., academician (Kazakhstan)
Streltsov Ye. prof. (Belarus)
Tashimov L.T. prof., academician (Kazakhstan)
Toderash I. prof., academician (Moldova)
Khalikov D.Kh. prof., academician (Tadjikistan)
Farzaliyev V. prof., academician (Azerbaijan)

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of chemistry and technology.
ISSN 2518-1491 (Online),
ISSN 2224-5286 (Print)

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of Information and Archives of the Ministry of Culture and Information of the Republic of Kazakhstan N 10893-Ж, issued 30.04.2010

Periodicity: 6 times a year

Circulation: 300 copies

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19, 272-13-18,

<http://chemistry-technology.kz/index.php/en/arhiv>

© National Academy of Sciences of the Republic of Kazakhstan, 2019

Editorial address: Institute of Organic Catalysis and Electrochemistry named after D. V. Sokolsky
142, Kunayev str., of. 310, Almaty, 050100, tel. 291-62-80, fax 291-57-22,
e-mail: orgcat@nursat.kz

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

SERIES CHEMISTRY AND TECHNOLOGY

ISSN 2224-5286

<https://doi.org/10.32014/2019.2518-1491.2>

Volume 1, Number 433 (2019), 16 – 20

UDC 661.2

**G.Z. Turebekova¹, Sh.K. Shapalov³, G.B. Alpamysova¹, G.I. Issayev³,
A. Bitemirova⁴, S. Lyubchik⁵, Zh.S. Yergubekova³, G.Zh. Pusurmanova⁴**

¹South Kazakhstan state pedagogical university, Shymkent, Kazakhstan;

²Silkway international university, Shymkent, Kazakhstan;

³International Kazakh-Turkish University named after H. A. Yassavi, Shymkent, Kazakhstan;

⁴M. Auezov South Kazakhstan State University Shymkent, Shymkent, Kazakhstan,

⁵NOVA University, Lisbon, Portugal

g.ture@mail.ru, shermahan_1984@mail.ru, galpamysova@inbox.ru, g_isayev@inbox.ru, aliya.bitemirova@bk.ru,
kkerimbayeva@bk.ru, sve_lubchik@yahoo.com, adayrabayeva@bk.ru, yergubayeva@bk.ru, pusurmanova.gulzhamal@bk.ru,

RECYCLING OF WASTES OF PETROLEUM REFINING INDUSTRY BY USING THEM IN THE MANUFACTURE OF TIRE RUBBERS

Abstract: The important scientific direction of petrochemistry is manufacture of plasticizers, softeners, vulcanizing agents, fillers on the basis of industrial wastes. This allows expand the raw-material base, use heavy stocks of refinery wastes, reduce technogenic influence on the environment and solve the problem of manufacture of import-substituting softeners for the rubber-processing industry of Kazakhstan. The feature of Kazakhstan petroleum is high concentration of sulfur compounds, in consequence of which much sulfuric wastes are formed, which are environmentally hazardous in open storage. Optimization of a receipt for developed rubber compounds for manufacture of a filler strip for passenger car tire beads was carried out in our work by serial analysis of influence of content of each of the components separately (sulfur and oil sludge) at the fixed amount of other ingredients on the rubber properties. In order to identify optimal amount of organic share of the oil sludge in the content of rubber compounds, rubber compounds with different content of organic share of the oil sludge were gained. Plasticizers and softeners were substituted to the organic share of the oil sludge. Also polymeric and colloidal sulfur mixture of Tengiz field was used as a vulcanizing agent in the receipts of rubber compounds. The results of comprehensive tests showed replaceability of traditionally used in the rubber compounds softeners to the organic share of the oil sludge and use of Tengiz sulfur as a vulcanizing agent.

Key words: organic share of oil sludge, oil sludge, softeners, vulcanizing agent, Tengiz sulfur, vulcanizing system, rubber compound, filler strip, bead.

Introduction

The rubber industry in Kazakhstan has very limited assortment of ingredients for rubber compounds. The important scientific direction of petrochemistry is manufacture of plasticizers, softeners, vulcanizing agents, fillers on the basis of industrial wastes. This allows expand the raw-material base, use heavy stocks of refinery wastes, reduce anthropogenic stress on the environment and solve the problem of manufacture of import-substituting softeners and vulcanizing agents for the rubber-processing industry of Kazakhstan. The feature of Kazakhstan petroleum is high concentration of sulfur compounds, in consequence of which much sulfuric wastes are formed [3-6].

Vulcanization plays an important role on rubber industry by offering the rubber products containing three-dimensional network of rubber molecules. By this mean, the significant improvement in numerous properties including tensile and tear properties, set, resilience and abrasion of rubber vulcanizates is resulted. The vulcanization could generally be divided into 3 main systems, i.e., sulfur, peroxide, and metal oxide systems. The sulfur vulcanization system is generally preferential because of its superiority in mechanical properties and ease of cure behavior adjustment [5, 6]. Typically, the sulfur used in rubber industry originates from 2 main resources, i.e., natural resource and petroleum refinery. Basically, the

sulfur from natural resource is more preferable because of its certain chemical structure in conjunction with its high sulfur content (99 %)[7].

The generally accepted is application of organic and inorganic low-molecular compounds in the receipts of rubber compounds. By the efficacy, polymers and products of low-molecular compounds are divided into softeners and plasticizers. The softeners are low-molecular compounds, which reduce yield temperature and not influence on vitrification temperature of rubber substances. The plasticizers are low-molecular compounds, which reduce vitrification temperature and yield temperature of the rubber substances. The important requirement to the plasticizers and softeners is their low cost. The great significance is also given to the availability of initial raw material used for their manufacture. Different other requirements to the plasticizers and softeners (absence of leachability by water, oils, etc.) are set by specific conditions, in which a manufactured product, containing the plasticizer and softener, will operate.

Experimental part. Sulfur is used in the rubber compounds as the vulcanizing agent, therefore in our work we offer to use refined Tengiz sulfur, gained from the wastes of oil production and refinery wastes, in the vulcanizing system.

Earlier we carried out experiments of the organic share of the oil sludge, gained from the oil sludge of “PetroKazakhstanOilProducts” LLP in the receipts of the rubber compounds on the basis of rubber substances of general assignment as the softeners, with substantiation of traditionally used softeners – oil PN-6SH and softener ASMG. The results of measurement of processing properties established -that the organic share of the oil sludge causes the plasticizing effect [8-11].

Optimization of the rubber compounds receipts. Optimization of the developed rubber compounds for manufacture of a filler strip for passenger car tire beads was carried out by serial analysis of influence of content of each of the components separately (sulfur and oil sludge) at the fixed amount of other ingredients on the rubber properties.

In order to identify optimal amount of the organic share of the oil sludge in the content of rubber compounds, the rubber compounds with different content of the organic share of the oil sludge were gained. The plasticizers and softeners were substituted to the organic share of the oil sludge. Also polymeric and colloidal sulfur mixture of Tengiz field was used as the vulcanizing agent in the receipts of the rubber compounds. The rubber compounds' receipts used at the manufacture of the chafer strip are given in Table 1.

Fine mineral fraction of the oil sludge (1-5 mcm) was used in the receipt of the rubber compound for rubberizing of the filler strip for passenger car tire beads.

Table 1 – Receipt of the optimal rubber compound for the rubberizing of the filler strip for passenger car tire beads

Ingredients	Per 100 mass shares of the rubber substance					
	Control variant	Studied variant				
1	2	3	4	5	6	7
SKI-3	40,0	40,0	40,0	40,0	40,0	40,0
Butyl	60,0	60,0	60,0	60,0	60,0	60,0
Technical sulfur	2,4	-	-	-	-	-
Tengizsulfur	-	1,2	1,6	2,0	2,2	2,4
Sulfonamide “Ts”	1,2	1,2	1,2	1,2	1,2	1,2
Santogard PVI	0,4	0,4	0,4	0,4	0,4	0,4
Zinc oxide	5,0	5,0	5,0	5,0	5,0	5,0
Stearinic commercial acid	2,0	2,0	2,0	2,0	2,0	2,0
Softener ASMG	4,0	4,0	4,0	4,0	4,0	4,0
Organic share of the oil sludge	-	4,0	5,0	6,0	6,5	7,0
Oil PN-6SH	4,0	-	-	-	-	-
Acetone anil R	2,0	2,0	2,0	2,0	2,0	2,0
Diaphene FP	2,0	2,0	2,0	2,0	2,0	2,0
Technical carbon	70,0	60,0	55,0	50,0	45,0	40,0
Mineral share of the oil sludge	-	10,0	15,0	20,0	25,0	30,0

Methods. Vulcanizing features of the rubber compounds, gained on “Monsanto” rheometer, proved the fact that different dosages of the organic share of the oil sludge and sulfur have direct influence on the rubber compounds’ vulcanizing kinetics. Addition of the organic share of the oil sludge into the rubber compounds results in reduction of minimal viscosity and stiffness of the elastomeric matrix system. This reduction is directly proportional to the percentage composition of the organic share of the oil sludge. Application of Tengiz sulfur allows preserve duration of the plateau effect, hence preventing over-vulcanization of the filler strip rubber.

Results and their discussion. Optimal ratio of the components, resulting in reduction of the minimal viscosity and increase in the beginning of vulcanizing, characterizing the best processing properties of the rubber compounds, is observed at 7 and 8 mass shares of the organic share of the oil sludge for the rubber compounds, meant for the filler strip. Analysis of the rubber compounds’ vulcanometric curves shows that the optimal time for attaining the vulcanizing of the rubber compound for the rubber compound of the filler strip consists 23 minutes.

Physical-mechanical tests of the experimental rubbers have led to the conclusion about the highest appropriateness of using the organic share of the oil sludge in the receipts of the rubber compounds for the filler strip of the boardside panels, as when substituting traditionally used softeners to the organic share of the oil sludge, the rubber properties meet the rates of inspection. The best results are observed at the dosage of 8-10 mass shares of the organic share of the oil sludge for the rubber compounds, meant for the filler strip. Dependencies of the main physical-mechanical indicators of the vulcanized rubbers of the filler strip on the dosage of the organic share of the oil sludge and Tengiz sulfur are given in Table 2.

Table 2 – Properties of the vulcanizates on the basis of rubber substances of general assignment for the filler strip with additives of the organic share of the oil sludge and Tengiz sulfur

Indicators	Inspection rates	1-v	2-v	3-v	4-v	5-v
Nominal tensile strength, kgf/cm ² , at least	92	107	104	109	111	111
Relative tensile elongation, %, at least	270	270	300	310	310	295
Shore hardness, c.u.	70	75	77	77	78	75

Conclusions

Insignificant reduction in the tensile indicators and increase in the elastic properties of the rubbers when increasing the organic share of the oil sludge dosage can be explained by plasticization effect mechanism of the organic share of the oil sludge low-molecular compounds, which permeate between macromolecules by the same token reducing the rubber substance macromolecules’ intermolecular interaction. Insignificant reduction in the strength properties of the side panel rubbers is not fundamental, as the main strength for the board side panel structure is given by bead rings from a brass plated wire. Application of Tengiz sulfur allowed preserve the vulcanizing kinetics, which could be reduced when using the organic share of the oil sludge. Also application of Tengiz sulfur allowed increase hardness of the rubbers which is necessary to increase stiffness of the tire bead.

Thus, the results of the comprehensive tests showed the possibility of substitution of traditionally used in the rubber compounds softeners to the organic share of the oil sludge and use of Tengiz sulfur as the vulcanizing agent. The fillers in the receipts of the rubber compounds for formation of the filler strip can be partially substituted to the mineral share of the oil sludge.

Г.З. Туребекова¹, Ш.К. Шапалов², Г.Б. Алпамысова¹, Г.И. Исаев³,
А. Битемирова², S. Lyubchuk⁵, Ж.С.Егурбекова¹, Г.Ж. Пусурманова⁴

¹Оңтүстік Қазақстан мемлекеттік педагогикалық университеті, Шымкент, Қазақстан;

²Silkway халықаралық университеті, Шымкент, Қазақстан;

³Қожа Ахмет Ясауи атындағы Халықаралық қазақ-түрік университеті Түркістан, Қазақстан;

⁴М. Әуезов атындағы Оңтүстік Қазақстан мемлекеттік университеті, Шымкент, Қазақстан;

⁵NOVA университеті, Лиссабон, Португалия

МҰНАЙ ӨНДІРУ МЕН МҰНАЙ ӨНДЕУ ҚАЛДЫҚТАРЫН ШИНАЛЫҚ РЕЗИНАЛАР ӨНДІРІСІНДЕ ҰТЫМДЫ ПАЙДАЛАНУ МҰМКІНДІГІ

Аннотация.Тенгиз кен орнының мұнайын өндіру және өңдеу кезінде ашық алаңдарда сақталатын күкірттің көп қалдықтары түзіледі. Атмосфераның әсерінен, яғни жоғары температура (жазда 45-50⁰С дейін) мен басқа да факторлардың әсерінен, адам денсаулығы мен қоршаған ортаға зиянды әсерін тигізетін күкірттің көп қоспалары түзіледі. Жұмыста күкіртті резина қоспасын вулкандашушы аген ретінде қолдану мүмкіндігі көрсетілген.

Компонент құрамының әрқайсысына бөлек (күкірт және мұнай шламы) резина қоспасына әсерін жүйелі түрде зерттеу арқылы, жеңіл шина бортының толықтырғыш бауын дайындау кезінде өңделген резина қоспасына, тіркелген басқа да ингредиенттер санына оңтайландыру жүргізілді.

Тенгиз күкіртін қолдану, ОЧН қолдану кезінде кемуге мүмкіндік беретін вулкандашу кинетикасын сақтауға мүмкіндік берді. тенгиз күкіртін қолдану, Сонымен қатар дөңгелектің сыртқы бортының Кермектіктің арттыру үшін қажет резинаның қаттылығын жоғарылатады.

Кеңейтілген сынақтардың нәтижелері, резина қоспасында қолданылатын дәстүрлі жұмсартқыштарды мұнай шламы мен вулкандашушы агент ретінде қолданылатын тенгиз күкірті не алмастыру мүмкіндігін көрсетті

Толықтырғыш бауды дайындауға арналған резина қоспасының рецептіндегі толықтырғыштар мұнайшламының минералды бөлігіне ішінара ауыстырылуы мүмкін.

Түйін сөздер: күкірт, полимерлі күкірт, өнеркәсібінде алынған заттар, шиналық, резеңке, резеңке қоспалар, вулканизаттар, вулканизациялау агенті, вулкандашу жүйесі, протекторлық резеңке қоспалар, брекерлық резеңке қоспалар.

Г.З. Туребекова¹, Ш.К. Шапалов², Г.Б. Алпамысова¹, Г.И. Исаев³,
А. Битемирова², S. Lyubchuk⁵, Ж.С.Егурбекова¹, Г.Ж. Пусурманова⁴

¹Южно-Казахстанский государственный педагогический университет, Шымкент, Казахстан;

²Южно-Казахстанский государственный университет им. М. Ауезова, Шымкент, Казахстан;

³Международный Казахско-Турецкий университет им. Кожа Ахмета Ясауи, Туркестан, Казахстан;

⁴Silkway международный университет, Шымкент, Казахстан;

⁵Университет NOVA, Лиссабон, Португалия

УТИЛИЗАЦИЯ ОТХОДОВ НЕФТЕПЕРЕРАБАТЫВАЮЩЕЙ ПРОМЫШЛЕННОСТИ ПУТЕМ ИСПОЛЬЗОВАНИЯ ИХ В ПРОИЗВОДСТВЕ ШИННЫХ РЕЗИН.

Аннотация. Важным научным направлением нефтехимии является производство пластификаторов, мягчителей, вулканизирующих агентов, наполнителей на основе техногенных отходов. Это позволяет расширить сырьевую базу, использовать большие запасы отходов нефтепереработки, уменьшить техногенное воздействие на окружающую среду и решить проблему производства импортзамещающих мягчителей для резиновой промышленности Казахстана. Особенностью казахстанских нефтей является повышенное содержание соединений серы, вследствие чего образуется много серных отходов, являющимися экологически опасными при открытом хранении. В нашей работе путем последовательного изучения влияния на свойства резин содержания каждого из компонентов в отдельности (серы и нефтешлама) при фиксированных количествах других ингредиентов была проведена оптимизация рецептур разработанных резиновых смесей для изготовления наполнительного шнура борталегковых шин. С целью выявления оптимального количества органической части нефтешлама (ОЧН) в составе резиновых смесей были получены резиновые смеси с различным содержанием ОЧН. Пластификаторы и мягчители были заменены на ОЧН. Также в рецептурах резиновых смесей в качестве вулканизирующего агента была использована смесь

полимерной и коллоидной серы тенгизского месторождения. Результаты расширенных испытаний показали возможность замены традиционно используемых в резиновых смесях мягчителей на органическую часть нефтешлама и использования тенгизской серы в виде вулканизирующего агента.

Ключевые слова: органическая часть нефтешлама (ОЧН), нефтешламы, мягчители, вулканизирующий агент, тенгизская сера, вулканизирующая система, резиновая смесь, наполнительный шнур, борт.

Information about authors:

Turebekova G.Z. - South Kazakhstan state pedagogical university, the Faculty of Natural Sciences, candidate of technical science, associate professor;

Shapalov Shermakhan Kuttibayevich - Shapalov Shermakhan Kuttibayevich- Silkway international university, PhD, senior teacher Department of chemistry and biology;

Issayev Gany Isaulu- International Kazakh - Turkish University named after H. A. Yassavi, chief of Department of biology candidate of technical science, associate professor;

Alpamysova Gulzhayna Baigonysova - South Kazakhstan state pedagogical university, Head of the Faculty of Natural Sciences, candidate of agricultural science, associate professor;

Bitimirova Aliya - Silkway international university, Department of chemistry and biology candidate of chemical science, associate professor;

Lyubchik Svitlana - PhD, professor NOVA University, Lisbon, Portugal

Yergubekova Zhanat Saparbekovna - International Kazakh-Turkish University named after H. A. Yassavi, PhD, senior teacher

Pusurmanova Gulzhamal Zhusupbekovna - M. Auezov South Kazakhstan State University, professor of Department of Petrochemistry and Refining, candidate of chemical sciences, associate professor;

REFERENCES

- [1] Nadirov N.K. Tengiz – a sea of oil – a sea of problems. Almaty: Gylym, **2003**.
- [2] Sulfur – wastes of production or valuable mineral? //Caspian. **2002**. P. 80-82.
- [3] Turebekova G.Z., Pusurmanova G.J., Sakibaeva S.A., Orazymbetova A.O. Prospects for the use of waste oil production and refining – sulfur in the production of technical rubbers // Innovation – 2015: Materials of international scientific-technical conference. Tashkent, 23-24 October, **2015**. P. 51-53.
- [4] Turebekova G.Z., Shapalov Sh., Sakibayeva S.A., Zharylkasyn P.M., Pusurmanova G.Zh. Application of oil industry wastes (sludges and sulfur) in rubber production // “News of the National Academy of Sciences of the Republic of Kazakhstan. Series of geology technical sciences”, № 6(420), November-December, **2016**. P.185-188.
- [5] Sorokin Ya.G. Non-waste production in the petroleum refining industry. M.: Chemistry, **1983**. 130p.
- [6] Yermakov V.V. Research of dependence of a hazard class of oil-containing wastes on their composition / Yermakov V.V., Sukhonosova A.N., Bykov D.Ye., Pirozhkov D.A. // Oil-gas and chemical technologies: collection of scientific works of All-Russian scientific-practical conference / Samara: Samara state technical university, **2008**. p. 309.
- [7] Potential of use the modified polymeric sulfur based on the by-product petroleum sulfur in the rubber production. News of the national academy of sciences of the republic of Kazakhstan. Series chemistry and technology. Volume 6, Number 426 (**2017**). P. 39
- [8] Ongarbayev Ye.K., Mansurov Z.A. Oil wastes and ways for their utilization. – Kazakh National University, **2003**. 160 p.
- [9] Zainullin Kh.N., Minigazimov N.S., Rasvetalov V.A. Recycling and disposal of oil-containing wastes. Ufa: Ecology, **1999**. 300p.
- [10] Pozdnyshev G.N. Stabilization and demulsification. M.: Resources, **1982**. 223 p.
- [11] Minigazimov N.S. Recycling and disposal of oil-containing wastes / N.S. Minigazimov, V.A. Rasvetalov, Kh.N. Zainullin. Ufa: Ecology, 1999. 299p.
- [12] Kantureeva G.O., Defrancesco E., Alibekov R.S., Urazbayeva K.A., Efimova I.E. (2018) New trends in the identification of the traditional food products of Kazakhstan. News of the Academy of Sciences of the Republic of Kazakhstan. Series of Chemistry and Technology. 5. **2018**. P. 6. <https://doi.org/10.32014/2018.2518-1491.1> (in Eng).
- [13] Kaldybekova A.Zh., Amangazyeva A.T., Halmenova Z.B., Umbetova A.K. (2018) Development of technology for the complex isolation of biological active substances from plants of the genus *Haplophyllum* A. Juss. News of the Academy of Sciences of the Republic of Kazakhstan. Series of Chemistry and Technology. 5. **2018**. P. 74-75. <https://doi.org/10.32014/2018.2518-1491.10> (in Eng).

**Publication Ethics and Publication Malpractice
in the journals of the National Academy of Sciences of the Republic of Kazakhstan**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации
в журнале смотреть на сайте:

www.nauka-nanrk.kz

<http://chemistry-technology.kz/index.php/en/arhiv>

ISSN 2518-1491 (Online), ISSN 2224-5286 (Print)

Редакторы: *М. С. Ахметова, Т. А. Апендиев, Аленов Д.С.*
Верстка на компьютере *А.М. Кульгинбаевой*

Подписано в печать 05.02.2019.
Формат 60x881/8. Бумага офсетная. Печать – ризограф.
4,6 п.л. Тираж 300. Заказ 1.