

**ISSN 2518-1491 (Online),
ISSN 2224-5286 (Print)**

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ГЫЛЫМ АКАДЕМИЯСЫНЫҢ

Д.В.Сокольский атындағы «Жанармай,
катализ және электрохимия институты» АҚ

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН
АО «Институт топлива, катализа и
электрохимии им. Д.В. Сокольского»

N E W S

OF THE ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN
JSC «D.V. Sokolsky institute of fuel, catalysis
and electrochemistry»

**SERIES
CHEMISTRY AND TECHNOLOGY**

4 (436)

JULY-AUGUST 2019

PUBLISHED SINCE JANUARY 1947

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK

NAS RK is pleased to announce that News of NAS RK. Series of chemistry and technologies scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of chemistry and technologies in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of chemical sciences to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы "ҚР ҰҒА Хабарлары. Химия және технология сериясы" ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруды. Web of Science зерттеушілер, авторлар, баспашилар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Химия және технология сериясы Emerging Sources Citation Index-ке енүі біздің қоғамдастық үшін ең өзекті және беделді химиялық ғылымдар бойынша контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Известия НАН РК. Серия химии и технологий» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАН РК в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по химическим наукам для нашего сообщества.

Бас редакторы
х.ғ.д., проф., ҚР ҮҒА академигі **М.Ж. Жұрынов**

Редакция алқасы:

Агабеков В.Е. проф., академик (Белорус)
Волков С.В. проф., академик (Украина)
Воротынцев М.А. проф., академик (Ресей)
Газалиев А.М. проф., академик (Қазақстан)
Ергожин Е.Е. проф., академик (Қазақстан)
Жармағамбетова А.К. проф. (Қазақстан), бас ред. орынбасары
Жоробекова Ш.Ж. проф., академик (Қырғыстан)
Иткулова Ш.С. проф. (Қазақстан)
Манташян А.А. проф., академик (Армения)
Пралиев К.Д. проф., академик (Қазақстан)
Баешов А.Б. проф., академик (Қазақстан)
Бұркітбаев М.М. проф., академик (Қазақстан)
Джусипбеков У.Ж. проф. корр.-мүшесі (Қазақстан)
Молдахметов М.З. проф., академик (Қазақстан)
Мансуров З.А. проф. (Қазақстан)
Наурызбаев М.К. проф. (Қазақстан)
Рудик В. проф., академик (Молдова)
Рахимов К.Д. проф. академик (Қазақстан)
Стрельцов Е. проф. (Белорус)
Тәшімов Л.Т. проф., академик (Қазақстан)
Тодераш И. проф., академик (Молдова)
Халиков Д.Х. проф., академик (Тәжікстан)
Фарзалиев В. проф., академик (Әзірбайжан)

«ҚР ҮҒА Хабарлары. Химия және технология сериясы».

ISSN 2518-1491 (Online),

ISSN 2224-5286 (Print)

Меншіктенуші: «Қазақстан Республикасының Үлттық ғылым академиясы» Республикалық қоғамдық бірлестігі (Алматы қ.)

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрағат комитетінде 30.04.2010 ж. берілген №1089-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,
<http://chemistry-technology.kz/index.php/en/archiv>

© Қазақстан Республикасының Үлттық ғылым академиясы, 2019

Типографияның мекенжайы: «Аруна» ЖК, Алматы қ., Муратбаева көш., 75.

Г л а в н ы й р е д а к т о р
д.х.н., проф.,академик НАН РК **М. Ж. Журинов**

Р е д а к ц и о н на я к ол л е г и я:

Агабеков В.Е. проф., академик (Беларусь)
Волков С.В. проф., академик (Украина)
Воротынцев М.А. проф., академик (Россия)
Газалиев А.М. проф., академик (Казахстан)
Ергожин Е.Е. проф., академик (Казахстан)
Жармагамбетова А.К. проф. (Казахстан), зам. гл. ред.
Жоробекова Ш.Ж. проф., академик (Кыргызстан)
Иткулова Ш.С. проф. (Казахстан)
Манташян А.А. проф., академик (Армения)
Пралиев К.Д. проф., академик (Казахстан)
Баешов А.Б. проф., академик (Казахстан)
Буркитбаев М.М. проф., академик (Казахстан)
Джусипбеков У.Ж. проф. чл.-корр. (Казахстан)
Мулдахметов М.З. проф., академик (Казахстан)
Мансуров З.А. проф. (Казахстан)
Наурызбаев М.К. проф. (Казахстан)
Рудик В. проф.,академик (Молдова)
Рахимов К.Д. проф. академик (Казахстан)
Стрельцов Е. проф. (Беларусь)
Ташимов Л.Т. проф., академик (Казахстан)
Тодераш И. проф., академик (Молдова)
Халиков Д.Х. проф., академик (Таджикистан)
Фарзалиев В. проф., академик (Азербайджан)

«Известия НАН РК. Серия химии и технологии».

ISSN 2518-1491 (Online),

ISSN 2224-5286 (Print)

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан» (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №10893-Ж, выданное 30.04.2010 г.

Периодичность: 6 раз в год

Тираж: 300 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел. 272-13-19, 272-13-18,

<http://chemistry-technology.kz/index.php/en/arhiv>

© Национальная академия наук Республики Казахстан, 2019

Адрес редакции: 050100, г. Алматы, ул. Кунаева, 142,
Институт органического катализа и электрохимии им. Д. В. Сокольского,
каб. 310, тел. 291-62-80, факс 291-57-22, e-mail:orgcat@nursat.kz

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

Editor in chief
doctor of chemistry, professor, academician of NAS RK **M.Zh. Zhurinov**

Editorial board:

Agabekov V.Ye. prof., academician (Belarus)
Volkov S.V. prof., academician (Ukraine)
Vorotyntsev M.A. prof., academician (Russia)
Gazaliyev A.M. prof., academician (Kazakhstan)
Yergozhin Ye.Ye. prof., academician (Kazakhstan)
Zharmagambetova A.K. prof. (Kazakhstan), deputy editor in chief
Zhorobekova Sh.Zh. prof., academician (Kyrgyzstan)
Itkulova Sh.S. prof. (Kazakhstan)
Mantashyan A.A. prof., academician (Armenia)
Praliyev K.D. prof., academician (Kazakhstan)
Bayeshov A.B. prof., academician (Kazakhstan)
Burkitbayev M.M. prof., academician (Kazakhstan)
Dzhusipbekov U.Zh. prof., corr. member (Kazakhstan)
Muldakhmetov M.Z. prof., academician (Kazakhstan)
Mansurov Z.A. prof. (Kazakhstan)
Nauryzbayev M.K. prof. (Kazakhstan)
Rudik V. prof., academician (Moldova)
Rakhimov K.D. prof., academician (Kazakhstan)
Streltsov Ye. prof. (Belarus)
Tashimov L.T. prof., academician (Kazakhstan)
Toderash I. prof., academician (Moldova)
Khalikov D.Kh. prof., academician (Tadzhikistan)
Farzaliyev V. prof., academician (Azerbaijan)

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of chemistry and technology.
ISSN 2518-1491 (Online),
ISSN 2224-5286 (Print)

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)
The certificate of registration of a periodic printed publication in the Committee of Information and Archives of the Ministry of Culture and Information of the Republic of Kazakhstan N 10893-Ж, issued 30.04.2010

Periodicity: 6 times a year

Circulation: 300 copies

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19, 272-13-18,
<http://chemistry-technology.kz/index.php/en/arhiv>

© National Academy of Sciences of the Republic of Kazakhstan, 2019

Editorial address: Institute of Organic Catalysis and Electrochemistry named after D. V. Sokolsky
142, Kunayev str., of. 310, Almaty, 050100, tel. 291-62-80, fax 291-57-22,
e-mail: orgcat@nursat.kz

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

N E W S

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

SERIES CHEMISTRY AND TECHNOLOGY

ISSN 2224-5286

<https://doi.org/10.32014/2019.2518-1491.39>

Volume 4, Number 436 (2019), 32 – 35

UDC 665.51.532.13:538.113

**A.S. Bukanova, F.B. Kairlieva, L.B. Sakipova,
N.A. Karabasova, C.K. Bukanova, R.N. Nasirov**

Atyrau State University named after Kh. Dosmukhamedov, Atyrau, Kazakhstan
rmasirov.48@mail.ru

**ESTABLISHMENT OF OIL DISPERSED SYSTEMS BY
THE PARAMAGNETIC PROBE AND FREE RADICALS**

Abstract. We managed to establish experimentally existence of disperse particles of resinous asphaltene substance (RAS) in crude oil. The EPR spectra of nitroxyl in the oils of the Caspian region were studied, and as it can be seen, the component $m_z=-1$ splits into two lines. Heating up to 100 °C leads to disappearance extreme components which after cooling of a sample to room temperature appears only after long upholding (not less than 2 h). This phenomenon is connected with heterogeneity of oil, that is with existence in it of considerable number the asfaltenosmolistykh of particles. This phenomenon is associated with the heterogeneity of oil, that is, with the presence in it of a significant number of resin-asphaltenic particles. At low concentrations of RAS in oil, they are molecular dispersed and the molecules of the dissolved RAS freely move in the oil independently of each other. With a significant content of RAS in the oil micelles are formed. Particles of nitroxyl radicals are adsorbed on RAS micelles. Non-adsorbed particles of nitroxyl radicals chaotically move in the dispersive environment of oil. Two such different conditions of the nitroxyl radical in oil are in thermodynamic balance.

In low viscosity oils (Tengiz) where RAS is molecularly dispersed, particles of dissolved nitroxyl radicals move freely, and in the EPR spectrum we can observe three lines of them with the same intensities.

Keywords: paramagnetic probe, oil heterogeneity, free radical, disperse systems, adsorption.

As it is known from the literature data [1,2], resinous-asphaltene substances (RAS) of oil are dispersed particles. They are an element of the structure of mainly spherical shape, capable of independent existence in these conditions. The inner region (core) and the solvate shell surrounding the core are distinguished in the composition of the dispersed particle. The inner region of RAS is represented by a supramolecular structure consisting of molecules most prone to the association process. It can be asphaltenes. In turn, asphaltenes are the main source of the so-called "coal" (free) radical, which is fixed in the EPR spectrum of the viscous oil field Zhubantam (pic.16) between the lines of nitroxyl $m_z=0$ и $m_z=-1$.

Nasirov R. N. applied the method of paramagnetic probe [3] to assess the viscosity of the Caspian region oils [4].

There is a connection between the rotational mobility of stable nitroxyl radicals and viscosity, which is determined by the Stokes-Einstein equation:

$$\tau_c = (4\pi/3kT)\alpha^3\eta \quad (1)$$


where τ_c - the correlation time of rotational mobility; η - dynamic viscosity of the medium; α - effective hydrodynamic radius of the radical; k - Boltzmann constant; T – temperature.

Value τ_c determined from the ratio

$$\tau_c = 6,65\Delta H_{+1}(\sqrt{I_{+1}/I_{-1}-1})10^{-10} \quad (2)$$

where I_{+1} – is the intensity of the components of the hyperfine structure (HFS), the corresponding value of the projection of the mechanical moment of the nucleus in the direction of the external magnetic field

$m_z=+1$; I_{+1} - the intensity of the STS component corresponding to the value of $m_z=-1$; ΔH - line width corresponding to $m_z=+1$. Picture 1 shows the EPR spectra of nitroxyl (2,2,6,6-tetrametil-4- oxopiperidine-1-oxyl) in oil fields Kotyrtas and Zhubantam. Nitroxyl was injected into the oil in dry form and dissolved with prolonged stirring (nitroxyl concentration - 10^{-3} mole/l).




Picture 1- The EPR spectra of nitroxide at a temperature of 25°C in oils:
a – from Kotyrtas, b – from Zhubantam

As can be seen from the EPR spectra (pic. 1), relation I_{+1}/I_{-1} varies dramatically depending on the field, due to the different viscosity of these oils.

In this paper, the colloidal structure of oil disperse systems is established using a paramagnetic probe and free radicals.

As can be seen from pic.1b, component $m_z=-1$ is split into two lines. Heating up to 100°C leads to the disappearance of the extreme component, which appears only after a long settling (at least 2H), through the cooling of the sample to room temperature. This phenomenon is due to the heterogeneity of oil, that is the presence of a significant number of RAS particles in it. At low RAS concentrations in oil, they are dispersed and the dissolved RAS molecules move freely in the oil independently. With a significant content of RAS comes formation of micelles (pic. 2). On the surface of RAS micelles goes the adsorption of nitroxyl radicals particles. Unadsorbed particles of nitroxyl radicals randomly move in the dispersion medium of oil. Two such different states of nitroxyl radical in oil are in thermodynamic equilibrium. In low-viscosity oils (Tengiz, well 38 and Chingiz, well 12), where RAS are molecularly dispersed, the particles of dissolved nitroxyl radicals move freely, and we observe three lines with the same intensities (isotropic spectrum) in the EPR spectrum. Adsorption of nitroxyl on these dispersed RAS particles leads to the change of g-factor and α_N nitroxyl. When heated, the adsorption layer is destroyed, and then slowly restored.



Picture 2- Colloidal structure of oil, which is established by the method of paramagnetic probe: ●- nitroxyl particles adsorbed on the surface of RAS oil micelles; ●→ - dissolved nitroxyl particles in oil dispersion medium

Thus, the EPR method was able to experimentally establish the presence of RAS dispersed particles in crude oils of Kazakhstan with the help of a paramagnetic probe and FR, and the dynamics of the structure of their models was also confirmed.

Table 1 shows the content of asphaltenes, resins, FR and the value of the radical rotation correlation time of τ_c obtained by formula (2) in crude oils of Western Kazakhstan. The region of the slow rotation of nitroxyl $1,0 \cdot 10^{-8} - 1,4 \cdot 10^{-8}$ is observed in oils with a high content of RAS and FR, constituting the dispersed phase, and the region of fast rotations of nitroxyl $\tau_c < 2 \cdot 10^{-11}$ (Chingiz oil) corresponds to the low content of resins and asphaltenes (<0,2%). In low-viscosity oils (Tengiz), where RAS are molecularly dispersed, the particles of dissolved nitroxyl radicals move freely, and we observe three lines with the same intensities (isotropic spectrum) in the EPR spectrum. In the latter case, crude oils approach to become true solutions.

Table 1 - The content of the RAS, FR and the value of τ_c in some crude oils of Western Kazakhstan

Field, well number	Content, %		$\tau_c \cdot 10^{10}$, c	$CP \cdot 10^{-17}$, spin/g
	silica resin	asphaltenes		
Karazhanbas, 850	17,4	6,40	14,5	31
Zhubantam, 14	15,2	3,40	13,0	13,3
Uzen, 5118	20,1	0,70	5,5	15,9
Zaburun, 11	8,8	0,30	4,9	6,3
South-East Kamishitov,4	8,7	0,20	2,3	4,9
South-West Kamishitov,118	2,5	следы	1,0	0,2
Kotyrtas,28	7,2	0,28	1,8	3,3
Tengiz,38	2,3	0,18	0,3	1,5
Chingiz, 12	следы	0,2	0,2	0,4

EXPERIMENTAL PART

EPR spectra of oil samples were taken on the E-12 spectrometer of "Varian" at room temperature [5]. Oil samples before the analysis were purified from associated water and mechanical impurities by centrifugation (centrifuge T-22) at a speed of 4000 rpm. The oil samples prepared in this way were sealed in order to avoid evaporation of gasoline fractions into glass ampoules 0.2 cm in diameter and 10-15 cm in length. We have found EPR signals from both vanadium and FR ions in the oils of the studied fields. To determine the concentration, the most intense hyperfine structure (HFS) line from the complexes of tetravalent vanadium and a single line from FR were used. Urichtausk oil (from well 8) with known vanadium (27,6 g/t) and FR ($7,8 \cdot 10^{17}$ spin/sm³) content was taken as the concentration standard. Nitroxyl was injected into the oil in dry form and dissolved with prolonged stirring.

CONCLUSIONS

Thus, the method of paramagnetic probe and free radicals was able to experimentally determine the presence of dispersed particles of RAS in crude oils. Free radical in oils does not affect the accuracy of determination τ_c , since it is fixed in the EPR spectrum of nitroxyl between the lines $m_z=0$ and $m_z=-1$.

Acknowledgement. The authors are grateful to the head of the laboratory of electron paramagnetic resonance (EPR) of the Institute of Organoelement Compounds of the Russian Academy of Sciences S.P. Solodovnikov for his help in surveying the spectra of oil on an EPR spectrometer.

ӘӨЖ665.51.532.13:538.113

А.С.Буканова, Ф.Б. Кайрлиева, Л.Б. Сакипова, Н.А. Карабасова, С.К. Буканова, Р.Н. Насиров

Х.Досмұхамедов атындағы Атырау мемлекеттік университеті

**ПАРАМАГНИТТІ ЗОНДЫ ӘДІСІМЕН ЖӘНЕ БОС РАДИКАЛ ҚӨМЕГІМЕН МУНАЙДЫҢ
ДИСПЕРСТИ ҚҰРЫЛЫМЫН АНЫҚТАУ**

Аннотация. Біз шикі мұнайдарғы ШАЗ дисперсті бөлшектерінің болуын эксперименталды түрде анықтадық. Каспий маңы аймағындағы мұнайлардағы нитроксил радикалының $m_z = -1$ сыйығы екі сыйыққа

ыдырайды. Бұл сыйықтар 100°C дейін қыздырғанда, бір сыйыққа бірігеді, ал одан кейін бөлме температурасында екі сағат шамасында екі сыйыққа бөлінеді. Бұның себебі мұнайдың құрамындағы шайыр асфальтен затына ғана байланысты. Шайыр асфальтен заттарының едәуір дәрежесінде ШАЗ мицеллі түзіледі. ШАЗ мицелліде нитроксил радикалдары адсорбцияланады. Адсорбцияланған болігі мұнайдың дисперсті ортасында хаосты қозғалады. Осындай нитроксил радикалың екі күйі бір-бірімен термодинамикалық тепе-тендікте болады.

Тұтқыр емес мұнайларда (Теніз) ШАЗ молекеулалары дисперсті болады. Сондықтан да нитроксил радикалдары еркін қозғалыста болады. Соның нәтижесінде біз ЭПР спектрінде үш бірдей сыйыктан тұратынын көреміз.

Түйін сөздер: парамагнитті зонд, мұнайдың гетерогендігі, бос радикал, дисперсті жүйелер, адсорбция.

УДК 665.51.532.13:538.113

А.С.Буканова, Ф.Б. Кайрлиева, Л.Б. Сакипова, Н.А. Карабасова, С.К. Буканова, Р.Н. Насиров

Атырауский государственный университет им. Х.Досмухamedова

УСТАНОВЛЕНИЕ НЕФТЯНЫХ ДИСПЕРСНЫХ СИСТЕМ С ПОМОЩЬЮ ПАРАМАГНИТНОГО ЗОНДА И СВОБОДНЫХ РАДИКАЛОВ

Аннотация. Нам удалось экспериментально установить наличие дисперсных частиц смолисто-асфальтеновых веществ (САВ) в сырых нефтях. Изучены ЭПР спектры нитроксила в нефтях Прикаспийского региона, и как видно компонента $m_z=1$ расщеплена на две линии. Подогрев до 100°C приводит к исчезновению крайней компоненты, которая после охлаждения образца до комнатной температуры появляется лишь после длительного отстаивания (не менее 2ч). Это явление связано с гетерогенностью нефти, то есть с наличием в ней значительного числа смолисто-асфальтеновых частиц. При малых концентрациях САВ в нефти они молекулярно дисперсны и молекулы растворенного САВ свободно перемещаются в нефти независимо друг от друга. При значительном содержании САВ в нефтях образуются мицеллы. На мицеллах САВ адсорбируются частицы нитроксильных радикалов. Неадсорбированные частицы нитроксильных радикалов хаотично движутся в дисперсионной среде нефти. Два таких разных состояния нитроксильного радикала в нефти находятся в термодинамическом равновесии.

В маловязких нефтях (Тенгиз) где САВ молекулярно дисперсны, частицы растворенных нитроксильных радикалов свободно перемещаются, и в спектре ЭПР мы наблюдаем от них три линии с одинаковыми интенсивностями.

Ключевые слова: парамагнитный зонд, гетерогенность нефти, свободный радикал, дисперсные системы, адсорбция.

Information about the authors:

Bukanova A.S. – a.bukanova@asu.edu.kz;
 Kairlieva F.B. – <https://orcid.org/0000-0001-5323-0916> ; kairlieva.fazi@mail.ru;
 Sakipova L.B. – <https://orcid.org/0000-0001-9918-8952> ; l.sakipova@asu.edu.kz;
 Karabasova N.A. – <https://orcid.org/0000-0001-6121-1125> ; nagima@inbox.ru;
 Bukanova C.K. – <https://orcid.org/0000-0001-8508-1863>; Sauleshik81@mail.ru;
 Nasirov R.N. - <https://orcid.org/0000-0003-4023-7689>; Rnasirov.48@mail.ru

REFERENCES

- [1] Dijarov I.N., Batueva I.V., Sadykov A.N., Solodova N.L. Himija nefti.L.:Himija.1990.240s.
- [2] Salih I.Sh.S., Muhamatdinov I.I., Garifullina Je.I., Vahin A.V. Izuchenie frakcionnogo sostava asfal'tenov tjazhelogo uglevodorochnogo syr'ja/Himija i tehnologija topliv i masel.2018.№1.S.29-32
- [3] Vasserman A.M., Kovarskij A.L. Spinovye metki i zondy v fizikohimii polimerov. –M.: Nauka, 1986. 300s.
- [4] Nasirov R. Investigation of oil viscosity characteristics by paramagnetic probe method. //Abstracts. International conference on nitroxide radicals. Novosibirsk. 1989, R.66.
- [5] Nasirov R. N. Determination of vanadium in the precaspian region's oil by the EPR-spectroscopy method// News of the national academy of sciences of the republic of Kazakhstan. Series of chemistry and technology, 2018, №5, R.125-131. <https://doi.org/10.32014/2018.2518-1491.16>

Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации
в журнале смотреть на сайте:

www:nauka-nanrk.kz

<http://chemistry-technology.kz/index.php/en/arhiv>

ISSN 2518-1491 (Online), ISSN 2224-5286 (Print)

Редакторы: *M. С. Ахметова, Т. А. Апендиев, Аленов Д.С.*
Верстка на компьютере *A.M. Кульгинбаевой*

Подписано в печать 05.08.2019.
Формат 60x881/8. Бумага офсетная. Печать – ризограф.
5,25 пл. Тираж 300. Заказ 4.

*Национальная академия наук РК
050010, Алматы, ул. Шевченко, 28, т. 272-13-18, 272-13-19*