

ISSN 2518-1491 (Online),
ISSN 2224-5286 (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ФЫЛЫМ АКАДЕМИЯСЫНЫҢ

Д.В. Сокольский атындағы
«Жанармай, катализ және электрохимия институты» АҚ

ХАБАРЛАРЫ

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН
АО «Институт топлива, катализа и
электрохимии им. Д.В. Сокольского»

NEWS

OF THE ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN
JSC «D.V. Sokolsky institute of fuel, catalysis
and electrochemistry»

SERIES
CHEMISTRY AND TECHNOLOGY

5-6 (449)

SEPTEMBER – DECEMBER 2021

PUBLISHED SINCE JANUARY 1947

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK



NAS RK is pleased to announce that News of NAS RK. Series of chemistry and technologies scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of chemistry and technologies in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of chemical sciences to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы «ҚР ҰҒА Хабарлары. Химия және технология сериясы» ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруды. Web of Science зерттеушілер, авторлар, баспашилар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Химия және технология сериясы Emerging Sources Citation Index-ке енүі біздің қогамдастық үшін ең өзекті және беделді химиялық ғылымдар бойынша контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Известия НАН РК. Серия химии и технологии» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество в глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАН РК в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по химическим наукам для нашего сообщества.

Бас редактор:

ЖҰРЫНОВ Мұрат Жұрынұлы, химия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, Қазақстан Республикасы Үлттық ғылым академиясының президенті, АҚ «Д.В. Сокольский атындағы отын, катализ және электрохимия институтының» бас директоры (Алматы, Қазақстан) Н = 4

Редакция алқасы:

ӘДЕКЕНОВ Сергазы Мыңжасарұлы (бас редактордың орынбасары), химия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, «Фитохимия» Халықаралық ғылыми-өндірістік холдингінің директоры (Қарағанды, Қазақстан) Н = 11

АГАБЕКОВ Владимир Енокович (бас редактордың орынбасары), химия ғылымдарының докторы, профессор, Беларусь ҰҒА академигі, Жаңа материалдар химиясы институтының құрметті директоры (Минск, Беларусь) Н = 13

СТРНАД Мирослав, профессор, Чехия ғылым академиясының Эксперименттік ботаника институтының зертхана меншерушісі (Оломоуц, Чехия) Н = 66

БҮРКІТБАЕВ Мұхамбетқали, химия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, әл-Фараби атындағы ҚазҰУ-дың бірінші проректоры (Алматы, Қазақстан) Н = 11

ХОХМАНН Джудит, Сегед университетінің Фармацевтика факультетінің Фармакогнозия кафедрасының меншерушісі, Жаратылыстану ғылымдарының пәнаралық орталығының директоры (Сегед, Венгрия) Н = 38

РОСС Самир, PhD докторы, Миссисипи университетінің Өсімдік өнімдерін ғылыми зерттеу үлттық орталығы, Фармация мектебінің профессоры (Оксфорд, АҚШ) Н = 35

ХУТОРЯНСКИЙ Виталий, философия докторы (PhD, фармацевт), Рединг университетінің профессоры (Рединг, Англия) Н = 40

ТЕЛТАЕВ Бағдат Бұрханбайұлы, техника ғылымдарының докторы, профессор, ҚР ҰҒА корреспондент-мүшесі, Қазақстан Республикасы Индустрія және инфрақұрылымдық даму министрлігі (Алматы, Қазақстан) Н = 13

ФАРУК Асана Дар, Хамдар аль-Маджида Шығыс медицина колledgejінің профессоры, Хамдард университетінің Шығыс медицина факультеті (Карабчи, Пәкістан) Н = 21

ФАЗЫЛОВ Серік Драхметұлы, химия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, Органикалық синтез және көмір химиясы институты директорының ғылыми жұмыстар жөніндегі орынбасары (Қарағанды, Қазақстан) Н = 6

ЖОРОБЕКОВА Шарипа Жоробекқызы, химия ғылымдарының докторы, профессор, Қырғызстан ҰҒА академигі, ҚР ҰҒА Химия және химиялық технология институты (Бішкек, Қырғызстан) Н = 4

ХАЛИКОВ Джурabay Халикович, химия ғылымдарының докторы, профессор, Тәжікстан ҒА академигі, В.И. Никитин атындағы Химия институты (Душанбе, Тәжікстан) Н = 6

ФАРЗАЛИЕВ Вагиф Меджидоглы, химия ғылымдарының докторы, профессор, ҰҒА академигі (Баку, Әзірбайжан) Н = 13

ГАРЕЛИК Хемда, философия докторы (PhD, химия), Халықаралық таза және қолданбалы химия одағының Химия және қоршаған орта белгілінің президенті (Лондон, Англия) Н = 15

«ҚР ҰҒА Хабарлары. Химия және технология сериясы»

ISSN 2518-1491 (Online),

ISSN 2224-5286 (Print)

Меншіктенуші: «Қазақстан Республикасының Үлттық ғылым академиясы» РКБ (Алматы қ.). Қазақстан Республикасының Ақпарат және қоғамдық даму министрлігінің Ақпарат комитетінде 29.07.2020 ж. берілген № KZ66VPY00025419 мерзімдік басылым тіркеуіне қойылу туралы қуәлік. Тақырыптық бағыты: органикалық химия, бейограникалық химия, катализ, электрохимия және коррозия, фармацевтикалық химия және технологиялар.

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекен-жайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., тел.: 272-13-19

<http://chemistry-technology.kz/index.php/en/arxiv>

© Қазақстан Республикасының Үлттық ғылым академиясы, 2021

Редакцияның мекенжайы: 050100, Алматы қ., Қонаев к-си, 142, «Д.В. Сокольский атындағы отын, катализ және электрохимия институты» АҚ, каб. 310, тел. 291-62-80, факс 291-57-22, e-mail:orgcat@nursat.kz

Типографияның мекен-жайы: «Аруна» ЖК, Алматы қ., Мұратбаев көш., 75.

Главный редактор:

ЖУРИНОВ Мурат Журинович, доктор химических наук, профессор, академик НАН РК, президент Национальной академии наук Республики Казахстан, генеральный директор АО «Институт топлива, катализа и электрохимии им. Д.В. Сокольского» (Алматы, Казахстан) Н = 4

Редакционная коллегия:

АДЕКЕНОВ Сергазы Мынжасарович (заместитель главного редактора), доктор химических наук, профессор, академик НАН РК, директор Международного научно-производственного холдинга «Фитохимия» (Караганда, Казахстан) Н = 11

АГАБЕКОВ Владимир Енокович (заместитель главного редактора), доктор химических наук, профессор, академик НАН Беларуси, почетный директор Института химии новых материалов (Минск, Беларусь) Н = 13

СТРНАД Мирослав, профессор, заведующий лабораторией института Экспериментальной ботаники Чешской академии наук (Оломоуц, Чехия) Н = 66

БУРКИТБАЕВ Мухамбеткали, доктор химических наук, профессор, академик НАН РК, Первый проректор КазНУ имени аль-Фараби (Алматы, Казахстан) Н = 11

ХОХМАНН Джудит, заведующий кафедрой Фармакогнозии Фармацевтического факультета Университета Сегеда, директор Междисциплинарного центра естественных наук (Сегед, Венгрия) Н = 38

РОСС Самир, доктор PhD, профессор Школы Фармации национального центра научных исследований растительных продуктов Университета Миссисипи (Оксфорд, США) Н = 35

ХУТОРЯНСКИЙ Виталий, доктор философии (Ph.D, фармацевт), профессор Университета Рединга (Рединг, Англия) Н = 40

ТЕЛЬТАЕВ Багдат Бурханбайулы, доктор технических наук, профессор, член-корреспондент НАН РК, Министерство Индустрии и инфраструктурного развития Республики Казахстан (Алматы, Казахстан) Н = 13

ФАРУК Асана Дар, профессор колледжа Восточной медицины Хамдарда аль-Маджида, факультет Восточной медицины университета Хамдарда (Карачи, Пакистан) Н = 21

ФАЗЫЛОВ Серик Драхметович, доктор химических наук, профессор, академик НАН РК, заместитель директора по научной работе Института органического синтеза и углехимии (Караганда, Казахстан) Н = 6

ЖОРОБЕКОВА Шарипа Жоробековна, доктор химических наук, профессор, академик НАН Кыргызстана, Институт химии и химической технологии НАН КР (Бишкек, Кыргызстан) Н = 4

ХАЛИКОВ Джурabay Халикович, доктор химических наук, профессор, академик АН Таджикистана, Институт химии имени В.И. Никитина АН РТ (Душанбе, Таджикистан) Н = 6

ФАРЗАЛИЕВ Вагиф Меджид оглы, доктор химических наук, профессор, академик НАНА (Баку, Азербайджан) Н = 13

ГАРЕЛИК Хемда, доктор философии (Ph.D, химия), президент Отдела химии и окружающей среды Международного союза чистой и прикладной химии (Лондон, Англия) Н = 15

«Известия НАН РК. Серия химии и технологий».

ISSN 2518-1491 (Online),

ISSN 2224-5286 (Print)

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан» (г. Алматы).

Свидетельство о постановке на учет периодического печатного издания в Комитете информации Министерства информации и общественного развития Республики Казахстан № KZ66VPY00025419, выданное 29.07.2020 г.

Тематическая направленность: *органическая химия, неорганическая химия, катализ, электрохимия и коррозия, фармацевтическая химия и технологии*.

Периодичность: 6 раз в год.

Тираж: 300 экземпляров.

Адрес редакции: 050100, г. Алматы, ул. Шевченко, 28, оф. 219, тел.: 272-13-19

<http://chemistry-technology.kz/index.php/en/arhiv>

© Национальная академия наук Республики Казахстан, 2021

Адрес редакции: 050100, г. Алматы, ул. Кунаева, 142, АО «Институт топлива, катализа и электрохимии им. Д.В. Сокольского», каб. 310, тел. 291-62-80, факс 291-57-22, e-mail:orgcat@nursat.kz

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75.

Editor in chief:

ZHURINOV Murat Zhurinovich, doctor of chemistry, professor, academician of NAS RK, president of NAS RK, general director of JSC "Institute of fuel, catalysis and electrochemistry named after D.V. Sokolsky (Almaty, Kazakhstan) H = 4

Editorial board:

ADEKENOV Sergazy Mynzhasarovich (deputy editor-in-chief) doctor of chemical sciences, professor, academician of NAS RK, director of the international Scientific and production holding «Phytochemistry» (Karaganda, Kazakhstan) H = 11

AGABEKOV Vladimir Enokovich (deputy editor-in-chief), doctor of chemistry, professor, academician of NAS of Belarus, honorary director of the Institute of Chemistry of new materials (Minsk, Belarus) H = 13

STRNAD Miroslav, head of the laboratory of the institute of Experimental Botany of the Czech academy of sciences, professor (Olomouc, Czech Republic) H = 66

BURKITBAYEV Mukhambetkali, doctor of chemistry, professor, academician of NAS RK, first vice-rector of al-Farabi KazNU (Almaty, Kazakhstan) H = 11

HOHMANN Judith, head of the department of pharmacognosy, faculty of Pharmacy, university of Szeged, director of the interdisciplinary center for Life sciences (Szeged, Hungary) H = 38

ROSS Samir, Ph.D., professor, school of Pharmacy, national center for scientific research of Herbal Products, University of Mississippi (Oxford, USA) H = 35

KHUTORYANSKY Vitaly, Ph.D., pharmacist, professor at the University of Reading (Reading, England) H = 40

TELTAYEV Bagdat Burkhanbayuly, doctor of technical sciences, professor, corresponding member of NAS RK, ministry of Industry and infrastructure development of the Republic of Kazakhstan (Almaty, Kazakhstan) H = 13

PHARUK Asana Dar, professor at Hamdard al-Majid college of Oriental medicine. faculty of Oriental medicine, Hamdard university (Karachi, Pakistan) H = 21

FAZYLOV Serik Drakhmetovich, doctor of chemistry, professor, academician of NAS RK, deputy director for institute of Organic synthesis and coal chemistry (Karaganda, Kazakhstan) H = 6

ZHOROBKOVA Sharipa Zhorobekovna, doctor of chemistry, professor, academician of NAS of Kyrgyzstan, Institute of Chemistry and chemical technology of NAS KR (Bishkek, Kyrgyzstan) H = 4

KHALIKOV Jurabay Khalikovich, doctor of chemistry, professor, academician of the academy of sciences of tajikistan, institute of Chemistry named after V.I. Nikitin AS RT (Tajikistan) H = 6

FARZALIEV Vagif Medzhid ogly, doctor of chemistry, professor, academician of NAS of Azerbaijan (Azerbaijan) H = 13

GARELIK Hemda, PhD in chemistry, president of the department of Chemistry and Environment of the International Union of Pure and Applied Chemistry (London, England) H = 15

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of chemistry and technology.

ISSN 2518-1491 (Online),

ISSN 2224-5286 (Print)

Owner: RPA «National Academy of Sciences of the Republic of Kazakhstan» (Almaty).

The certificate of registration of a periodical printed publication in the Committee of information of the Ministry of Information and Social Development of the Republic of Kazakhstan **No. KZ66VPY00025419**, issued 29.07.2020.

Thematic scope: *organic chemistry, inorganic chemistry, catalysis, electrochemistry and corrosion, pharmaceutical chemistry and technology*.

Periodicity: 6 times a year.

Circulation: 300 copies.

Editorial address: 28, Shevchenko str., of. 219, Almaty, 050010, tel. 272-13-19

<http://chemistry-technology.kz/index.php/en/arhiv>

© National Academy of Sciences of the Republic of Kazakhstan, 2021

Editorial address: JSC «D.V. Sokolsky institute of fuel, catalysis and electrochemistry», 142, Kunayev str., of. 310, Almaty, 050100, tel. 291-62-80, fax 291-57-22, e-mail: orgcat@nursat.kz

Address of printing house: ST «Aruna», 75, Muratbayev str, Almaty.

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN
SERIES CHEMISTRY AND TECHNOLOGY

ISSN 2224-5286

Volume 5-6, Number 449 (2021), 53-60

<https://doi.org/10.32014/2021.2518-1491.77>

ISSN 2518-1467

UDC 504.064

Pavlichenko L.¹, Rysmagambetova A.^{1*}, Tanybayeva A.¹, Solodova E.^{1,2}, Rodrigo Ilarri J.³

¹Al-Farabi Kazakh National University, Almaty, Kazakhstan;

²«D.V. Sokolskiy Institute of Fuel, Catalysis and Eletrochemistry»Joint-stock Company, Almaty, Kazakhstan;

³Polytechnic University of Valencia, Valencia, Spain.
E-mail: Ayna.Rysmagambetova@kaznu.edu.kz

ASSESSMENT OF BORON CONTENT CHANGES IN THE SURFACE WATER OF THE ILEK RIVER VALLEY (AKTOBE, KAZAKHSTAN)

Annotation. This article describe the problem of boron pollution of the surface water of the Ilek River valley (Aktobe region, Kazakhstan). The purpose of the article is to assess the dynamics of changes in the boron content in environmental objects (surface and groundwater) based on the materials of the operating in the field of monitoring systems and field research. The deterioration of the quality of surface and groundwater occurs from historical pollution, as well as from wastewater discharges from enterprises of the chemical, oil refining, machine-building industries and non-ferrous metallurgy. In Aktobe region, there is an imbalance between the ability of the natural environment to recover and anthropogenic load. Pollution of surface water is the cause of increased siltation of river, which has a harmful effect on the composition of bottom sediments, which constitute an integral part of the aquatic environment and the ecological system. In this situation, in the region, an excess of boron concentration approximately the Bestamak village by 50 times was constantly recorded in 2018, the MPC of boron in the reservoir in the area closest to the sludge collectors was exceeded by 143 times in 2017. The Ilek River pollution by boron is very acute, since boron is transported along the Ilek River and stored in the silts of the Aktobe reservoir, which is a recreational resource and a source of water supply for the Aktobe city. The high dynamism of boron leads to the fact that when it is roiled during releases from the reservoir, boron enters the lower reaches of the Ilek River, harming river organisms and the population, adversely affecting heredity. As a result of the study, exceeding the maximum permissible concentration of boron in the surface water of the Ilek River valley in unregulated flows was recorded.

Key words: boron pollution, surface water, water quality, monitoring.

Introduction. The system of public administration in the field of environmental protection includes various mechanisms of management, implementation and achievement of sustainable development goals [1, 2]. The sustainable development model relies on a constant and reliable source of fresh water. The water resources of the Republic of Kazakhstan are used in various sectors of the national economy, but the most significant consumer of fresh water is agriculture - irrigation, water supply to the rural population and animal husbandry. It accounts for about 85% of total water consumption; the remaining 15% goes to industry and water supply for the urban population. Therefore, the study of the imbalance of ecological systems in the presence of pollution presupposes a detailed knowledge of the nature of the spread of pollutants in water bodies and watercourses [3].

Aktobe region is characterized by a fairly high level of economic and industrial development. However, the problem of water security in conditions of limited and vulnerable water resources is considered as a threat to environmental safety. In this regard, the quality of surface water used for household and drinking purposes is in the constant focus of monitoring [4].

Aktobe city and adjacent district centers such as Alga are the main water users in the Ilek river basin. Man-made pollution of river runoff with boron is associated with the activities of the former Alga Chemical Factory (built in 1937), which dumped waste from boric acid production into the Ilek River without purification and preliminary purification [5].

A distinctive feature of boron compounds is their high mobility in the components of the natural environment, due to increased solubility [6-11]. From this point of view, a serious problem is the purification of groundwater from boron pollution in the Ilek basin (Alga, Aktobe region) in connection with its migration from the sludge collectors of the Alga Chemical Factory, which was closed in 1997, into the groundwater, which wedges out into the Ilek River. All this determines the relevance of studies to study the dynamics of changes in boron concentrations in the surface water of the Ilek River valley in the current ecological situation of the Aktobe region. It should be noted that boron belongs to the class of biologically active substances. In the sanitary and epidemiological rules, norms, rules and regulations 2.1.4. 1074-01, according to the sanitary and toxicological sign of harmfulness, boron belongs to the second hazard class [12].

The aim of this paper is to analyze the dynamics of the processes of boron pollution of the surface water of the Ilek River valley. The authors assessed the change in the level of boron in natural environments based on the materials of observation systems operating in the region, and a selective analysis of the boron content in water samples taken in different parts of the Ilek River valley. Based on the results of the study, a conclusion was made about the quality of the surface water of the Ilek River valley.

Methods and materials. The implementation of the research includes the use of a set of scientific research methods based on international standards of good scientific practice: information and statistical, field research, laboratory analysis of surface water samples from the Ilek River valley, comparative analysis of environmental objects, the method of mathematical statistics.

According to the description of the Monitoring network [13] in the Information Bulletins on the state of the environment in the Republic of Kazakhstan, the Center for Environmental Monitoring of the Republic of Kazakhstan RSE "Kaz Hydro Met" within the Aktobe region to the border with the Russian Federation has 5 observation water points. The first three posts fall on the investigated section of the Alga-Aktobe reservoir, and even then the last of them can only conditionally be taken as a post on the Aktobe reservoir, since it is located at a distance of 0.5 km above the city of Aktobe, i.e. below the dam. The first post is a background one in relation to the old sludge collector, the second post is 0.5 km below the settlement of Bestamak. The first post is the background in relation to the old sludge collector, which is considered the main source of pollution of the river due to its close proximity. The second post is located 0.5 km below the village of Bestamak and 21 km below the old sludge collector. The distance from the village of Bestamak to the southern (opposite dam) border of the reservoir is 3.5 km from this village (5.15 km along lade). On the basis of routine observations of the RSE "Kaz Hydro Met" (Figure 1), a study of the dynamics of changes in boron concentration for the period 2011-2020 was carried out.




Figure 1. Dynamics of changes in boron concentration in the surface valleys of the Ilek River for the period 2011-2020

As the graphs show, large amplitudes are observed for 2011-2012 and 2017-2019. High boron content is observed in the autumn-spring periods, as well as in 2019-2020, an excess of boron MPC was recorded in Alga 1, Alga 2, Aktobe reservoir. It should be noted that the surface water of the Ilek River valley are used by the local population as a reclamation resource. Large amplitudes of fluctuations in the boron content in surface

water at these stations Ilek-Alga 2 and Ilek-Aktobe 1 (Aktobe reservoir) are evidence that the Aktobe reservoir receives groundwater diluted by the surface runoff of the Ilek River, wedging out in different places.

In order to determine the current level and predict the pollution of environmental objects with boron, in the course of field studies, samples of surface water were taken from the Ilek River. The selection of natural water is carried out in accordance with GOST 31861-2012 "Water. General requirements for sampling" [14].

The boron content in the sample was determined according to ST RK GOST R 51210-2003 [15]. The method is based on the interaction of borate ions with chromotropic acid in the presence of Trilon B (masking metal ions) with the formation of a fluorescent complex and subsequent measurement of the intensity of its fluorescence.

The results of the chemical analysis of surface water are presented in the following table 1 and in figure 2.

Table 1 – Results of chemical analysis of surface water of the Ilek river valley

№ пробы	Selection place	Coordinates	Actual data obtained, mg/dm ³	Maximum permissible concentration, mg/dm ³
1	Ilek River, left bank, above the factory	49° 54' 13, 6'' (NL) 57° 21' 23, 7'' (EL)	0,37	0,5
2	Ilek River, left bank, below the factory	49° 57' 24, 7'' (NL) 57° 22' 11, 8'' (EL)	0,43	0,5
3	Ilek river, settlement Bestamak	50° 02' 19, 7'' (NL) 57° 21' 33, 6'' (EL)	0,97	0,5
4	Aktobewaterintake	50° 17' 54, 6'' (NL) 57° 13' 58, 1'' (EL)	0,77	0,5
5	Ilekriver, Tamdyvillage	49° 43' 4, 71'' (NL) 57° 20' 7, 27'' (EL)	0,26	0,5
6	Ilek river, settlement Bestamak	50° 02' 2, 29'' (NL) 57° 21' 6, 58'' (EL)	1,50	0,5
7	Collector at the new sludge collector	49° 55' 6, 25'' (NL) 57° 19' 9, 63'' (EL)	0,34	0,5




Figure 2. Boron content at observation area

As the results of chemical experiments (tests) show, high concentrations are observed in the area of the Bestamak settlement, the Aktobe water intake, which indicates the pinching out of groundwater into the Aktobe reservoir. This statement is substantiated by hydrodynamic calculations based on data from 2005-2008 and 2011-2012 to assess the pinch-out of groundwater contaminated with boron in the Ilek River. The shape of the groundwater surface depends on the permeability of the rocks, the feeding conditions of the aquifer, the configuration of the river banks to which the groundwater flows, the lowering of the water-resistant layer, the thickness of the aquifer, etc.

Results. The calculations of wedging out [16] were carried out taking into account the filtration characteristics of the Quaternary deposits of the river valley Ilek. The average thickness of the alluvial aquifer m here is about

15 m, the calculated value of the filtration coefficient K is taken to be 35 m / day, and the hydraulic gradient is I = 0.0015. It should be noted that when calculating the flow rates, the drain imperfection coefficient was taken into account with a value of 0.3. Then the flow rate of the natural flow of groundwater per 1 m of the flow width is calculated using the following formula:

$$Q=KLmI\cdot0.3, \quad (1)$$

After substituting the numerical values, we get: $Q = 15m \times 1m \times 35 \text{ m/day} \times 0.0015 \times 0.3 = 0.236 \text{ m}^3/\text{day} = 236 \text{ dm}^3/\text{day}$.

When converted to m^3/h , the flow rate will be: $Q=0.0098 \text{ m}^3/\text{h}$. This value will make it possible to calculate the value of the discharge of wedging out groundwater along the length of the Ilek river bank is in the wedging out zone. Figure 3 shows a map of hydroisohypsum and several zones can be distinguished into which contaminated groundwater is pinched out.




Figure 3. Map of hydroisogypsum, 2008

The old sludge collector is located very close to the river, the flow of contaminated groundwater wedging out in this zone is directed perpendicular to isohypse 238 and its length from the left bank in 2005 was 1250 m. From the right bank in this zone, wedging out with a width of about 400 m also occurred. This is an area of groundwater wedging out with the highest boron concentrations in groundwater, totaling 1650 m.

It can be seen from the contour of the pollution center that underground water with concentrations of more than 100 mg/dm^3 can wedge into this zone from both banks. Thus, in this zone, taking into account the drain imperfection coefficient of 0.3, $390 \text{ m}^3/\text{day}$ wedges out. Since $1 \text{ mg/dm}^3 = 1 \text{ g/m}^3$, the salinity of 100 mg/dm^3 corresponds to 100 g/m^3 . Thus, from this zone of wedging out per day in the river Ilek is carried out 39 kg of boron, and during the low-water period (~ 300 days) - one year about 12000 kg, or 12 tons.

In the Ilek River, there is a dilution of boron-polluted groundwater seeping out. The scale of dilution can be estimated from the concentration of boron in surface water at section IV-IV, which is located in the zone of direct influence of the old sludge collector. In Ilek River near this section the boron concentration in 2005 was 13.44 mg/dm^3 , which is 7.44 less than the concentration of escaping groundwater. However, this concentration is 27 times higher than the MPC for boron, even taking into account their changes in 2015 from 0.017 to 0.5 mg/dm^3 . Of course, this amount does not reach the Aktobe reservoir, boron is precipitated by the silts of the river Ilek, but during the flood, part of this silt, polluted by boron, is carried ashore. A decrease in concentration can be traced a little further than the fifth section, when moving to which the concentration of boron in groundwater decreased to 49.5 mg/dm^3 , and in the Ilek river up to 1.98 mg/dm^3 .

The second zone of groundwater wedging out with a high boron content begins below the VI-VI section after 750 m, then has a gap and continues in the area of the confluence of the Suyksu brook (temporary watercourse)

for another 1130 m. Groundwater wedges out into the gap from the right bank with a small boron concentration, they were not taken into account. So, the second zone of wedging out of polluted groundwater on the left bank has a length of 1880 m. Then 444 m³/day wedges out in this zone. Focusing on the concentration of boron in the well №1600 (82.7 mg/dm³), we get 36.7 kg of boron per day, or 11 tons per year was 23 ton per year.

According to data from 2011-2012, to determine the amount taken out in the river. Ilek bora, it is necessary to determine the size of the pinch-out zone. Table 2 shows the results of determining the actual values of the width of the flow of groundwater for the ranges of boron concentrations, mapping the halo of wedging out of contaminated groundwater. The widths take into account the zones from both the left and right banks.

Table 2 – Zones of groundwater wedging out

№	Boron content, mg / dm ³	Actual width of the zone, taking into account the scale of the map, m	
		2011	2012
1	0,5-10	5525	3050
2	10-50	8500	11750
3	50-100	3575	1550
4	>100	300	225
In total:		17900	16575

As before, the flow of contaminated groundwater with the highest boron concentration is observed near the old sludge collector; however, there have been noticeable changes in the size of the pinch-out zones with different ranges of boron concentrations. This is reflected in the fact that the zone with the maximum concentrations has greatly decreased.

In 2005, this zone was 1650 m, in 2011 - 300 m, and in 2012 - 225. Thus, over 6 years this zone has decreased by more than 5 times, averaging 18% per year. However, in 2012, compared to 2011, this zone decreased by 75 m, i.e. the decrease in the zone occurred by 25% (of course, provided that the constructions are completely reliable).

According to the analysis of climatic factors, carried out in the report on the monitoring of groundwater for 2010-2012, not only did not increase, but, on the contrary, decreased, causing a regional decrease in the groundwater level by 0.3 m. The sludge collector is the territory of the former Alga chemical plant, which ceased its activities in 1996, but has not yet been subjected to any reclamation methods. For 15-16 years of natural leaching of contaminated soil in the territory of the plant, the situation could well have changed. In addition, already in 2007, samples of sludge taken at the old sludge collector in the interval from the surface to 0.5 m showed the absence of boron in them. Drilling wells around and in the area of the sludge collector confirmed this fact, but showed that the bulk of the boron was now concentrated under the bottom of the old sludge collector at depths of up to 25 m [17].

The assessment of the rate of advancement of the groundwater contamination front, which became possible as a result of the analysis of the effect of the “wall in the ground” near the old sludge collector, showed the possibility of contaminated groundwater flow from the territory of the Alga chemical plant to the site of the old sludge collector. At a rate of advance of the pollution front of 300-500 m per year, this path of pollution can be quite real, because the territory of the former plant is located at a distance of 1-2 km from the sludge collector.

The same reason is the explanation for the significant, compared to 2005, expansion of the pollution halo in the northern, north-western and eastern directions of the zone with a boron concentration range of 50-100 mg / dm³.

Practical adjoining of the pollution halo with boron concentrations of 0.5-10 mg / dm³ to the western terrace of the river valley. Ilek confirms the correctness of the assumption that traces of accidental spills of sludge pipelines and filtration from a new sludge collector are isolated as sources of pollution. It should be noted that the hypsometric position of the old sludge collector allows the Ilek River to drain the flow of contaminated groundwater from the layers below the bottom of the new sludge collector.

Discussion. According to the cycles and conditions of migration of chemical elements, the Ilek River valley belongs to para- and neo-eluvial elementary ladders. The regional distribution of boron solutions is noted as industrial pollution emanating from the storage pond of a chemical plant. The water intakes of the regional center of the city of Aktobe, as well as the reservoir on the Ilek River, built between Alga and Aktobe, are polluted by man-made water. As noted in the article, pollution in a technogenic form is developed only near the Alga city, all other indications of a boron in the Ilek river valley are an aureole of exogenous dispersion of highly mineralized underground water of Permian sediments [18-20].

The set of available results of studies of the boron content in the natural environments of Aktobe showed that the main ways of boron entering the groundwater are filtration through the bottom of the old sludge pond, infiltration into the aquifer of pollution washed away by snowmelt water and storm runoff from the industrial site of the Aktobe Chemical Plant, new sludge ponds and dust sedimentation AHZ, old and new slime accumulators. Selective analysis of boron content in surface water and bottom sediments was carried out on the basis of sampling in 10 different parts of the Ilek River valley, where the frequency of exceeding the MPC was recorded in Bestamak settlement - 1.94 MPC, and 3 MPC, Aktobe water intake - 1.54 MPC. In connection with the current ecological situation of boron pollution, it is necessary to conduct further studies to determine the boron risk for natural objects and public health.

Conclusions. According to the results of a long-term study of boron pollution of the investigated object, the main sources of boron pollution in the Ilek River valley are: the territory of the former Alga chemical plant, sludge collectors, sludge pipelines. The valley of the Ilek River is technogenic pollution by boron near the Alga town, and downstream its entire space further to the north is an exogenous halo of dispersion of brines of Permian rocks and boron together with them, as well as secondary technogenic pollution from sludge collectors and sludge pipelines. The main masses of pollution products accumulated in the soil and grounds of the industrial site, urban and adjacent territories as a result of atmospheric fallout during the operation of the ACP are gradually washed out during the spring flood. The dynamics of surface water pollution can be traced at 3 points of "KazHydroMet" in the Alga area. Graphs of changes in boron content in the river. Ilek in the sections above Alga (Alga 1), near Bestamak (Alga 2) and above Aktobe (Gidropost 1) for the period 2011-2020. show a consistent decrease in boron content until 2016. At the Alga 1 and Aktobe Gidropost 1 stations, the downward trend continues, and at Alga 2, a sharp jump in the boron content is observed. The authors explain this course of the graphs by the manifestation of the influence of a new source of pollution, which can only be a new sludge collector, the front of which in 2019 approached the Ilek river. Since the excess of the MAC for boron in the surface water of the Ilek River valley was recorded in unregulated flows, it is advisable to analyze its impact on public health.

Павличенко Л.¹, Рысмагамбетова А.^{1*}, Таныбаева А.¹, Солодова Е.^{1,2}, Родриго Иларри Х.³

¹Әл-Фараби атындағы Қазақ Ұлттық университеті, Алматы, Қазақстан;

²«Д.В. Сокольский Атындағы Жанармай, Катализ және Электрохимия институты АҚ, Алматы, Қазақстан;

³Валенсия Политехникалық университеті, Валенсия, Испания.

E-mail: Ayna.Rysmagambetova@kaznu.edu.kz

ЕЛЕК ӨЗЕНІ АЛҚАБЫНЫң ЖЕР ҮСТІ СУЛАРЫНДАҒЫ БОР ҚҰРАМЫНЫң ӨЗГЕРІСІН БАҒАЛАУ (АҚТӨБЕ, ҚАЗАҚСТАН)

Аннотация. Бұл мақалада Елек өзені алқабының (Ақтөбе облысы, Қазақстан) жер үсті суларының бормен ластану мәселесі қарастырылды. Авторлар зерттеу міндеті ретінде мониторинг және далалық зерттеулер жүйелері саласындағы материалдар негізінде қоршаган орта нысандарындағы (жер үсті және жер асты сулары) бор құрамының өзгеру динамикасын бағалауды қойды. Жер үсті және жер асты сулары сапасының тәмендеуі ластанудан, сондай-ақ химия, мұнай өндіреу, машина жасау өнеркәсібі және түсті металлургия кәсіпорындарының сарқынды суларын ағызу кезінде орын алады. Ақтөбе облысында табиғи органдық қалпына келу қабілеті мен антропогендік жүктеме арасында тенгерімсіздік байқалады. Жер үсті суларының ластануы өзендердің сулануының жоғарылауының себебі болып табылады, бұл су ортасының, экологиялық жүйенің ажырамас бөлігін құрайтын тәменгі шөгінділердің құрамына зиянды әсер етеді. Бұл жағдайда Бестамак ауылының маңында бор концентрациясының 2018 жылы 50 есе артуы тіркеліп, шлам жинағыштарға жақын аймақтағы су қоймасындағы бордың ШРК 2017 жылы 143 есе артқаны байқалды. Елек өзенінің бормен ластауы Ақтөбе облысы үшін өткір мәселе, себебі бор Елек өзенімен тасымалданады және Ақтөбе қаласының рекреациялық ресурс және сүмен жабдықтау көзі болып табылатын Ақтөбе су қоймасының шөгінділерінде жинақталады. Бордың үлкен динамикасы су қоймасынан су жіберу кезінде Елек өзенінің тәменгі ағысына түсіп, өзен ағзаларына (тератогендік әсер) және халыққа зиян келтіріп, тұқым өндіругекедергі келтіреді. Зерттеу нәтижесінде Елек өзенінің аңғарының жер үсті суларындағы бордың ШРК-дан асып кетуі реттелмеген ағындарда тіркелді.

Түйінді сөздер: бормен ластану, жерүстісулары, су сапасы, мониторинг.

Павличенко Л.¹, Рысмагамбетова А.^{1*}, Таныбаева А.¹, Солодова Е.^{1,2}, Родриго Иларри Х.³

¹Казахский Национальный Университет имени аль-Фараби, Алматы, Қазақстан;

²Акционерное общество «Институт топлива, катализа и электрохимии им. Д.В.Сокольского»,
Алматы, Казахстан;

³ Политехнический университет Валенсии, Валенсия, Испания.

E-mail:Ayna.Rysmagambetova@kaznu.edu.kz

ОЦЕНКА ИЗМЕНЕНИЙ СОДЕРЖАНИЯ БОРА В ПОВЕРХНОСТНЫХ ВОДАХ ДОЛИНЫ РЕКИ ИЛЕК (АКТОБЕ, КАЗАХСТАН)

Аннотация. В данной статье рассматривается проблема загрязнения бором поверхностных вод долины реки Иlek (Актюбинская область, Казахстан). Целью статьи является оценка динамики изменения содержания бора в объектах окружающей среды (поверхностных и подземных вод) на основе материалов действующих в области систем мониторинга и полевых исследований авторов. Ухудшение качества поверхностных и подземных вод происходит от исторических загрязнений, а также при сбросах сточных вод предприятий химической, нефтеперерабатывающей, машиностроительной промышленности цветной металлургии. В Актюбинской области наблюдается не сбалансированность между способностью природной среды к восстановлению и антропогенной нагрузкой. Загрязнение поверхностных вод является причиной повышенного заиливания рек, что оказывает вредное воздействие на состав донных отложений, которые составляют неотъемлемую часть водной среды, экологической системы. В этой ситуации в регионе постоянно регистрировалось превышение концентрации бора в окрестностях села Бестамак в 50 раз в 2018 году, ПДК бора в водохранилище в районе, близайшем к шламонакопителям, было превышено в 143 раза в 2017 году. Проблема загрязнения реки Иlek бором стоит весьма остро, так как бор переносится по реке Иlek и складируется в илах Актюбинского водохранилища, которое является рекреационным ресурсом и источником водоснабжения города Актобе. Большая динамичность бора приводит к тому, что при взмучивании во время попусков из водохранилища бор попадает в нижнее течение реки Иlek, нанося вред речным организмам и населению, неблагоприятно влияя на наследственность. В результате исследования зафиксированы превышения ПДК бора в поверхностных водах долины реки Иlek в не зарегулированных стоках.

Ключевые слова: загрязнение бором, поверхностные воды, качество воды, мониторинг.

Information about authors:

Pavlichenko Liudmila – Doctor of Science (Geography), Acting Professor, UNESCO Chair for Sustainable Development, Al-Farabi Kazakh National University, Almaty, Kazakhstan; lmp.170946@yandex.ru; ORCID ID: <http://orcid.org/0000-0002-2650-806X>;

Rysmagambetova Aina – PhD (Ecology), Senior Lecturer, UNESCO Chair for Sustainable Development, Al-Farabi Kazakh National University, Almaty, Kazakhstan; Ayna. Rysmagambetova@kaznu.edu.kz; ORCID ID: <http://orcid.org/0000-0003-0791-3075>;

Tanybayeva Ainur – Candidate of Science (Chemical), Senior Lecturer, UNESCO Chair for Sustainable Development, Al-Farabi Kazakh National University, Almaty, Kazakhstan; Ainur.Tanybaeva@kaznu.edu.kz; ORCID ID: <http://orcid.org/0000-0003-3943-3009>;

Solodova Elena – Candidate of Science (Biological), Senior Researcher «D.V. Sokolskiy Institute of Fuel, Catalysis and Eletrochemistry» JSC Acting Associate Professor, UNESCO; Chair for Sustainable Development, Al-Farabi Kazakh National University, Almaty, Kazakhstan; solodova.e@mail.ru; ORCID ID: <https://orcid.org/0000-0003-0136-4220>;

Rodrigo Ilarri Javier – PhD, Professor, Polytechnic University of Valencia, Valencia, Spain; jrodrigoilarri@gmail.com; ORCID ID: <http://orcid.org/0000-0001-8380-7376>.

REFERENCES:

1. OECD. Financing Water Supply and Sanitation in Developing Countries: The Contribution of External Aid. OECD, (Paris, 2012). P. 25 Available at:https://www.world-psi.org/sites/default/files/documents/research/psiru_financing_water_sanitation.pdf.
2. Sustainable Development knowledge Platform. «Sustainable Development Goal 6: Ensure access to water and sanitation for all», accessed November 15, 2017. Available at: <https://sustainabledevelopment.un.org/sdg6>.

3. Mal'kovskij I.M., Toleubaeva L.S. (2016) Vodnaja bezopasnost' Respubliki Kazahstan: problem i reshenija [Water security of the Republic of Kazakhstan: problems and solutions]. Gidrogeologija, Doklady NAN RK, serijageologii i tehnicheskikh nauk, tom 1 – pp. 57-67 (in Russ.).
4. General plan of the city of Aktobe. approved by the Decree of the Government of the Republic of Kazakhstan dated May 2, 2006 No. 350 [General'nyj plan goroda Aktobe. Utverzhden Postanovleniem Pravitel'stva Respubliki Kazahstanot 2 maja 2006 goda № 350] (in Russ.).
5. Pavlichenko L., Rysmagambetova A., Tanybayeva A., Minzhanova G. The degree of boron contamination of the underground and surface water of the Ilek River valley (Paper presented at the 17th International Multidisciplinary Scientific Geo Conference on Ecology, Economics, Education and Legislation, VOL 17 Albena, BULGARIA, 29.06.2017-05.07.2017): Pp. 967-974. (in Eng.).
6. Rai D. et al. (1986) Chemical attenuation rates, coefficients, and constants in leachate migration. Vol. 1: A critical review. Report to Electric Power Research Institute, Palo Alto, C.A., by Battelle Pacific Northwest Laboratories, Richland, WA (Research Project 2198-1). (in Eng.).
7. Waggott A. (1969) An investigation of the potential problem of increasing boron concentrations in rivers and water courses. Water research, 3:749-765. (in Eng.).
8. Keren R., Mezuman U. (1981) Boron adsorption by clay minerals using a phenomenological equation. Clays and clay minerals, 29:198-204. (in Eng.).
9. Keren R., Gast R.G., Bar-Yosef B. (1981) pH-dependent boron adsorption by Namontmorillonite. Soil Science Society of America journal, 45:45-48 (in Eng.).
10. Sprague R.W. (1972) The ecological significance of boron. Anaheim, CA, US Borax Research Corporation, 58 pp. (in Eng.).
11. Mance G., O. Donnell A.R., Smith P.R. (1988) Proposed environmental quality standards for List II substances in water: Boron. Medmenham, Water Research Centre (Report TR 256, March 1988; ISBN 0-902-15663-2).
12. Sanitary Regulations "Sanitary and Epidemiological Requirements for Water Sources, Water Intake Points for Household and Drinking Purposes, Household and Drinking Water Supply and Places of Cultural and Household Water Use and Safety of Water Bodies". Order of the Minister of National Economy of the Republic of Kazakhstan dated March 16, 2015 No. 209. Registered with the Ministry of Justice of the Republic of Kazakhstan on April 22, 2015 No. 10774. Available at: <https://adilet.zan.kz/rus/docs/V1500010774>.
13. Information bulletin on the state of the environment // Ministry of Energy of the Republic of Kazakhstan. RSE "Kaz Hydro Met". Available at: <https://kazhydromet.kz/ru/bulleten/>.
14. GOST 31861-2012 "Water. General requirements for sampling" Available at: <https://docs.cntd.ru/document/1200097520>.
15. ST RK GOST R 51210-2003 Drinking water. Method for determination of boron content. Available at: https://online.zakon.kz/Document/?doc_id=30015510.
16. Pavlichenko L.M., Rysmagambetova A.A., Rodrigo Ilarri J. The applicability assessment of technical solutions for a feasibility study on the purification of groundwater in the Ilek river valley from boron for the modern hydro geochemical situation// Eurasian Journal of Ecology. 2018. – V.54, No.1. – P. 35-48. (in Eng.).
17. Report. Carrying out research and experimental work on the purification of underground water from boron in the area adjacent to the Ilek River [Otchet. Provedenienauchno-issledovatel'skikh i optytno - jeksperimental'nyh rabot po ochistke podzemnyh vodot bora v zone, primykajushhej k reke Ilek]/ Center for Health Protection and Ecological Project LLP. - Aktobe, 2008 (in Russ.).
18. Glazovskaya M.A. (1988) Geochemistry of natural and technogenic landscapes of the USSR [Geohimija prirodnyh i tehnogennych landshaftov SSSR] - M.: Higher school, 1988. – 328 p. (in Russ.).
19. Zeiberlich N.E., Vlasko G.N. (1991) On boron contamination of groundwater in the Ilek valley in the Aktyubinsk region [O zagrjasnenii borom podzemnyh vod doliny Ileka v rajone Aktjubinska] / Byul. Moscow Islands of nature testers. Dept. geol., T. 66., Issue. I - pp.96-102 (in Russ.).
20. Kasimov N.S., Vlasov D.V. (2015) Clarkes of chemical elements as reference standards in ecogegeochemistry [Klarkihimicheskikh jelementov kak jetalony sravnjenija v jekogeohimii] // Vestn. Moscow University. Ser. 5. Geography. 2015. No. 2 - P.7-17 (in Russ.).



90-летие академика Национальной академии наук Республики Казахстан Е.А.БЕКТУРОВА

Исполнилось 90 лет со дня рождения и 65 лет научно-педагогической и общественной деятельности известного ученого в области физической химии высокомолекулярных соединений, академика НАН РК, лауреата Государственной премии Казахстана, заслуженного деятеля науки и техники Республики Казахстан, доктора химических наук, профессора Есена Абикеновича Бектурова.

Е.А. Бектуров родился 14 декабря 1931 года в г. Ташкенте.

В 1949 году он поступил на химический факультет Казахского государственного университета, где затем обучался в аспирантуре. В 1958 г. защитил кандидатскую, а в 1972 г. – докторскую диссертации, в 1976 г. ему присвоено ученое звание профессора. С 1958 г. по 2009 г. он работал

в Институте химических наук АН КазССР, где прошел путь от младшего научного сотрудника до заведующего лабораторией. С 2010 по 2021 годы Е.А. Бектуров работал профессором Казахского Национального педагогического университета. В 1983 г. Е.А. Бектуров избран в члены-корреспонденты, а в 2003 г. – в академики Национальной Академии наук Республики Казахстан.

Основное научное направление Е.А. Бектурова связано с фундаментальными исследованиями в области физической химии полимеров: водорастворимые полимеры, полиэлектролиты, полиамфолиты, комплексы полимеров, полимерные катализаторы, ионопроводящие комплексы, гидрогели, наночастицы металлов, стабилизированные полимерами. По результатам исследований в изданиях Казахстана, ближнего и дальнего зарубежья опубликовано более 800 работ, среди них 18 изобретений, 8 обзорных статей в журналах США, СССР, Энциклопедии полимерных материалов (США). Издано 32 монографии, 6 из них в ФРГ, Японии, Польше, России и 4 учебных пособия. Цикл работ Е.А. Бектурова с сотрудниками «Водорастворимые полимеры и их комплексы» в 1987 г. был удостоен Государственной премии Казахской ССР.

Исследования Е.А. Бектурова получили широкое признание в нашей стране и за рубежом. Публикации регулярно цитируются в монографиях и статьях ученых ближнего и дальнего зарубежья. Министерством науки и технической политики России Е.А. Бектуров был включён в базу данных «Лидеры науки СССР» в числе 6-ти наиболее цитируемых казахстанских ученых за период 1986-1991 гг. На монографии Е.А. Бектурова опубликовано 47 рецензий известных ученых в журналах СССР, США, ФРГ, Чехии, Румынии. Результаты исследований Е.А. Бектурова включены в ряд отечественных и зарубежных монографий, справочников и учебных пособий, а также стимулировали работы в некоторых лабораториях в нашей стране и за рубежом.

Е.А. Бектуровым внесен крупный вклад в развитие физической химии полимеров, создана широко известная в мире научная школа. Большое внимание Е.А. Бектуров уделяет подготовке высококвалифицированных кадров. Под его руководством защищено 35 кандидатских и 9 докторских диссертаций, в течение ряда лет прочитаны курсы лекций в Казахском и Вильнюсском университетах, Казахском химико-технологическом институте. Е.А. Бектуров – был членом специализированных Советов по защите докторских диссертаций, членом научно-консультативного совета журнала «Химия и технология воды» (Украина) и международного исследовательского совета Американского биографического Института (США).

Е.А. Бектуров неоднократно представлял казахстанскую науку за рубежом, выезжая для участия в качестве докладчика или члена оргкомитета в международных конференциях и симпозиумах, для чтения лекций и проведения совместных работ в ведущих научных центрах Японии, ФРГ, Чехии, Турции, Ирана, Голландии, Швейцарии, Италии, Канады.

Е.А. Бектуров – заслуженный деятель науки и техники Республики Казахстан (1993), лауреат Государственной премии Казахстана (1987), лауреат Международного фестиваля Хорезми (Иран) и Золотой медали ЮНЕСКО им. Нильса Бора (1997) за вклад в фундаментальную науку, лауреат премии К.И. Сатпаева (20), лауреат Государственной стипендии ученых, внесших выдающийся вклад в развитие науки и техники (2000), почетный профессор Павлодарского и Семипалатинского государственных университетов, лауреат общенациональной независимой премии «Тарлан» в номинации «Наука» (2003). По данным независимого агентства аккредитации и рейтинга Е.А. Бектуров вошёл в Топ-30 лучших преподавателей Вузов (2017 г.).

Е.А. Бектуров награжден медалями «За доблестный труд», «Ветеран Труда», «10 лет Конституции Республики Казахстан», «65, 70 и 75 лет Победы в Великой отечественной войне», а также грамотами Президиума АН КазССР.

Сердечно поздравляем Есена Абикеновича с юбилеем, желаем ему крепкого здоровья и дальнейших успехов.

МАЗМҰНЫ

Ақурпекова А.К., Нефедов А.Н., Дәлелханұлы Ә., Тастанирова А.Т., Абильмагжанов А.З. ГАЗДЫ ТАЗАЛАУ ҮШИН ҚОЛДАНЫЛАТЫН МЕТИЛДИЭТАНОЛАМИННІҢ СУДАҒЫ ЕРІТІНДІЛЕРІН ЗЕРТТЕУ.....	6
Джумекеева А.И., Ахметова С.Н., Бухарбаева Ф.Ү., Аубакиров Т.А., Жанбеков Х.Н. 3,7,11,15-ТЕТРАМЕТИЛГЕКСАДЕЦИН-1-ОЛДЫ-3 C ₂₀ СУТЕКТЕНДІРУДІН НИКЕЛЬ-ПАЛЛАДИЙ КАТАЛИЗАТОРЛАРЫ.....	14
Исаева А.Н., Корганбаев Б.Н., Голубев В.Г., Ещенко Л.С., Жумадуллаев Д.К. БЕТТІК ТИПТІ АППАРАТТАҒЫ ТҮМАННЫҢ ТАМШЫЛАРЫ МЕН БӨЛШЕКТЕРІНІҢ БУ-ГАЗҚОСПАСЫНДАҒЫҚӨЛЕМДІККОНДЕНСАЦИЯСЫ.....	22
Қожахметова А.М., Жантасов Қ.Т., Дормешкин О.Б., Байысбай Ә.П., Досбаева А.М. ТЫҢАЙТҚЫШ ҚОСПА РЕТИНДЕ АҚСАЙ КЕНІНІҢ ТӨМЕНГІ САПАЛЫ ФОСФОРИТТЕРІНІҢ ҚҰРАМЫН ЗЕРТТЕУ.....	30
Кудайбергенова Б.М., Қосжанова Г.Ж., Қайралапова Г.Ж., Иминова Р.С., Жумагалиева Ш.Н. КОМПОЗИЦИЯЛЫҚ КРИОГЕЛЬДЕРДІҢ ЦПБ-МЕН ӘРЕКЕТТЕСУ ЗАҢДЫЛЫҚТАРЫ.....	35
Кемелбек М., Самир А.Р., Бурашева Г.Ш. KRASCHENINNIKOVIA CERATOIDESОСІМДІГІНІҢ АМИН ЖӘНЕ МАЙ ҚЫШҚЫЛДАРЫНЫҢ ҚҰРАМЫ.....	40
Мұстафаева А., Искенеева А., Фазылов С., Кожамсұғіров К., Свидерский А.7 ҚАПТАЛҒАН ВИТАМИНДІ ҚОСПАМЕН ФУНКЦИОНАЛДЫ БАЙЫТЫЛҒАН ЕТ ӨНІМІ.....	45
Павличенко Л., Рысмагамбетова А., Таныбаева А., Солодова Е., Родриго Иларри Х. ЕЛЕК ӨЗЕҢІ АЛҚАБЫНЫҢ ЖЕР ҮСТІ СУЛАРЫНДАҒЫ БОР ҚҰРАМЫНЫҢ ӨЗГЕРІСІН БАҒАЛАУ (АҚТӨБЕ, ҚАЗАҚСТАН).....	53
Серикбаева А.М., Калмаханова М.С., Масалимова Б.К., Жарлықапова Р.Б., Базарбаев Х. ОРГАНОАЛОКСИДТЕРМЕН ЕГІЛГЕН ОРГАНИКАЛЫҚ ТҮРЛЕНДІРІЛГЕН САЗДАРДЫ АЛУ, ФИЗИКАЛЫҚ-ХИМИЯЛЫҚ СИПАТТАМАЛАРЫ.....	61
Сакиева З.Ж., Жолмырзаева Р.Н., Боранбаева Т.К., Әбіш Ж.А., Жұман Н.И. ЖЫЛДЫҢ ЖАЗ МЕЗГІЛІНДЕ СҮТТЕГІ МОЧЕВИНАҚЫШҚЫЛЫН АНЫҚТАУ.....	69
Туктін Б.Т., Тенизбаева А.С., Темирова А.М., Сайдилда Г.Т. МОДИФИЦИРЛЕНГЕН ЦЕОЛИТ КАТАЛИЗАТОРЛАРЫНДА Н-АЛКАНДАР МЕН БЕНЗИН ФРАКЦИЯЛАРЫН ӨНДЕУ.....	75
Оспанқұлова Г.Х., Тоймбаева Д.Б., Ермеков Е.Е., Садуахасова С.А., Айдарханова Г.С. БИОЛОГИЯЛЫҚ ҮДҮРІАЙТЫН ҮЛДІР МАТЕРИАЛДАРЫН ӨНДІРУ ҮШИН НЕГІЗГІ ШИКІЗАТ РЕТИНДЕ ШЫҒУ ТЕГІ ӘРТҮРЛІ КРАХМАЛДАРДЫҢ МОРФОЛОГИЯСЫ МЕН ФИЗИКА-ХИМИЯЛЫҚ ҚАСИЕТТЕРІН ЗЕРТТЕУ.....	84
Шаймерденова Г.С., Жантасов Қ.Т., Дормешкин О.Б., Мұсірепова Э.Б., Тастанбекова Б.О. ЖАҢАТАС КЕН ОРНЫНЫң БАЛАНСТАН ТЫС ФОСФАТ ШИКІЗАТЫ: ҚҰРАМЫ МЕН ҚҰРЫЛЫМЫН КЕШЕНДІ ЗЕРТТЕУ.....	93
Яқияева М.А., Изтаев Б.А., Изтаев А.И., Турсунбаева Ш.А., Рахымбаева М.Н. БІРІНШІ ЖӘНЕ ЕКІНШІ СҮРҮПТЫҚ ҮНДАРДАН ЖАСАЛҒАН АШЫТҚЫСЫЗ ҚАМЫРДЫҢ РЕОЛОГИЯЛЫҚ ҚАСИЕТІН ЗЕРТТЕУ.....	99
МЕРЕЙТОЙ Есен Әбікенұлы Бектұров 90 жаста!.....	112

СОДЕРЖАНИЕ

Акурпекова А.К., Нефедов А.Н., Дәлелханұлы Ә., Тастанмирса А.Т., Абильмагжанов А.З. ИССЛЕДОВАНИЕ ВОДНЫХ РАСТВОРОВ МЕТИЛДИЭТАНОЛАМИНА ПРИМЕНЯЕМЫХ ДЛЯ ОЧИСТКИ ГАЗОВ.....	6
Джумекеева А.И., Ахметова С.Н., Бухарбаева Ф.У., Аубакиров Т.А., Жанбеков Х.Н. НИКЕЛЬ-ПАЛЛАДИЕВЫЕ КАТАЛИЗАТОРЫ ГИДРИРОВАНИЯ 3,7,11,15-ТЕТРАМЕТИЛГЕКСАДЕЦИН-1-ОЛА-3 C ₂₀	14
Исаева А.Н., Корганбаев Б.Н., Голубев В.Г., Ещенко Л.С., Жумадуллаев Д.К. ОБЪЕМНАЯ КОНДЕНСАЦИЯ ПАРОГАЗОВОЙ СМЕСИ НА ЧАСТИЦАХ ТУМАНА И КАПЛЯХ В АППАРАТЕ ПОВЕРХНОСТНОГО ТИПА.....	22
Кожахметова А.М., Жантасов К.Т., Дормешкин О.Б., Байысбай О.П., Досбаева А.М. ИССЛЕДОВАНИЯ СОСТАВА НИЗКОКАЧЕСТВЕННЫХ ФОСФОРИТОВ МЕСТОРОЖДЕНИЯ АКСАЙ В КАЧЕСТВЕ КОМПОНЕНТА УДОБРЕНИЯ.....	30
Кудайбергенова Б.М., Косжанова Г.Ж., Кайралапова Г.Ж., Иминова Р.С., Жумагалиева Ш.Н. ЗАКОНОМЕРНОСТИ ВЗАИМОДЕЙСТВИЯ КОМПОЗИЦИОННЫХ КРИОГЕЛЕЙ С ЦПБ.....	35
Кемелбек М., Самир А.Р., Бурашева Г.Ш. АМИНО- И ЖИРНОКИСЛОТНЫЙ СОСТАВ РАСТЕНИЯ KRASCHENINNIKOVIA CERATOIDES...40	
Мустафаева А., Искинеева А., Фазылов С., Кожамсугиров К., Свидерский А. ФУНКЦИОНАЛЬНО ОБОГАЩЕННЫЙ МЯСНОЙ ПРОДУКТ С ИНКАПСУЛИРОВАННОЙ ВИТАМИННОЙ ДОБАВКОЙ.....	45
Павличенко Л., Рысмагамбетова А., Таныбаева А., Солодова Е., Родриго Иларри Х. ОЦЕНКА ИЗМЕНЕНИЙ СОДЕРЖАНИЯ БОРА В ПОВЕРХНОСТНЫХ ВОДАХ ДОЛИНЫ РЕКИ ИЛЕК (АКТОБЕ, КАЗАХСТАН).....	53
Серикбаева, А.М., Калмаханова М.С., Масалимова Б.К., Жарлықапова Р.Б., Базарбаев Х. ПОЛУЧЕНИЯ И ФИЗИКО-ХИМИЧЕСКИЕ ХАРАКТЕРИСТИКИ ОРГАНИЧЕСКИХ МОДИФИЦИРОВАННЫХ ГЛИН С ПРИВИТЫМИ ОРГАНОАЛОКСИДАМИ.....	61
Сакиева З.Ж., Жолмырзаева Р.Н., Боранбаева Т.К., Эбіш Ж.А., Жұман Н.И. ОПРЕДЕЛЕНИЕ МОЧЕВИНЫ В МОЛОКЕ В ЛЕТНИЙ ПЕРИОД ГОДА.....	69
Туктин Б.Т., Тенизбаева А.С., Темирова А.М., Сайдилда Г.Т. ПЕРЕРАБОТКА Н-АЛКАНОВ И БЕНЗИНОВЫХ ФРАКЦИЙ НА МОДИФИЦИРОВАННЫХ ЦЕОЛИТНЫХ КАТАЛИЗАТОРАХ.....	75
Оспанқулов Г.Х., Тоймбаева Д.Б., Ермеков Е.Е., Садуахасова С.А., Айдарханова Г.С. ИССЛЕДОВАНИЯ МОРФОЛОГИИ И ФИЗИКО-ХИМИЧЕСКИХ СВОЙСТВ КРАХМАЛОВ РАЗЛИЧНОГО ПРОИСХОЖДЕНИЯ КАК СЫРЬЯ ДЛЯ ПРОИЗВОДСТВА БИОРАЗЛАГАЕМЫХ ПЛЕНОЧНЫХ МАТЕРИАЛОВ.....	84
Шаймерденова Г.С., Жантасов К.Т., Дормешкин О.Б., Мұсірепова Э.Б., Тастанбекова Б.О. ЗАБАЛАНСОВОЕ ФОСФАТНОЕ СЫРЬЕ МЕСТОРОЖДЕНИЯ ЖАНАТАС: КОМПЛЕКСНОЕ ИЗУЧЕНИЕ СОСТАВА И СТРУКТУРЫ.....	93
Якияева М.А., Изтаев Б.А., Изтаев А.И., Турсунбаева Ш.А., Рахымбаева М.Н. ИССЛЕДОВАНИЕ РЕОЛОГИЧЕСКИХ СВОЙСТВ БЕЗДРОЖЖЕВОГО ТЕСТА ИЗ ПШЕНИЧНОЙ МУКИ ПЕРВОГО И ВТОРОГО СОРТА.....	99
ЮБИЛЕЙ 90-летие Есена Абикеновича Бектурова!.....	112

CONTENTS

Akurpekova A.K., Nefedov A.N., DalelhanulyO., Tastemirova A.T., Abilmagzhanov A.Z.	
STUDY OF AQUEOUS SOLUTIONS OF METHYLDIETHANOLAMINE USED FOR GAS PURIFICATION.....	6
Jumekeyeva A.I., Akhmetova S.N., Bukharbayeva F.U., Aubakirov T.A., Zhanbekov KH.N.	
NICKEL - PALLADIUM CATALYSTS FOR HYDROGENATION OF 3, 7, 11, 15-TETRAMETHYLHEXADECYN-1-OL-3 C ₂₀	14
Issayeva A.N., Korganbayev B.N., Golubev V.G., Eschenko L.S., Zhumadullayev D.K.	
VOLUMETRIC CONDENSATION OF A VAPOR-GAS MIXTURE ON FOG PARTICLES AND DROPS IN A SURFACE-TYPE APPARATUS.....	22
Kozhakhmetova A.M., Zhantasov K.T., Dormeshkin O.B., Baiysbay O.P., Dosbayeva A.M.	
RESEARCH OF THE COMPOSITION OF LOW-RATED PHOSPHORITES OF THE AKSAY DEPOSIT AS A COMPONENT OF FERTILIZER.....	30
Kudaibergenova B.M., Koszhanova G.Zh., Kairalapova G.Zh., Iminova R.S., Zhumagalieva Sh.N.	
REGULARITIES OF INTERACTION OF COMPOSITE CRYOGELS WITH CPB.....	35
Kemelbek M, Samir A.R, Burasheva G.Sh	
AMINO ACID AND FATTY ACID CONTENTS OF THE PLANT KRASCHENINNIKOVIA CERATOIDES.....	40
Mustafaeva A., Iskineyeva A., Fazylov S., Kozhamsugirov K., Sviderskiy A.	
FUNCTIONALLY ENRICHED MEAT PRODUCT WITH INCAPSULATED VITAMIN SUPPLEMENT.....	45
Pavlichenko L., Rysmagambetova A., Tanybayeva A., Solodova E., Rodrigo Ilarri J.	
ASSESSMENT OF BORON CONTENT CHANGES IN THE SURFACE WATER OF THE ILEK RIVER VALLEY (AKTOBE, KAZAKHSTAN).....	53
Serikbayeva A.M., Kalmakhanova M.S., Massalimova B.K., Zharlykapova R.B., Bazarbaev H.	
PREPARATION AND PHYSICO-CHEMICAL CHARACTERIZATION OF ORGANIC MODIFIED CLAYS WITH GRAFTED ORGANOALKOXIDES.....	61
Sakieva Z.Zh., Zholmyrzayeva R.N., Boranbayeva T.K., Abish Zh.A., Zhuman N.I.	
DETERMINATION OF UREA IN MILK.....	69
Tuktin B.T., Tenizbaeva A.S., Temirova A.M., Saidilda G.T.	
PROCESSING OF N-ALKANES AND GASOLINE FRACTIONS ON MODIFIED ZEOLITE CATALYSTS.....	75
Ospankulova G.Kh., Toimbaeva D.B., Ermekov E.E., Saduakhasova S.A., Aidarkhanova G.S.	
STUDIES OF THE MORPHOLOGY AND PHYSICO-CHEMICAL PROPERTIES OF STARCHES OF VARIOUS ORIGINS AS THE MAIN RAW MATERIAL FOR THE PRODUCTION OF BIODEGRADABLE FILM MATERIALS.....	84
Shaimerdenova G.S., Zhantasov K.T., Dormeshkin O.B., Mussirepova E.B., Tastanbekova B.O.	
OFF-BALANCE PHOSPHATE RAW MATERIALS OF THE ZHANATAS DEPOSIT: COMPREHENSIVE STUDY OF COMPOSITION AND STRUCTURE.....	93
Yakiyayeva M.A., Iztayev B.A., Iztayev A.I., Tursunbayeva Sh.A., Rakhymbayeva M.N.	
STUDY OF RHEOLOGICAL PROPERTIES OF YEASTLESS DOUGH FROM WHEAT FLOUR OF THE FIRST AND SECOND GRADES.....	99
ANNIVERSARY	
90th anniversary of Yesen Abikenovich Bekturov!.....	112

Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайтах:

www:nauka-nanrk.kz

<http://chemistry-technology.kz/index.php/en/arhiv>

ISSN 2518-1491 (Online), ISSN 2224-5286 (Print)

Редакторы: *М.С. Ахметова, А. Боманқызы, Д.С. Аленов, Р.Ж. Мрзабаева*

Верстка на компьютере *Г.Д.Жадыранова*

Подписано в печать 10.12.2021.

Формат 60x881/8. Бумага офсетная. Печать – ризограф.

4,6 пл. Тираж 300. Заказ 5-6.