

ISSN 2518-1491 (Online),
ISSN 2224-5286 (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ

Д.В. Сокольский атындағы
«Жанармай, катализ және электрохимия институты» АҚ

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН
АО «Институт топлива, катализа и
электрохимии им. Д.В. Сокольского»

N E W S

OF THE ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN
JSC «D.V. Sokolsky institute of fuel,
catalysis and electrochemistry»

SERIES
CHEMISTRY AND TECHNOLOGY

3 (452)

JULY – SEPTEMBER 2022

PUBLISHED SINCE JANUARY 1947

PUBLISHED 4 TIMES A YEAR

ALMATY, NAS RK

Бас редактор:

ЖҰРЫНОВ Мұрат Жұрынұлы, химия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, Қазақстан Республикасы Ұлттық ғылым академиясының президенті, АҚ «Д.В. Сокольский атындағы отын, катализ және электрохимия институтының» бас директоры (Алматы, Қазақстан) Н = 4

Редакция алқасы:

ӘДЕКЕНОВ Серғазы Мынжасарұлы (бас редактордың орынбасары), химия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, «Фитохимия» Халықаралық ғылыми-өндірістік холдингінің директоры (Қарағанды, Қазақстан) Н = 11

АГАБЕКОВ Владимир Енокович (бас редактордың орынбасары), химия ғылымдарының докторы, профессор, Беларусь ҰҒА академигі, Жаңа материалдар химиясы институтының құрметті директоры (Минск, Беларусь) Н = 13

СТРНАД Мирослав, профессор, Чехия ғылым академиясының Эксперименттік ботаника институтының зертхана меңгерушісі (Оломоуц, Чехия) Н = 66

БҮРКІТБАЕВ Мұхамбетқали, химия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, әл-Фараби атындағы ҚазҰУ-дың бірінші проректоры (Алматы, Қазақстан) Н = 11

ХОХМАНН Джудит, Сегед университетінің Фармацевтика факультетінің Фармакогнозия кафедрасының меңгерушісі, Жаратылыстану ғылымдарының пәнаралық орталығының директоры (Сегед, Венгрия) Н = 38

РОСС Самир, PhD докторы, Миссисипи университетінің Өсімдік өнімдерін ғылыми зерттеу ұлттық орталығы, Фармация мектебінің профессоры (Оксфорд, АҚШ) Н = 35

ХУТОРЯНСКИЙ Виталий, философия докторы (PhD, фармацевт), Рединг университетінің профессоры (Рединг, Англия) Н = 40

ТЕЛТАЕВ Бағдат Бұрханбайұлы, техника ғылымдарының докторы, профессор, ҚР ҰҒА корреспондент-мүшесі, Қазақстан Республикасы Индустрия және инфрақұрылымдық даму министрлігі (Алматы, Қазақстан) Н = 13

ФАРУК Асана Дар, Хамдар аль-Маджида Шығыс медицина колледжінің профессоры, Хамдард университетінің Шығыс медицина факультеті (Карачи, Пәкістан) Н = 21

ФАЗЫЛОВ Серік Драхметұлы, химия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, Органикалық синтез және көмір химиясы институты директорының ғылыми жұмыстар жөніндегі орынбасары (Қарағанды, Қазақстан) Н = 6

ЖОРОБЕКОВА Шарипа Жоробекқызы, химия ғылымдарының докторы, профессор, Қырғызстан ҰҒА академигі, ҚР ҰҒА Химия және химиялық технология институты (Бішкек, Қырғызстан) Н = 4

ХАЛИКОВ Джурабай Халикович, химия ғылымдарының докторы, профессор, Тәжікстан ҒА академигі, В.И. Никитин атындағы Химия институты (Душанбе, Тәжікстан) Н = 6

ФАРЗАЛИЕВ Вагиф Меджидоглы, химия ғылымдарының докторы, профессор, ҰҒА академигі (Баку, Әзірбайжан) Н = 13

ГАРЕЛИК Хемда, философия докторы (PhD, химия), Халықаралық таза және қолданбалы химия одағының Химия және қоршаған орта бөлімінің президенті (Лондон, Англия) Н = 15

«ҚР ҰҒА Хабарлары. Химия және технология сериясы»

ISSN 2518-1491 (Online),

ISSN 2224-5286 (Print)

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РҚБ (Алматы қ.). Қазақстан Республикасының Ақпарат және қоғамдық даму министрлігінің Ақпарат комитетінде 29.07.2020 ж. берілген № **KZ66VPY00025419** мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Тақырыптық бағыты: *органикалық химия, бейорганикалық химия, катализ, электрохимия және коррозия, фармацевтикалық химия және технологиялар.*

Мерзімділігі: жылына 4 рет.

Тиражы: 300 дана.

Редакцияның мекен-жайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., тел.: 272-13-19

<http://chemistry-technology.kz/index.php/en/arithv>

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2022

Редакцияның мекенжайы: 050100, Алматы қ., Қонаев к-сі, 142, «Д.В. Сокольский атындағы отын, катализ және электрохимия институты» АҚ, каб. 310, тел. 291-62-80, факс 291-57-22, e-mail: orgcat@nursat.kz

Типографияның мекен-жайы: «Аруна» ЖК, Алматы қ., Мұратбаев көш., 75.

Главный редактор:

ЖУРИНОВ Мурат Журинович, доктор химических наук, профессор, академик НАН РК, президент Национальной академии наук Республики Казахстан, генеральный директор АО «Институт топлива, катализа и электрохимии им. Д.В. Сокольского» (Алматы, Казахстан) Н = 4

Редакционная коллегия:

АДЕКЕНОВ Сергазы Мынжасарович (заместитель главного редактора), доктор химических наук, профессор, академик НАН РК, директор Международного научно-производственного холдинга «Фитохимия» (Караганда, Казахстан) Н = 11

АГАБЕКОВ В ладимир Енокович (заместитель главного редактора), доктор химических наук, профессор, академик НАН Беларуси, почетный директор Института химии новых материалов (Минск, Беларусь) Н = 13

СТРНАД Мирослав, профессор, заведующий лабораторией института Экспериментальной ботаники Чешской академии наук (Оломоуц, Чехия) Н = 66

БУРКИТБАЕВ Мухамбеткали, доктор химических наук, профессор, академик НАН РК, Первый проректор КазНУ имени аль-Фараби (Алматы, Казахстан) Н = 11

ХОХМАНН Джудит, заведующий кафедрой Фармакогнозии Фармацевтического факультета Университета Сегеда, директор Междисциплинарного центра естественных наук (Сегед, Венгрия) Н = 38

РОСС Самир, доктор PhD, профессор Школы Фармации национального центра научных исследований растительных продуктов Университета Миссисипи (Оксфорд, США) Н = 35

ХУТОРЯНСКИЙ Виталий, доктор философии (Ph.D, фармацевт), профессор Университета Рединга (Рединг, Англия) Н = 40

ТЕЛЬГАЕВ Багдат Бурханбайулы, доктор технических наук, профессор, член-корреспондент НАН РК, Министерство Индустрии и инфраструктурного развития Республики Казахстан (Алматы, Казахстан) Н = 13

ФАРУК Асана Дар, профессор колледжа Восточной медицины Хамдарда аль-Маджида, факультет Восточной медицины университета Хамдарда (Карачи, Пакистан) Н = 21

ФАЗЫЛОВ Серик Драхметович, доктор химических наук, профессор, академик НАН РК, заместитель директора по научной работе Института органического синтеза и углехимии (Караганда, Казахстан) Н = 6

ЖОРОБЕКОВА Шарипа Жоробековна, доктор химических наук, профессор, академик НАН Кыргызстана, Институт химии и химической технологии НАН КР (Бишкек, Кыргызстан) Н = 4

ХАЛИКОВ Джурабай Халикович, доктор химических наук, профессор, академик АН Таджикистана, Институт химии имени В.И. Никитина АН РТ (Душанбе, Таджикистан) Н = 6

ФАРЗАЛИЕВ Вагиф Меджид оглы, доктор химических наук, профессор, академик НАНА (Баку, Азербайджан) Н = 13

ГАРЕЛИК Хемда, доктор философии (Ph.D, химия), президент Отдела химии и окружающей среды Международного союза чистой и прикладной химии (Лондон, Англия) Н = 15

«Известия НАН РК. Серия химии и технологий».

ISSN 2518-1491 (Online),

ISSN 2224-5286 (Print)

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан» (г. Алматы).

Свидетельство о постановке на учет периодического печатного издания в Комитете информации Министерства информации и общественного развития Республики Казахстан № KZ66VPY00025419, выданное 29.07.2020 г.

Тематическая направленность: *органическая химия, неорганическая химия, катализ, электрохимия и коррозия, фармацевтическая химия и технологии.*

Периодичность: 4 раз в год.

Тираж: 300 экземпляров.

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, оф. 219, тел.: 272-13-19

<http://chemistry-technology.kz/index.php/en/archiv>

© Национальная академия наук Республики Казахстан, 2022

Адрес редакции: 050100, г. Алматы, ул. Кунаева, 142, АО «Институт топлива, катализа и электрохимии им. Д.В. Сокольского», каб. 310, тел. 291-62-80, факс 291-57-22, e-mail: orgcat@nursat.kz

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75.

Editor in chief:

ZHURINOV Murat Zhurinovich, doctor of chemistry, professor, academician of NAS RK, president of NAS RK, general director of JSC "Institute of fuel, catalysis and electrochemistry named after D.V. Sokolsky (Almaty, Kazakhstan) H = 4

Editorial board:

ADEKENOV Sergazy Mynzhasarovich (deputy editor-in-chief) doctor of chemical sciences, professor, academician of NAS RK, director of the international Scientific and production holding «Phytochemistry» (Karaganda, Kazakhstan) H = 11

AGABEKOV Vladimir Enokovich (deputy editor-in-chief), doctor of chemistry, professor, academician of NAS of Belarus, honorary director of the Institute of Chemistry of new materials (Minsk, Belarus) H = 13

STRNAD Miroslav, head of the laboratory of the institute of Experimental Botany of the Czech academy of sciences, professor (Olomouc, Czech Republic) H = 66

BURKITBAYEV Mukhambetkali, doctor of chemistry, professor, academician of NAS RK, first vice-rector of al-Farabi KazNU (Almaty, Kazakhstan) H = 11

HOHMANN Judith, head of the department of pharmacognosy, faculty of Pharmacy, university of Szeged, director of the interdisciplinary center for Life sciences (Szeged, Hungary) H = 38

ROSS Samir, Ph.D., professor, school of Pharmacy, national center for scientific research of Herbal Products, University of Mississippi (Oxford, USA) H = 35

KHUTORYANSKY Vitaly, Ph.D., pharmacist, professor at the University of Reading (Reading, England) H = 40

TELTAYEV Bagdat Burkhanbayuly, doctor of technical sciences, professor, corresponding member of NAS RK, ministry of Industry and infrastructure development of the Republic of Kazakhstan (Almaty, Kazakhstan) H = 13

PHARUK Asana Dar, professor at Hamdard al-Majid college of Oriental medicine. faculty of Oriental medicine, Hamdard university (Karachi, Pakistan) H = 21

FAZYLOV Serik Drakhmetovich, doctor of chemistry, professor, academician of NAS RK, deputy director for institute of Organic synthesis and coal chemistry (Karaganda, Kazakhstan) H = 6

ZHOROBEKOVA Sharipa Zhorobekovna, doctor of chemistry, professor, academician of NAS of Kyrgyzstan, Institute of Chemistry and chemical technology of NAS KR (Bishkek, Kyrgyzstan) H = 4

KHALIKOV Jurabay Khalikovich, doctor of chemistry, professor, academician of the academy of sciences of Tajikistan, institute of Chemistry named after V.I. Nikitin AS RT (Tajikistan) H = 6

FARZALIEV Vagif Medzhid ogly, doctor of chemistry, professor, academician of NAS of Azerbaijan (Azerbaijan) H = 13

GARELIK Hemda, PhD in chemistry, president of the department of Chemistry and Environment of the International Union of Pure and Applied Chemistry (London, England) H = 15

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of chemistry and technology.

ISSN 2518-1491 (Online),

ISSN 2224-5286 (Print)

Owner: RPA «National Academy of Sciences of the Republic of Kazakhstan» (Almaty).

The certificate of registration of a periodical printed publication in the Committee of information of the Ministry of Information and Social Development of the Republic of Kazakhstan No. **KZ66VPY00025419**, issued 29.07.2020.

Thematic scope: *organic chemistry, inorganic chemistry, catalysis, electrochemistry and corrosion, pharmaceutical chemistry and technology.*

Periodicity: 4 times a year.

Circulation: 300 copies.

Editorial address: 28, Shevchenko str., of. 219, Almaty, 050010, tel. 272-13-19

<http://chemistry-technology.kz/index.php/en/arhiv>

© National Academy of Sciences of the Republic of Kazakhstan, 2022

Editorial address: JSC «D.V. Sokolsky institute of fuel, catalysis and electrochemistry», 142, Kunayev str., of. 310, Almaty, 050100, tel. 291-62-80, fax 291-57-22, e-mail: orgcat@nursat.kz

Address of printing house: ST «Aruna», 75, Muratbayev str, Almaty.

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC
OF KAZAKHSTAN

SERIES CHEMISTRY AND TECHNOLOGY

https://doi.org/10.32014/2518-1491_2022_452_3_86-96

UDC 661.183

B.T. Yermagambet^{1,2}, M.K. Kazankapova^{1,2*}, Zh.M. Kassenova^{1,2}

¹LLP Institute of Coal Chemistry and Technology, Kazakhstan, Astana;

²LLP KazTechCoal Scientific and Production Association, Kazakhstan, Astana.

E-mail: coaltech@bk.ru

**OBTAINING COMPOSITE MATERIAL BASED ON HUMIC
ACID AND MICROSPHERE AND APPLICATION FOR WATER
TREATMENT FROM HEAVY METALS**

Abstract. A chemical analysis of humic acids based on brown coal from the Maikuben basin (Kazakhstan) and their modified form was carried out. Humic acids (HA) were obtained on the basis of potassium humate. To obtain a composite, the initial HA was modified with a microsphere in the ratio 1/1 and then heat-treated in a tube furnace at 600 °C in an inert atmosphere. The elemental composition of the initial sample based on HA/microsphere=1:1 was (wt.%): C 29.15, O 38.43, Na 0.27, Mg 0.29, Al 14.14, Si 13.72, S 0.22, Cl 0.16, K 1.86, Ca 0.42, Ti 0.36, Fe 0.97; activated form of the composite sample (wt.%): C 52.50, O 23.53, Na 0.51, Mg 0.25, Al 6.11, Si 10.81, K 3.78, Ca 0.76, Ti 0.43, Fe 1.33, S 0.36. The physicochemical characteristics and surface morphology of the samples under study have been studied. It has been established by the BET method that thermal and vapor-gas activation of a composite material based on humic acid and microspheres leads to a significant increase in the specific surface area from 1.14 to 46.74 m²/g, respectively. The results of the analysis of micrographs showed that after thermal treatment of the composite based on humic acid and microspheres, the surface structure of the spherical shape changes and becomes more developed, where pores with particle sizes from ~343.4 nm to ~16.41 μm can be observed, and small particles are also observed. with a size from 49.5 nm to 158.1 nm. The obtained samples were tested as an adsorbent for

water purification from heavy metals and showed a high degree of purification (%): Zn 100.00, Cd 97.10, Pb 90.00 and Cu 93.5.

Key words: humic acid, microsphere, composite, carbonization, activation, adsorbent, heavy metals.

Б.Т. Ермағамбет^{1,2}, М.К. Қазанқапova^{1,2*}, Ж.М. Касенова^{1,2}

¹ЖШС Көмір химиясы және технология институты, Қазақстан, Астана;

²ЖШС Қазтехнокөмір Ғылыми өндірістік бірлестігі, Қазақстан, Астана.

E-mail: coaltech@bk.ru

ГУМИН ҚЫШҚЫЛЫ МЕН МИКРОСФЕРА НЕГІЗІНДЕГІ КОМПОЗИТТІК МАТЕРИАЛДЫ АЛУ ЖӘНЕ СУДЫ АУЫР МЕТАЛДАРДАН ТАЗАРТУДА ҚОЛДАНУ

Аннотация. Майкөбен бассейнінің (Қазақстан) қоңыр көмірі негізіндегі гумин қышқылдарына және олардың модификацияланған түріне химиялық талдау жүргізілді. Калий гуматы негізінде гумин қышқылдары (ГҚ) алынды. Композитті алу үшін ГҚ-ы микросфера бөлшектермен 1/1 қатынасында модификацияланып 600⁰С-та инертті атмосферада құбырлы пеште термиялық өңдеуден өтті. ГҚ/микросфера=1:1 негізіндегі бастапқы үлгінің элементтік құрамы (масс.%): С 29.15, О 38.43, Na 0.27, Mg 0.29, Al 14.14, Si 13.72, S 0.22, Cl 0.16, K 1.84, Ca 0.42, Ti 0,36, Fe 0.97, композициялық үлгінің активтендірілген формасын үшін (масс.%): С 52.50, О 23.53, Na 0.51, Mg 0.25, Al 6.11, Si 10.81, K 3.78, Ca 0,76, Ti 0.43, Fe 1.33, S 0.36 құрады. Аталған үлгілердің физика-химиялық сипаттамалары мен беткі морфологиясы зерттелді. БЕТ әдісімен гумин қышқылы мен микросфера негізіндегі композициялық материалдың термиялық және бу-газды активтенуі меншікті бетінің сәйкесінше 1,14-тен 46,74 м²/г-ға дейін айтарлықтай өсуіне әкелетіні анықталды. Микросуреттерді талдау нәтижелері гумин қышқылы мен микросфералар негізіндегі композитті термиялық өңдеуден кейін сфералық пішіннің беткі құрылымы өзгеріп, өлшемдері ~343,4 нм-ден ~16,41 мкм-ге дейінгі кеуектердің пайда болғанын және 49,5 нм-ден 158,1 нм-ге дейінгі ұсақ бөлшектердің түзілгенін байқауға болады. Алынған үлгілер ауыр металдардан суды тазарту үшін адсорбент ретінде сыналды және жоғары тазарту дәрежесін (%): Zn 100,00, Cd 97,10, Pb 90,00 және Cu 93,5 көрсетті.

Түйін сөздер: гумин қышқылы, микросфера, карбонизация, активация, адсорбент, ауыр металдар.

Б.Т. Ермагамбет^{1,2}, М.К. Казанкапова^{1,2*}, Ж.М. Касенова^{1,2}

¹ТОО Институт химии угля и технологии, Казахстан, Астана;

²ТОО Научно-производственное объединение «Казтехноуголь»,
Казахстан, Астана.

E-mail: coaltech@bk.ru

ПОЛУЧЕНИЕ КОМПОЗИТНОГО МАТЕРИАЛА НА ОСНОВЕ ГУМИНОВОЙ КИСЛОТЫ И МИКРОСФЕРЫ И ПРИМЕНЕНИЕ ДЛЯ ОЧИСТКИ ВОДЫ ОТ ТЯЖЕЛЫХ МЕТАЛЛОВ

Аннотация. Проведен химический анализ гуминовых кислот на основе бурого угля Майкубенского бассейна (Казахстан) и их модифицированной формы. Гуминовые кислоты (ГК) были получены на основе гумата калия. Для получения композита, исходный ГК модифицирован с микросферой в соотношениях 1/1 и далее термически обработан в трубчатой печи при 600°C в инертной среде. Элементный состав исходного образца на основе ГК/микросферы=1:1 составил (масс.%): С 29.15, О 38.43, Na 0.27, Mg 0.29, Al 14.14, Si 13.72, S 0.22, Cl 0.16, K 1.86, Ca 0.42, Ti 0.36, Fe 0.97, активированной формы композитного образца (масс.%): С 52.50, О 23.53, Na 0.51, Mg 0.25, Al 6.11, Si 10.81, K 3.78, Ca 0.76, Ti 0.43, Fe 1.33, S 0.36. Изучены физико-химические характеристики и морфология поверхности исследуемых образцов. Методом БЭТ установлено, что термическая и парогазовая активация композитного материала на основе гуминовой кислоты и микросферы приводит к существенному увеличению удельной поверхности от 1.14 до 46.74 м²/г соответственно. Результаты анализа микроснимков показали, что после термической обработки композита на основе гуминовой кислоты и микросферы поверхностная структура сферической формы изменяется и становится более развитой, где можно наблюдать поры с размерами частиц от ~343,4 нм до ~16,41 мкм, также наблюдаются мелкие частицы размером от 49,5 нм до 158,1 нм. Полученные образцы апробированы в качестве адсорбента для очистки воды от тяжелых металлов и показали высокую степень очистки (%): Zn 100.00, Cd 97.10, Pb 90.00 и Cu 93.5.

Ключевые слова: гуминовая кислота, микросфера, композит, карбонизация, активация, адсорбент, тяжелые металлы.

Introduction. Humic substances (HS) obtained from oxidized coals and peat are complex polymer complexes that effectively bind pollutants of organic and inorganic nature and remove them from the biological cycle, prevent the

degradation of natural biocenoses. Humic acids (HA) have a significant ability to form complex and intra-complex (chelate) compounds with iron and aluminum, as well as copper and other polyvalent cations, which, depending on the pH of the medium, acquire greater mobility or form strong water-insoluble compounds. At the same time, HAs form complex compounds with metals mainly in the region of low pH values. Due to the presence of oxygen-containing functional groups, such as carboxyl $-\text{COOH}$, phenolic and alcohol $-\text{OH}$, as well as carbonyl $>\text{C}=\text{O}$, humic substances can form stable complexes with metal ions. Amine ($-\text{NH}_2$)-, amide ($\text{CO}-\text{NH}_2$)- and imine ($>\text{C}=\text{NH}$)-groups also participate in the formation of organometallic complexes (Popov et al., 2004). Humic substances as a natural polymeric material can be used as a matrix in the synthesis of composite nanomaterials due to their structural features and the presence of opposite charges.

Humic acids are considered as a promising and inexpensive source of valuable products and new materials due to the “green” chemistry approach (Xu et al., 2019; Brezoiu et al., 2019). The chemical heterogeneity and metastable conformation of humic substances, as well as their various reactive functional groups, determine a wide range of useful properties, including adsorption capacity with respect to metals and organic pollutants (Pota et al., 2020; Afzal et al., 2019; Pukalchik et al., 2019). Moreover, they show a strong effect in reducing reactive oxygen species due to their inherent paramagnetic properties, which leads them to be effective antioxidant agents.

The progressive explosive growth of the population, industrialization and urbanization lead to the release of various harmful pollutants into the environment (Xu et al., 2012). Water pollution is a growing environmental problem faced worldwide due to the displacement of environmental pollution and the deterioration of water resources (Sahbaz et al., 2018).

To remove and purify harmful impurities contained in wastewater, various advanced methods are used in industrial wastewater treatment, such as ultrafiltration, biological treatment, chemical oxidation, chemical precipitation, reverse osmosis, electrochemical treatment, photocatalytic oxidation, bioremediation and adsorption (Mahdavinia et al., 2016).

Recently, nanocomposite materials have been used in various wastewater treatment processes, such as adsorption, catalytic oxidation, membrane process, probing, and disinfection (Ganesan et al., 2019).

Most of the nanomaterials used in the wastewater treatment process are in the form of nanoparticles (NPs). These nanoparticles, when in contact with wastewater, experience some practical difficulties such as difficult separation, settling, cross-reaction, unhealthy disturbances, etc. To overcome the above problems, one of the successful strategies applied in wastewater treatment is the

introduction of nanocomposites. Nanocomposites come in various forms such as gels, colloids, porous structures, and copolymers (Yanyang et al., 2016).

It is known (Joseph et al., 2014, Bashar et al., 2013) that nanodispersed systems, including oxides and hydroxides of metals stabilized by various polymer matrices, expand the range of new promising functional materials, in particular, selective sorbents, magnetic and photosensitive coatings, and broad-spectrum composites. It should be noted that new composite materials obtained as a result of the stabilization of nanoparticles and the introduction of the latter into the structure of the natural polymer matrix are characterized by a qualitative expansion of the physicochemical properties of the latter (Yang et al., 2015).

In this regard, the issue of searching for natural polymeric stabilizers of nanoparticles is of particular relevance, since in their synthesis it is very difficult to stabilize nanoparticles, an increase in the surface energy of which leads to their rapid aggregation, which, in turn, may be accompanied by an uneven distribution of the latter in the structure of the polymer carrier (Mambetzhanova et al., 2019).

The use of humic acids as a natural polymeric stabilizer of nanoparticles seems to be very relevant, since the macromolecular nature and multifunctional nature of this carrier, as well as varying the conditions of in situ synthesis, make it possible to obtain commercial materials characterized by good selective, sorption, and magnetic properties (Pourmortazavi et al., 2017).

Aluminosilicate hollow microspheres - glass-ceramic balls formed during high-temperature flaring of coal and are hollow, almost ideally shaped silicate balls with a smooth surface, with a diameter of 10 to several hundred micrometers, on average, about 100 microns. The walls are solid non-porous with a thickness of 2 to 10 microns, melting point 1400-1500 °C, density 580-690 kg/m³. The internal cavity of the particles is filled mainly with nitrogen and carbon dioxide. They are the most valuable components of waste ash from thermal power plants.

The purpose of this work is to study the physicochemical properties of a modified composite material based on humic acids from the oxidized coal of the Maikuben pool and microspheres obtained on the basis of ash and slag waste, as well as its application for water purification from heavy metals.

Research material and methods. The raw material used was oxidized brown coal from the Maikuben deposit, preliminarily crushed to a particle size of less than 0.5 mm and having the following characteristics (wt %): Ad 66.09; Wr 5.73; Vd 17.78; Std 0.71; Std 21.01; Htd 1.68; Ntd 2.09; Na 0.61; Al 0.89; K 0.58; Ca 0.31; Ti 0.22; Fe 1.11; Zr 0.08. The yield of free humic acids was (per analytical state) 56%. The particle size of the coal is: 2.95 microns - 10%, 63.8 microns - 50%, 452 microns - 90%. The X-ray phase composition of the sample contains: halloysite ($\text{Al}_2\text{Si}_2\text{O}_5(\text{OH})_4$), silicon oxide (SiO_2), albite $\text{Na}(\text{AlSi}_3\text{O}_8)$ (Yermagambet et al., 2021).

Humic substances are obtained from oxidized brown coal, purified and determined in accordance with the recommendations of the International Society for Humic Substances (INSS). Humic acids were obtained on the basis of potassium humate by acidifying them with a 20% acid solution; as a result of the reaction, humic acids precipitated in the form of amorphous brown precipitates (pH=4.59). The resulting gel is dried at 80°C in a muffle furnace. Aluminosilicate microspheres were obtained on the basis of ash and slag waste from the combustion of coal from the Bogatyr open-pit mine of the Ekibastuz basin (Kazakhstan).

To obtain the HA/microsphere modification and its activated form, the dried HA sample is crushed to a powder state and mixed with the microsphere in an ultrasonic bath at a ratio of 1/1 (HA/microsphere), then dried in a muffle furnace. Further, the resulting composite material is briquetted with starch on a laboratory press «TP-1000». The maximum pressing force was 0.7 kN (700 kg/cm²), the briquette diameter was 0.8 cm.

Samples of the activated composite based on humic acid/microspheres (1/1) were obtained by carbonization at 600°C in argon and steam activation for 1 hour at this temperature.

Moisture, ash content and volatility of the samples were determined on a Thermoster Eltra thermogravimetric analyzer (according to ASTM D7582-12). The total pore volume, bulk density, pH of the aqueous extract, and methyl orange adsorption activity were determined in accordance with the procedures (Yermagambet et al., 2021). The adsorption characteristics of sorbents (specific surface area) were studied by the Brunauer-Emmett-Teller (BET) method, the measurements were performed on a KATAKON Sorbtometer M instrument. Chemical analysis and surface morphology were studied by energy-dispersive X-ray spectroscopy on an SEM instrument (Quanta 3D 200i) with an attachment for energy-dispersive analysis from EDAX.

To conduct research on the removal of heavy metals using humic acids and their modified form, a model solution of heavy metals was prepared from state standard samples (SSS). SSS 7256 of the composition of a solution of zinc ions is a solution of zinc sulfate 7-water, SSS 7012 of lead ions is an aqueous solution of lead (II) nitrate, SSS 7998 of copper ions is an aqueous solution of copper (II) sulfate, SSS 6690 cadmium ions - an aqueous solution of cadmium nitrate. A weighed portion of the sorbent (0.5 g) was mixed in a conical flask (250 ml) with a model solution (50 ml, pH=3.26) and stirred in a shaker at room temperature (25°C) at a stirring speed of 200 rpm for 3 h. process, the adsorbent with heavy metals was removed from the solution by filtration. The solution filtered from the adsorbent was analyzed for the content of heavy metals on a Ta-lab voltammetric analyzer.

Results and discussions. The results of the elemental analysis of the samples presented in Table 1 show that after the thermal treatment of the composite material based on humic acid and microspheres, most of the volatile components are removed in the form of gaseous products, respectively, the concentration of mineral components increases. The carbon content increases almost 2 times.

Table 1 - Chemical composition of samples

Nomination	The content of elements, wt. %											
	C	O	Na	Al	Si	K	Fe	Mg	Ti	S	Ca	Cl
Composite based on humic acid/microspheres (1/1)	29.15	38.43	0.27	14.14	13.72	1.86	0.97	0.29	0.36	0.22	0.42	0.16
Activated composite based on humic acid/microspheres (1/1)	52.50	23.53	0.51	6.11	10.81	3.78	1.33	0.25	0.43	0.36	0.76	-

The physicochemical characteristics of the samples are presented in Table 2.

Table 2 - Physical and chemical characteristics of the samples

Nomination	W_r^r , %	A_r , %	V^d , %	V_Σ on water, cm^3/g	ρ	$\text{pH}_{\text{water extract}}$	$A_{\text{methyl orange}}$, mg/g	$A_{\text{methylene blue}}$, mg/g	A_{iodine} , %	S_{BET} , m^2/g
Composite based on humic acid/microspheres (1/1)	3.29	67.59	36.58	-	0.45	5.62	14.5	-	-	1.14
Activated composite based on humic acid/microspheres (1/1)	0.75	91.02	8.90	0.77	0.33	10.25	30.5	102.5	17.78	46.74

Micrographs of the original samples and their activated form are shown in Figs. 1 and 2. When analyzing the surface morphology of the initial composite material, it was found that the cleavage surface is represented by a heterogeneity of the structure; in Figure 1.1, spherical particles with a diameter of 50-200 microns are observed.

The wall thickness of the spherical shape of the aluminosilicate microsphere is from 2 to 10 microns. Figures 1.1 and 1.2 show pores ranging in size from 300 nm to 500 μm on the particle surface. As shown in Figure 1.3, the remains of

microorganisms are visible, on the surface of which cavities with a diameter of 111 to 272 nm are evenly distributed.

The results of the analysis of micrographs after thermal treatment of the composite based on humic acids and microspheres show that the surface structure of the spherical shape changes and becomes more developed, where pores with particle sizes from ~343.4 nm to ~16.41 μm can be observed, and small particles with a size of 49.5 nm to 158.1 nm. The elemental composition of these nanoparticles is (w_i %): C – 6.92; O – 43.23; Na – 0.86; Mg – 0.93; Al – 9.69; Si – 20.39; K – 4.20; Ca – 2.34; Fe–11.43, and the values of the specific surface area of the activated composite based on humic acid/microspheres (1/1) increases in comparison with the initial sample - from 1.14 to 46.74 m^2/g . An increase in the adsorption activity for methyl orange by a factor of 2 from 14.5 mg/g to 30.5 mg/g is also observed.




Figure 1.1

Figure 1.2

Figure 1.3

Figure 1. Electron microscopic images of the composite based on humic acid/microspheres: (1.1) $\times 250$ (1.2) $\times 2000$ and (1.3) $\times 20000$




Figure 2.1

Figure 2.2

Figure 2.3

Figure 2. Electron microscopic images of the activated composite based on humic acid/microspheres: $\times 250$ (1.1), $\times 1000$ (1.2) and $\times 20000$ (1.3)

The samples obtained were tested for the purification of heavy metals under dynamic conditions. Analysis of the data obtained showed that after water purification, the values of all heavy metals decrease (Table 3).

Table 3 - Results of water purification from heavy metals

Heavy metals, mg/l	$C_0(\text{Me})$, mg/l	Humic acids		Activated composite based on humic acid/microspheres (1/1)	
		$C_{\text{residual}}(\text{Me})$, mg/l	degree of purification, %	$C_{\text{residual}}(\text{Me})$, mg/l	degree of purification, %
Zinc	0.10±0.01	0.0010±0.0004	99.00	Not detected	100.00
Cadmium	0.10±0.01	0.0033±0.0003	96.70	0.0029±0.0005	97.10
Lead	0.10±0.01	0.0216±0.0005	78.40	0.010±0.002	90.00
Copper	0.10±0.01	0.0171±0.0003	82.90	0.0065±0.0029	93.50

As a result of sorption, the resulting carbon materials adsorbed most of the heavy metals from the solution and showed a high degree of purification: 99.00-100.00% zinc, 96.70-97.1% cadmium, 78.40-90.00% lead and 82.90-93.50% copper. This is explained by the fact that when interacting with heavy metals, humic acids and their activated modified form form a chelate complex due to carboxyl, phenolic and amine groups. When interacting with heavy metals at pH = 4-5, the initial HAs form coordination bonds with carboxyl groups, since at pH below 6 strongly acidic carboxyl functional groups, as well as medium-strength carboxyl groups, will be completely dissociated. The activated form of humic acids with the microsphere binds copper cations to a large extent (the excess is ~ 10%) compared to the initial humic acids. This is due to additional physical adsorption of the porous material and complexation with phenolic groups at pH=7-8, at which the activated form of the composite material was adsorbed with heavy metals. As is known, under alkaline conditions, metals are bound by phenolic and alcohol groups. As a result of sorption, the resulting composite showed the highest degree of purification with respect to all heavy metals in comparison with analogues, which may be due to additional adsorption with microsphere nanoparticles.

Conclusion. Thus, as a result of the high-temperature process of carbonization and activation (in an inert medium) and modification (microsphere) of HA based on the coal of the Maikuben basin (Kazakhstan), an activated composite form of humic acids was obtained, which has a more developed and ordered surface structure and high adsorption properties. In this regard, the obtained samples based on HA from the coal of the Maikuben basin can be considered as an adsorbent for water purification from heavy metal ions, such as zinc, cadmium, lead, and copper. Further research on the resulting composite material may lead to improved performance and applications of this material in various other areas such as medicine, engineering, agriculture, and materials science.

Acknowledgements. *This research was funded by the Science Committee of the Ministry of Education and Science of the Republic of Kazakhstan under the theme “Development technology and organization pilot production modified organic products based on humic polyelectrolyte acids obtained from Kazakhstan’s coals” (2021-2023) (Grant number. AP09260096).*

Information about the authors:

Yermagambet Bolat – Doctor of Chemical Science, Professor, Academician of the KazNANS, Project Manager, Chief Researcher, Director of LLP “Institute of Coal Chemistry and Technology”, Astana, Kazakhstan, e-mail: bake.yer@mail.ru, Has an H-index: 4 (Scopus) (Scopus ID: 55734753900, <https://www.scopus.com/authid/detail.uri?authorId=55734753900>), 4 (Web of Science) (Web of Science ID: ABF-5710-2021, <https://publons.com/researcher/4841856/bolat-ermagambet/>), <https://orcid.org/0000-0003-1556-9526>;

Kazankapova Maira – PhD in Philosophy, ass. professor, member correspondent of the KazNANS, Leading Researcher, Head of Laboratory of LLP “Institute of Coal Chemistry and Technology”, Astana, Kazakhstan, e-mail: maira_1986@mail.ru; Has an H-index: 3 (Scopus) (Scopus ID: 56195582800, <https://www.scopus.com/authid/detail.uri?authorId=56195582800>), 4 (Web of Science) (Web of Science ID: AAR-2924-2020, <https://publons.com/researcher/3716752/maira-kazankapova/>), <https://orcid.org/0000-0001-9016-3062>;

Kassenova Zhanar -Candidate of Technical Sciences, Leading Researcher, Deputy Director of LLP “Institute of Coal Chemistry and Technology”, Astana, Kazakhstan, e-mail: zhanar_k_68@mail.ru, Has an H-index: 3 (Scopus) (Scopus ID: 57193987986, <https://www.scopus.com/authid/detail.uri?authorId=57193987986>), 3 (Web of Science), (Web of Science ID: AAR-7512-2021, <https://publons.com/researcher/4524904/zhanar-kasenova/>), <https://orcid.org/0000-0002-9497-7319>.

REFERENCES

Afzal M.Z., Yue R., Sun X.F., Song C., Wang S.G. (2019) Enhanced removal of ciprofloxacin using humic acid modified hydrogel beads, *J. Colloid Interface Sci.*, 543:76–83 (in Eng.).

Bashar I., Ihab M., Borhan A., Yousef H. (2013) Magnetic Nanoparticles: Surface Effects and Properties Related to Biomedical Applications. *Int. J. Mol. Sci.*, 14: 21266–21305. DOI: 10.3390/ijms141121266 (in Eng.).

Brezoiu A.M., Matei C., Deaconu M., Stanciuc A.M., Trifan A., Gaspar-Pintiliescu A., Berger D. (2019) Polyphenols extract from grape pomace. Characterization and valorisation through encapsulation into mesoporous silica-type matrices. *Food Chem. Toxicol.*, 133: 110787 (in Eng.).

Ganesan J.J., Ponnusamy S.K., Femina C.Ch., Bharath B.G. (2019) Insights of CMNPs in water pollution control, *IET Nanobiotechnol.*, 13: 553-559. DOI:10.1049/iet-nbt.2019.0030 (in Eng.).

Joseph G., Yurii K. Gun'Ko. (2014) Recent Advances in the Application of Magnetic Nanoparticles as a Support for Homogeneous Catalysts. *Nanomaterial Journal*, 4:222–242. DOI: 10.3390/nano4020222 (in Eng.).

Mambetzhanova N.N., Kerimbaeva A.D., Zaripova A.A. (2019) Investigation of the properties of humic composites containing nanoparticles of iron and neodymium hydroxides, *International Journal of Applied and Fundamental Research*, 10-1: 207-214. DOI 10.17513/mjpf.12895. (in Russ.).

Mahdavinia G.R., Mosallanezhad A. (2016) Facile and green rout to prepare magnetic and chitosan-crosslinked β -carrageenan bionanocomposites for removal of methylene blue, *J. Water Process Eng.*, 10: 143–155 (in Eng.).

Popov A.I. (2004) Humic substances: properties, structure, formation. Ed. E.I. Ermakov. St. Petersburg: From St. Petersburg, Univ. 248 p. ISBN: 5-288-03516-4 (in Russ.).

Pota G., Venezia V., Vitiello G., Di Donato P., Mollo V., Costantini A. (2020) Tuning Functional Behavior of Humic Acids through Interactions with Stöber Silica Nanoparticles, *Polymers*, 12: 982. DOI: 10.3390/polym12040982 (in Eng.).

Pourmortazavi S.M., Rahimi-Nasrabadi M., Ganjali M.R., Sadeghpour Karimi M., Norouzi P., Faridbod F. (2017) Facile and Effective Synthesis of Praseodymium Tungstate Nanoparticles through an Optimized Procedure and Investigation of Photocatalytic Activity, *Open Chem.* 15: 129–138. DOI: 10.1515/chem-2017-0014. (in Eng.).

Pukalchik M., Kydraliev K., Yakimenko O., Fedoseeva E., Terekhova V. (2019) Outlining the potential role of humic products in modifying biological properties of the soil-A review, *Front. Environ. Sci.*, 7: 80. (in Eng.).

Sahbaz D.A., Yakar A., Gunduz U. (2018) Magnetic Fe₃O₄-chitosan micro- and nanoparticles for wastewater treatment, *Part. Sci. Technol.*, 37:1–9 (in Eng.).

Xu C., Nasrollahzadeh M., Selva M., Issaabadi Z., Luque R. (2019) Waste-to-wealth: Biowaste valorization into valuable bio (nano) materials, *Chem. Soc. Rev.*, 48: 4791–4822. (in Eng.).

Xu P., Ming G., Lian D., et al. (2012) Science of the total environment use of iron oxide nanomaterials in wastewater treatment: a review, *Sci. Total Environ*, 424:1–10 (in Eng.).

Yanyang Zh., Bing W., Hui X., Hui L., Minglu W., Yixuan He., Bingcai P. (2016) Nanomaterials-enabled water and wastewater treatment. 3–4: 22-39. DOI:10.1016/j.impact.2016.09.004 (in Eng.).

Yang K. et al. (2015) FeS nanoplates as a multifunctional nano-theranostic for magnetic resonance imaging guided photothermal therapy. *Biomaterials*, 38: 1–9. DOI: 10.1016/j.biomaterials.2014.10.052. (in Eng.).

Yermagambet B.T., Kazankapova M.K., Kassenova Zh.M. (2021) Preparation of a composite based on humic acid and silicon oxide, *Reports of the national academy of sciences of the republic of Kazakhstan*, 5: 119 – 125. DOI: 10.32014/2021.2518-1483.90. (in Eng.).

Yermagambet B.T., Kasenov B.K., Kazankapova M.K., Kuanyshbekov E.E., Nauryzbaeva A.T. (2021) Physicochemical and Electrophysical Properties of Carbon Materials Based on Humic Acids, *Solid Fuel Chemistry*, 55: 41–46. DOI: 10.3103/S036152192101002X. (in Eng.).

МАЗМҰНЫ

С. Айт, Ж.Ж. Тілепберген, У. Сұлтанбек, М. Жұрынов, А.Ф. Мифтахова МЕТАНОЛДАҒЫ САНТОНИННІҢ ЭЛЕКТРОХИМИЯЛЫҚ БЕЛСЕНДІЛІГІН ЗЕРТТЕУ.....	5
Н. Аппазов, Б. Диярова, Б. Базарбаев, Б. Джиембаев, О. Лыгина КҮРІШ ҚАЛДЫҒЫМЕН МҰНАЙШЛАМЫН БІРГЕ ӨНДЕУДЕ ҰНДЫ ҚОСУ АРҚЫЛЫ ТҮЙІРШІКТЕЛГЕН БЕЛСЕНДІРІЛГЕН КӨМІР АЛУ.....	17
Н.А. Бектенов, Қ.А. Садыков, М.К. Курманалиев, Л.К. Ыбрайманова, З.Н. Бектенова АҒЫНДЫ ӨНДІРІСТІК СУЛАРДАН ХРОМ (VI) ЖӘНЕ ҚОРҒАСЫН ИОНДАРЫН БӨЛІП АЛУҒА АРНАЛҒАН ФОСФОРҚҰРАМДЫ ИОНИТ.....	26
Е.Г. Бочевская, З.С. Абишева, А.С. Шарипова, Э.А. Саргелова МЫС ӨНДІРІСІНІҢ ШАЙЫНДЫ ҚЫШҚЫЛЫНАН РЕНИЙДІ ЭКСТРАКЦИЯЛАУ КЕЗІНДЕ ОСМИЙ ҚҰРАМДЫ ФАЗААРАЛЫҚ ӨЛШЕМДЕРДІҢ ТҮЗІЛУІ.....	42
Г.Ж. Джаманбаева, Б.Р. Таусарова, Б.Н. Сүрімбаев, С.Т. Шалғымбаев МЫРЫШ НИТРАТЫ КОНЦЕНТРАЦИЯСЫНЫҢ МЫРЫШ ОКСИДІНІҢ МИКРО ЖӘНЕ НАНОБӨЛШЕКТЕРІН АЛУҒА ӘСЕРІ.....	57
С.Д. Дузелбаева, З.С. Ахатова, Б.А. Касенова, С.Р. Конуспаев ЖҮНДІ ЖУҒАН САРҚЫНДЫ СУДАН ЖҮН МАЙЫН БӨЛІП АЛУ, ЛАНОЛИНДІ АЛУ ЖӘНЕ ОНЫ ТЕРЕҢ ӨНДЕУ.....	68
Б.Т. Ермағамбет, М.К. Қазанқапова, Ж.М. Касенова ГУМИН ҚЫШҚЫЛЫ МЕН МИКРОСФЕРА НЕГІЗІНДЕГІ КОМПОЗИТТІК МАТЕРИАЛДЫ АЛУ ЖӘНЕ СУДЫ АУЫР МЕТАЛДАРДАН ТАЗАРТУДА ҚОЛДАНУ.....	86
М.К. Ибраев, О.А. Нуркенов, Ж.Б. Рахимберлинова, З.Т. Шульгау, А.Т. Такибаева, М.Б. Исабаева, А.А. Кельмялене ФУНКЦИОНАЛДЫ АЛМАСТЫРЫЛҒАН АЛКЕНДЕР МЕН ОЛАРДЫҢ ТУЫНДЫЛАРЫНЫҢ СИНТЕЗІ ЖӘНЕ РАДИКАЛДЫ ЕМЕС БЕЛСЕНДІЛІГІ.....	97

- Б.Р. Исакулов, Ю.А. Соколова, М.В. Акулова, А.Г. Соколова, Ж.Б. Тукашев**
 МҰНАЙ-ГАЗ САЛАСЫНЫҢ КҮКІРТ ҚАЛДЫҚТАРЫН СІңДІРУ
 АРҚЫЛЫ АРБОЛИТО-БЕТОН КОМПОЗИТТЕРІНІҢ БЕРІКТІК
 ҚАСИЕТТЕРІН АРТТЫРУ.....111
- З.М. Мулдахметов, А.М. Газалиев, А.Х. Жакина, Е.П. Василец, О.В. Арнт**
 СИНТЕЗ И ИЗУЧЕНИЕ СТРУКТУРЫ N-ПРОИЗВОДНОГО
 ГУМИНОВЫХ КИСЛОТ НА ОСНОВЕ ОТХОДОВ УГЛЕДОБЫЧИ.....123
- Г.Н. Мусина, А.А. Жорабек, И.В. Кулаков, М.Ж. Кайырбаева, А. Карилхан, Б.Б. Акимбекова**
 АУЫР КӨМІРСУТЕК ШИКІЗАТЫ (ТАСКӨМІР ШАЙЫРЫ) МЕН
 ГИДРОГЕНИЗАТТАРДЫҢ ТЕРМОДИНАМИКАЛЫҚ
 ФУНКЦИЯЛАРЫН АНЫҚТАУДАҒЫ ӘДІС.....135
- М. Нажипкызы, А. Нургайн, А. Жапарова, А. Исанбекова, Жеоффри Роберт Митчелл**
 «AL/DIATOMITE НЕГІЗДІ КОМПОЗИТТІК МАТЕРИАЛДАР.....146
- С.Б. Рыспаева, А.Ж. Керимкулова, Ш.С. Ислам, С.З. Наурызова, М.А. Кожайсакова**
 АСФАЛЬТЕНДЕРДІ ТҰНДЫРУДЫҢ ЖАҢА ТЕЖЕГІШІ РЕТІНДЕГІ
 ТЕРЕҢ ЭВТЕКТИКАЛЫҚ ЕРІТКІШТЕР.....156
- Р. Сафаров, Ж. Берденов, Р. Урлибай, Ю. Носенко, Ж. Шоманова, Ж. Бексентова**
 ПАВЛОДАР АЛЮМИНИЙ ЗАУЫТЫ ТЕХНОГЕНДІК
 ҚАЛДЫҚТАРЫНЫҢ ҚОРШАҒАН ОРТАҒА ӘСЕРІ ЖӘНЕ
 ЭКОНОМИКАЛЫҚ ӘЛЕУЕТІ, ЭЛЕМЕНТТЕРІНІҢ КЕҢІСТІКТЕ
 БӨЛІНУІ (ҚАЗАҚСТАН, ПАВЛОДАР).....167
- Е.С. Сычева, М.С. Муканова, Г.Б. Сарсенбаева, О.Т. Сейлханов**
 5-МЕТИЛ-1Н-БЕНЗОТРИАЗОЛ-1-НАТРИЙ КАРБОДИТИОАТЫ
 НЕГІЗІНДЕ ДИТИОКАРБАМИНДІК ТИОАНГИДРИДТЕР СИНТЕЗІ
 ЖӘНЕ ӨСУДІ ЫНТАЛАНДЫРАТЫН БЕЛСЕНДІЛІГІ.....190

СОДЕРЖАНИЕ

С. Айт, Ж.Ж. Тілепберген, У. Султанбек, М. Жұрынов, А.Ф. Мифтахова ИЗУЧЕНИЕ ЭЛЕКТРОХИМИЧЕСКОЙ АКТИВНОСТИ САНТОНИНА В МЕТАНОЛЕ.....	5
Н. Аппазов, Б. Диярова, Б. Базарбаев, Б. Джиембаев, О. Лыгина ПОЛУЧЕНИЕ ГРАГУЛИРОВАННОГО АКТИВИРОВАННОГО УГЛЯ С ДОБАВЛЕНИЕМ МУКИ ПРИ СОВМЕСТНОЙ ПЕРЕРАБОТКЕ РИСОВОГО ОТХОДА С НЕФТЕШЛАМОМ.....	17
Н.А. Бектенов, К.А. Садыков, М.К. Курманалиев, Л.К. Ыбраймжанова, З.Н. Бектенова ФОСФОРСОДЕРЖАЩИЙ ИОНИТ ДЛЯ ИЗВЛЕЧЕНИЯ ИОНОВ ХРОМА (VI) И СВИНЦА ИЗ СТОЧНЫХ ПРОМЫШЛЕННЫХ ВОД.....	26
Е.Г. Бочевская, З.С. Абишева, А.С. Шарипова, Э.А. Саргелова ОБРАЗОВАНИЕ ОСМИЙСОДЕРЖАЩИХ МЕЖФАЗНЫХ ВЗВЕСЕЙ ПРИ ЭКСТРАКЦИИ РЕНИЯ ИЗ ПРОМЫВНОЙ КИСЛОТЫ МЕДНОГО ПРОИЗВОДСТВА.....	42
Г.Ж. Джаманбаева, Б.Р. Таусарова, Б.Н. Суримбаев, С.Т. Шалгымбаев ВЛИЯНИЕ КОНЦЕНТРАЦИИ НИТРАТА ЦИНКА НА ПОЛУЧЕНИЕ МИКРО- И НАНОЧАСТИЦ ОКСИДА ЦИНКА.....	57
С.Д. Дузелбаева, З.С. Ахатова, Б.А. Касенова, С.Р. Конуспаев ИЗВЛЕЧЕНИЕ ШЕРСТНОГО ЖИРА ИЗ ПРОМЫВНЫХ ВОД ШЕРСТИ, ПОЛУЧЕНИЕ ЛАНОЛИНА И ЕГО ГЛУБОКАЯ ПЕРЕРАБОТКА.....	68
Б.Т. Ермагамбет, М.К. Казанкапова, Ж.М. Касенова ПОЛУЧЕНИЕ КОМПОЗИТНОГО МАТЕРИАЛА НА ОСНОВЕ ГУМИНОВОЙ КИСЛОТЫ И МИКРОСФЕРЫ И ПРИМЕНЕНИЕ ДЛЯ ОЧИСТКИ ВОДЫ ОТ ТЯЖЕЛЫХ МЕТАЛЛОВ.....	86
М.К. Ибраев, О.А. Нуркенов, Ж.Б. Рахимберлинова, З.Т. Шульгау, А.Т. Такибаева, М.Б. Исабаева, А.А. Кельмялене СИНТЕЗ И АНТИРАДИКАЛЬНАЯ АКТИВНОСТЬ ФУНКЦИОНАЛЬНО ЗАМЕЩЕННЫХ ХАЛКОНОВ И ИХ ПРОИЗВОДНЫХ.....	97

Б.Р. Исакулов, Ю.А. Соколова, М.В. Акулова, А.Г. Соколова, Ж.Б. Тукашев ПОВЫШЕНИЕ ПРОЧНОСТНЫХ СВОЙСТВ АРБОЛИТОБЕТОННЫХ КОМПОЗИТОВ ПУТЕМ ПРОПИТКИ СЕРОЙ-ОТХОДОМ НЕФТЕГАЗОВОЙ ПРОМЫШЛЕННОСТИ.....	111
З.М. Молдахметов, А.М. Ғазалиев, А.Х. Жакина, Е.П. Василец, О.В. Арнт КӨМІР ӨНДІРУ ҚАЛДЫҚТАРЫ НЕГІЗІНДЕГІ ГУМИН ҚЫШҚЫЛДАРЫНЫҢ N-ТУЫНДЫСЫНЫҢ СИНТЕЗІ ЖӘНЕ ҚҰРЫЛЫМЫН ЗЕРТТЕУ.....	123
Г.Н. Мусина, А.А. Жорабек, И.В. Кулаков, М.Ж. Кайырбаева, А. Карилхан, Б.Б. Акимбекова МЕТОД ОПРЕДЕЛЕНИЯ ТЕРМОДИНАМИЧЕСКИХ ФУНКЦИЙ ТЯЖЕЛОГО УГЛЕВОДОРОДНОГО СЫРЬЯ (КАМЕННОУГОЛЬНОЙ СМОЛЫ) И ГИДРОГЕНИЗАТОВ.....	135
М. Нажипқызы, А. Нұрғалин, А. Жапарова, А. Исанбекова, Жеоффри Роберт Митчелл КОМПОЗИТНЫЕ МАТЕРИАЛЫ НА ОСНОВЕ AL/DIATOMITE.....	146
С.Б. Рыспаева, А.Ж. Керимкулова, Ш.С. Ислам, С.З. Наурызова, М.А. Кожайсакова ГЛУБОКИЕ ЭВТЕКТИЧЕСКИЕ РАСТВОРИТЕЛИ В КАЧЕСТВЕ НОВЫХ ИНГИБИТОРОВ ОСАЖДЕНИЯ АСФАЛЬТЕНОВ.....	156
Р. Сафаров, Ж. Берденов, Р. Урлибай, Ю.З. Носенко, Ж. Шоманова, Ж. Бексеитова ПРОСТРАНСТВЕННОЕ РАСПРЕДЕЛЕНИЕ ЭЛЕМЕНТОВ, ВОЗДЕЙСТВИЕ НА ОКРУЖАЮЩУЮ СРЕДУ И ЭКОНОМИЧЕСКИЙ ПОТЕНЦИАЛ ТЕХНОГЕННЫХ ОТХОДОВ ПАВЛОДАРСКОГО АЛЮМИНИЕВОГО ЗАВОДА (ПАВЛОДАР, КАЗАХСТАН).....	167
Е.С. Сычева, М.С. Муканова, Г.Б. Сарсенбаева, О.Т. Сейлханов СИНТЕЗ И РОСТСТИМУЛИРУЮЩАЯ АКТИВНОСТЬ ДИТИОКАРБАМИНОВЫХ ТИОАНГИДРИДОВ НА ОСНОВЕ 5-МЕТИЛ-1Н-БЕНЗОТРИАЗОЛ-1-КАРБОДИТИОАТА НАТРИЯ.....	190

CONTENTS

S. Ait, J.J. Tilebergen, U. Sultanbek, M. Zhurynov, A.F. Miftakhova STUDY OF THE ELECTROCHEMICAL ACTIVITY OF SANTONIN IN METHANOL.....	5
N. Appazov, B. Diyarova, B. Bazarbaev, B. Dzhembaev, O. Lygina PRODUCTION OF GRANULATED ACTIVATED CARBON WITH THE ADDITION OF FLOUR DURING THE JOINT PROCESSING OF RICE WASTE WITH OIL SLUDGE.....	17
N.A. Bektenov, K.A. Sadykov, M.K. Kurmanaliev, L.K. Ybraimzhanova, Z.N. Bektenova PHOSPHORUS-CONTAINING IONITE FOR EXTRACTION OF CHROMIUM (VI) AND LEAD IONS FROM INDUSTRIAL WASTE WATER.....	26
Ye.G. Bochevskaya, Z.S. Abisheva, A.S. Sharipova, E.A. Sargelova FORMATION OF OSMIUM-CONTAINING INTERFACIAL SUSPENSIONS IN THE EXTRACTION OF RHENIUM FROM WASHING ACID OF COPPER PRODUCTION.....	42
G. Jamanbayeva, B. Taussarova, B. Surimbayev, S. Shalgymbayev EFFECT OF ZINC NITRATE CONCENTRATION ON OBTAINING ZINC OXIDE MICRO- AND NANOPARTICLES.....	57
S.D. Duzelbayeva, Z.S. Akhatova, B.A. Kassenova, S.R. Konuspayev EXTRACTION OF WOOL FAT FROM THE WOOL WASH WATER, PRODUCTION OF LANOLIN, AND ITS DEEP PROCESSING.....	68
B.T. Yermagambet, M.K. Kazankapova, Zh.M. Kassenova OBTAINING COMPOSITE MATERIAL BASED ON HUMIC ACID AND MICROSPHERE AND APPLICATION FOR WATER TREATMENT FROM HEAVY METALS.....	86
M. Ibrayev, O. Nurkenov, Zh. Rakhimberlinova, Z. Shulgau, A. Takibayeva, M. Issabayeva, A. Kelmyalene SYNTHESIS AND ANTIRADICAL ACTIVITY OF SUBSTITUTED CHALCONES AND THEIR DERIVATIVES.....	97

B.R. Isakulov, Yu.A. Sokolova, M.V. Akulova, A.G. Sokolova, Zh.B. Tukashev IMPOVEMENT OF STRENGTH PROPERTIES OF ARBOLITE CONCRETE COMPOSITES BY MEANS OF IMPREGNATION WITH SULFUR – BY-PRODUCTS OF OIL AND GAS INDUSTRY.....	111
Z.M. Muldakhmetov, A.M. Gazaliev, A.Kh. Zhakina, Ye.P. Vassilets, O.V. Arnt SYNTHESIS AND STUDY OF THE STRUCTURE OF THE N-DERIVATIVE OF HUMIC ACIDS BASED ON COAL MINING WASTE.....	123
G.N. Musina, A.A. Zhorabek, I.V. Kulakov, M.Zh. Kaiyrbayeva, A. Karilkhan, B.B. Akimbekova METHOD DETERMINATION OF THERMODADDITIVE METHOD DETERMINATION OF THERMODYNAMIC FUNCTIONS OF HEAVY HYDROCARBON RAW MATERIALS (COAL TAR) AND HYDROGENATES OF INAMIC FUNCTIONS OF HEAVY HYDROCARBON RAW MATERIALS (COAL TAR) AND HYDROGENATES.....	135
M. Nazhipkyzy, A. Nurgain, A. Zhaparova, A. Issanbekova, Geoffrey Robert Mitchell Al/DIATOMITE BASED COMPOSITE MATERIALS.....	146
S.B. Ryspaeva, A.Zh. Kerimkulova, Sh.S. Islam, S.Z. Naurizova, M.A. Kozhaisakova DEEP EUTECTIC SOLVENTS AS A NEW INHIBITOR OF ASPHALTENE DEPOSITION.....	156
R. Safarov, Zh. Berdenov, R. Urlibay, Yu. Nossenko, Zh. Shomanova, Zh. Bexeitova SPATIAL DISTRIBUTION OF ELEMENTS, ENVIRONMENTAL EFFECTS, AND ECONOMIC POTENTIAL OF TECHNOGENIC WASTE MATERIALS OF PAVLODAR ALUMINUM PLANT (PAVLODAR, KAZAKHSTAN)....	167
Ye.S. Sycheva, M.S. Mukanova, G.B. Sarsenbaeva, O.T. Seilkhanov SYNTHESIS AND GROWTH STIMULATING ACTIVITY OF DITHIOCARBAMINE THIOANHYDRIDES BASED ON SODIUM 5-METHYL-1H-BENZOTRIAZOL-1-CARBODITHIOATE.....	190

Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

www.nauka-nanrk.kz

<http://chemistry-technology.kz/index.php/en/arhiv>

ISSN 2518-1491 (Online), ISSN 2224-5286 (Print)

Директор отдела издания научных журналов НАН РК *А. Ботанқызы*

Заместитель директор отдела издания научных журналов НАН РК *Р. Жәлікқызы*

Редакторы: *М.С. Ахметова, Д.С. Аленов*

Верстка на компьютере *Г.Д. Жадырановой*

Подписано в печать 26.09.2022.

Формат 60x88¹/₈. Бумага офсетная. Печать – ризограф.

13,0 п.л. Тираж 300. Заказ 3.