

ISSN 2518-1491 (Online),
ISSN 2224-5286 (Print)



«ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫ» РҚБ
«ХАЛЫҚ» ЖҚ

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

РОО «НАЦИОНАЛЬНОЙ
АКАДЕМИИ НАУК РЕСПУБЛИКИ
КАЗАХСТАН»
ЧФ «Халық»

N E W S

OF THE ACADEMY OF SCIENCES
OF THE REPUBLIC OF
KAZAKHSTAN
«Halyk» Private Foundation

SERIES
CHEMISTRY AND TECHNOLOGY
4 (457)

SEPTEMBER – DECEMBER 2023

PUBLISHED SINCE JANUARY 1947

PUBLISHED 4 TIMES A YEAR

ALMATY, NAS RK



ЧФ «ХАЛЫҚ»

В 2016 году для развития и улучшения качества жизни казахстанцев был создан частный Благотворительный фонд «Халык». За годы своей деятельности на реализацию благотворительных проектов в областях образования и науки, социальной защиты, культуры, здравоохранения и спорта, Фонд выделил более 45 миллиардов тенге.

Особое внимание Благотворительный фонд «Халык» уделяет образовательным программам, считая это направление одним из ключевых в своей деятельности. Оказывая поддержку отечественному образованию, Фонд вносит свой посильный вклад в развитие качественного образования в Казахстане. Тем самым способствуя росту числа людей, способных менять жизнь в стране к лучшему – профессионалов в различных сферах, потенциальных лидеров и «великих умов». Одной из значимых инициатив фонда «Халык» в образовательной сфере стал проект *Ozgeris powered by Halyk Fund* – первый в стране бизнес-инкубатор для учащихся 9-11 классов, который помогает развивать необходимые в современном мире предпринимательские навыки. Так, на содействие малому бизнесу школьников было выделено более 200 грантов. Для поддержки талантливых и мотивированных детей Фонд неоднократно выделял гранты на обучение в Международной школе «Мирас» и в Astana IT University, а также помог казахстанским школьникам принять участие в престижном конкурсе «USTEM Robotics» в США. Авторские работы в рамках проекта «Тәлімгер», которому Фонд оказал поддержку, легли в основу учебной программы, учебников и учебно-методических книг по предмету «Основы предпринимательства и бизнеса», преподаваемого в 10-11 классах казахстанских школ и колледжей.

Помимо помощи школьникам, учащимся колледжей и студентам Фонд считает важным внести свой вклад в повышение квалификации педагогов, совершенствование их знаний и навыков, поскольку именно они являются проводниками знаний будущих поколений казахстанцев. При поддержке Фонда «Халык» в южной столице был организован ежегодный городской конкурс педагогов «Almaty Digital Ustaz».

Важной инициативой стал реализуемый проект по обучению основам финансовой грамотности преподавателей из восьми областей Казахстана, что должно оказать существенное влияние на воспитание финансовой грамотности и предпринимательского мышления у нового поколения граждан страны.

Необходимую помощь Фонд «Халык» оказывает и тем, кто особенно остро в ней нуждается. В рамках социальной защиты населения активно проводится

работа по поддержке детей, оставшихся без родителей, детей и взрослых из социально уязвимых слоев населения, людей с ограниченными возможностями, а также обеспечению нуждающихся социальным жильем, строительству социально важных объектов, таких как детские сады, детские площадки и физкультурно-оздоровительные комплексы.

В копилку добрых дел Фонда «Халык» можно добавить оказание помощи детскому спорту, куда относится поддержка в развитии детского футбола и карате в нашей стране. Жизненно важную помощь Благотворительный фонд «Халык» оказал нашим соотечественникам во время недавней пандемии COVID-19. Тогда, в разгар тяжелой борьбы с коронавирусной инфекцией Фонд выделил свыше 11 миллиардов тенге на приобретение необходимого медицинского оборудования и дорогостоящих медицинских препаратов, автомобилей скорой медицинской помощи и средств защиты, адресную материальную помощь социально уязвимым слоям населения и денежные выплаты медицинским работникам.

В 2023 году наряду с другими проектами, нацеленными на повышение благосостояния казахстанских граждан Фонд решил уделить особое внимание науке, поскольку она является частью общественной культуры, а уровень ее развития определяет уровень развития государства.

Поддержка Фондом выпуска журналов Национальной Академии наук Республики Казахстан, которые входят в международные фонды Scopus и WoS и в которых публикуются статьи отечественных ученых, докторантов и магистрантов, а также научных сотрудников высших учебных заведений и научно-исследовательских институтов нашей страны является не менее значимым вкладом Фонда в развитие казахстанского общества.

**С уважением,
Благотворительный Фонд «Халык»!**

Бас редактор:

ЖҰРЫНОВ Мұрат Жұрынұлы, химия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, Қазақстан Республикасы Ұлттық ғылым академиясының президенті, АҚ «Д.В. Сокольский атындағы отын, катализ және электрохимия институтының» бас директоры (Алматы, Қазақстан) Н = 4

Редакция алқасы:

ӘДЕКЕНОВ Серғазы Мынжасарұлы (бас редактордың орынбасары), химия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, «Фитохимия» Халықаралық ғылыми-өндірістік холдингінің директоры (Қарағанды, Қазақстан) Н = 11

АГАБЕКОВ Владимир Енокович (бас редактордың орынбасары), химия ғылымдарының докторы, профессор, Беларусь ҰҒА академигі, Жаңа материалдар химиясы институтының құрметті директоры (Минск, Беларусь) Н = 13

СТРНАД Мирослав, профессор, Чехия ғылым академиясының Эксперименттік ботаника институтының зертхана меңгерушісі (Оломоуц, Чехия) Н = 66

БҮРКІТБАЕВ Мұхамбетқали, химия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, әл-Фараби атындағы ҚазҰУ-дың бірінші проректоры (Алматы, Қазақстан) Н = 11

ХОХМАНН Джудит, Сегед университетінің Фармацевтика факультетінің Фармакогнозия кафедрасының меңгерушісі, Жаратылыстану ғылымдарының пәнаралық орталығының директоры (Сегед, Венгрия) Н = 38

РОСС Самир, PhD докторы, Миссисипи университетінің Өсімдік өнімдерін ғылыми зерттеу ұлттық орталығы, Фармация мектебінің профессоры (Оксфорд, АҚШ) Н = 35

ХУТОРЯНСКИЙ Виталий, философия докторы (PhD, фармацевт), Рединг университетінің профессоры (Рединг, Англия) Н = 40

ТЕЛТАЕВ Бағдат Бұрханбайұлы, техника ғылымдарының докторы, профессор, ҚР ҰҒА корреспондент-мүшесі, Қазақстан Республикасы Индустрия және инфрақұрылымдық даму министрлігі (Алматы, Қазақстан) Н = 13

ФАРУК Асана Дар, Хамдар аль-Маджида Шығыс медицина колледжінің профессоры, Хамдард университетінің Шығыс медицина факультеті (Карачи, Пәкістан) Н = 21

ФАЗЫЛОВ Серік Драхметұлы, химия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, Органикалық синтез және көмір химиясы институты директорының ғылыми жұмыстар жөніндегі орынбасары (Қарағанды, Қазақстан) Н = 6

ЖОРОБЕКОВА Шарипа Жоробекқызы, химия ғылымдарының докторы, профессор, Қырғызстан ҰҒА академигі, ҚР ҰҒА Химия және химиялық технология институты (Бішкек, Қырғызстан) Н = 4

ХАЛИКОВ Джурабай Халикович, химия ғылымдарының докторы, профессор, Тәжікстан ҒА академигі, В.И. Никитин атындағы Химия институты (Душанбе, Тәжікстан) Н = 6

ФАРЗАЛИЕВ Вагиф Меджидоглы, химия ғылымдарының докторы, профессор, ҰҒА академигі (Баку, Әзірбайжан) Н = 13

ГАРЕЛИК Хемда, философия докторы (PhD, химия), Халықаралық таза және қолданбалы химия одағының Химия және қоршаған орта бөлімінің президенті (Лондон, Англия) Н = 15

«ҚР ҰҒА Хабарлары. Химия және технология сериясы»

ISSN 2518-1491 (Online),

ISSN 2224-5286 (Print)

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РҚБ (Алматы қ.). Қазақстан Республикасының Ақпарат және қоғамдық даму министрлігінің Ақпарат комитетінде 29.07.2020 ж. берілген № **KZ66VPY00025419** мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Тақырыптық бағыты: *органикалық химия, бейорганикалық химия, катализ, электрохимия және коррозия, фармацевтикалық химия және технологиялар.*

Мерзімділігі: жылына 4 рет.

Тиражы: 300 дана.

Редакцияның мекен-жайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., тел.: 272-13-19

<http://chemistry-technology.kz/index.php/en/arithiv>

© Қазақстан Республикасының Ұлттық ғылым академиясы РҚБ, 2023

Редакцияның мекенжайы: 050100, Алматы қ., Қонаев к-сі, 142, «Д.В. Сокольский атындағы отын, катализ және электрохимия институты» АҚ, каб. 310, тел. 291-62-80, факс 291-57-22, e-mail: orgcat@nursat.kz

Главный редактор:

ЖУРИНОВ Мурат Журинович, доктор химических наук, профессор, академик НАН РК, президент Национальной академии наук Республики Казахстан, генеральный директор АО «Институт топлива, катализа и электрохимии им. Д.В. Сокольского» (Алматы, Казахстан) Н = 4

Редакционная коллегия:

АДЕКЕНОВ Сергазы Мынжасарович (заместитель главного редактора), доктор химических наук, профессор, академик НАН РК, директор Международного научно-производственного холдинга «Фитохимия» (Караганда, Казахстан) Н = 11

АГАБЕКОВ В ладимир Енокович (заместитель главного редактора), доктор химических наук, профессор, академик НАН Беларуси, почетный директор Института химии новых материалов (Минск, Беларусь) Н = 13

СТРНАД Мирослав, профессор, заведующий лабораторией института Экспериментальной ботаники Чешской академии наук (Оломоуц, Чехия) Н = 66

БУРКИТБАЕВ Мухамбеткали, доктор химических наук, профессор, академик НАН РК, Первый проректор КазНУ имени аль-Фараби (Алматы, Казахстан) Н = 11

ХОХМАНН Джудит, заведующий кафедрой Фармакогнозии Фармацевтического факультета Университета Сегеда, директор Междисциплинарного центра естественных наук (Сегед, Венгрия) Н = 38

РОСС Самир, доктор PhD, профессор Школы Фармации национального центра научных исследований растительных продуктов Университета Миссисипи (Оксфорд, США) Н = 35

ХУТОРЯНСКИЙ Виталий, доктор философии (Ph.D, фармацевт), профессор Университета Рединга (Рединг, Англия) Н = 40

ТЕЛЬГАЕВ Багдат Бурханбайулы, доктор технических наук, профессор, член-корреспондент НАН РК, Министерство Индустрии и инфраструктурного развития Республики Казахстан (Алматы, Казахстан) Н = 13

ФАРУК Асана Дар, профессор колледжа Восточной медицины Хамдарда аль-Маджида, факультет Восточной медицины университета Хамдарда (Карачи, Пакистан) Н = 21

ФАЗЫЛОВ Серик Драхметович, доктор химических наук, профессор, академик НАН РК, заместитель директора по научной работе Института органического синтеза и углехимии (Караганда, Казахстан) Н = 6

ЖОРОБЕКОВА Шарипа Жоробековна, доктор химических наук, профессор, академик НАН Кыргызстана, Институт химии и химической технологии НАН КР (Бишкек, Кыргызстан) Н = 4

ХАЛИКОВ Джурабай Халикович, доктор химических наук, профессор, академик АН Таджикистана, Институт химии имени В.И. Никитина АН РТ (Душанбе, Таджикистан) Н = 6

ФАРЗАЛИЕВ Вагиф Меджид оглы, доктор химических наук, профессор, академик НАНА (Баку, Азербайджан) Н = 13

ГАРЕЛИК Хемда, доктор философии (Ph.D, химия), президент Отдела химии и окружающей среды Международного союза чистой и прикладной химии (Лондон, Англия) Н = 15

«Известия НАН РК. Серия химии и технологий».

ISSN 2518-1491 (Online),

ISSN 2224-5286 (Print)

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан» (г. Алматы).

Свидетельство о постановке на учет периодического печатного издания в Комитете информации Министерства информации и общественного развития Республики Казахстан № KZ66VPY00025419, выданное 29.07.2020 г.

Тематическая направленность: *органическая химия, неорганическая химия, катализ, электрохимия и коррозия, фармацевтическая химия и технологии.*

Периодичность: 4 раз в год.

Тираж: 300 экземпляров.

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, оф. 219, тел.: 272-13-19

<http://chemistry-technology.kz/index.php/en/archiv>

© РОО Национальная академия наук Республики Казахстан, 2023

Адрес редакции: 050100, г. Алматы, ул. Кунаева, 142, АО «Институт топлива, катализа и электрохимии им. Д.В. Сокольского», каб. 310, тел. 291-62-80, факс 291-57-22, e-mail: orgcat@nursat.kz

Editor in chief:

ZHURINOV Murat Zhurinovich, doctor of chemistry, professor, academician of NAS RK, president of NAS RK, general director of JSC "Institute of fuel, catalysis and electrochemistry named after D.V. Sokolsky (Almaty, Kazakhstan) H = 4

Editorial board:

ADEKENOV Sergazy Mynzhasarovich (deputy editor-in-chief) doctor of chemical sciences, professor, academician of NAS RK, director of the international Scientific and production holding «Phytochemistry» (Karaganda, Kazakhstan) H = 11

AGABEKOV Vladimir Enokovich (deputy editor-in-chief), doctor of chemistry, professor, academician of NAS of Belarus, honorary director of the Institute of Chemistry of new materials (Minsk, Belarus) H = 13

STRNAD Miroslav, head of the laboratory of the institute of Experimental Botany of the Czech academy of sciences, professor (Olomouc, Czech Republic) H = 66

BURKITBAYEV Mukhambetkali, doctor of chemistry, professor, academician of NAS RK, first vice-rector of al-Farabi KazNU (Almaty, Kazakhstan) H = 11

HOHMANN Judith, head of the department of pharmacognosy, faculty of Pharmacy, university of Szeged, director of the interdisciplinary center for Life sciences (Szeged, Hungary) H = 38

ROSS Samir, Ph.D., professor, school of Pharmacy, national center for scientific research of Herbal Products, University of Mississippi (Oxford, USA) H = 35

KHUTORYANSKY Vitaly, Ph.D., pharmacist, professor at the University of Reading (Reading, England) H = 40

TELTAYEV Bagdat Burkhanbayuly, doctor of technical sciences, professor, corresponding member of NAS RK, ministry of Industry and infrastructure development of the Republic of Kazakhstan (Almaty, Kazakhstan) H = 13

PHARUK Asana Dar, professor at Hamdard al-Majid college of Oriental medicine. faculty of Oriental medicine, Hamdard university (Karachi, Pakistan) H = 21

FAZYLOV Serik Drakhmetovich, doctor of chemistry, professor, academician of NAS RK, deputy director for institute of Organic synthesis and coal chemistry (Karaganda, Kazakhstan) H = 6

ZHOROBEKOVA Sharipa Zhorobekovna, doctor of chemistry, professor, academician of NAS of Kyrgyzstan, Institute of Chemistry and chemical technology of NAS KR (Bishkek, Kyrgyzstan) H = 4

KHALIKOV Jurabay Khalikovich, doctor of chemistry, professor, academician of the academy of sciences of Tajikistan, institute of Chemistry named after V.I. Nikitin AS RT (Tajikistan) H = 6

FARZALIEV Vagif Medzhid ogly, doctor of chemistry, professor, academician of NAS of Azerbaijan (Azerbaijan) H = 13

GARELIK Hemda, PhD in chemistry, president of the department of Chemistry and Environment of the International Union of Pure and Applied Chemistry (London, England) H = 15

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of chemistry and technology.

ISSN 2518-1491 (Online),

ISSN 2224-5286 (Print)

Owner: RPA «National Academy of Sciences of the Republic of Kazakhstan» (Almaty).

The certificate of registration of a periodical printed publication in the Committee of information of the Ministry of Information and Social Development of the Republic of Kazakhstan No. **KZ66VPY00025419**, issued 29.07.2020.

Thematic scope: *organic chemistry, inorganic chemistry, catalysis, electrochemistry and corrosion, pharmaceutical chemistry and technology.*

Periodicity: 4 times a year.

Circulation: 300 copies.

Editorial address: 28, Shevchenko str., of. 219, Almaty, 050010, tel. 272-13-19

<http://chemistry-technology.kz/index.php/en/arhiv>

© National Academy of Sciences of the Republic of Kazakhstan, 2023

Editorial address: JSC «D.V. Sokolsky institute of fuel, catalysis and electrochemistry», 142, Kunayev str., of. 310, Almaty, 050100, tel. 291-62-80, fax 291-57-22, e-mail: orgcat@nursat.kz

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

SERIES CHEMISTRY AND TECHNOLOGY

ISSN 2224–5286

Volume 4. Number 457 (2023), 116–123

<https://doi.org/10.32014/2023.2518-1491.197>

UDC 547.972

© M. Ibrayeva^{1*}, N. Duzbayeva², Zh. Mukazhanova², K. Kabdysalym²,
Achyut Adhikari³, 2023

¹Caspian University of Technology and Engineering named after Sh. Yessenov,
Aktau, Kazakhstan;

²S. Amanzholov East Kazakhstan University, Ust-Kamenogorsk, Kazakhstan;

³Tribhuvan University, Kritipur, Kathmandu, Nepal.

E-mail: ibrayevamanshuk@mail.ru

ISOLATION OF FLAVONOIDS BY HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY FROM PLANT OF GENUS *THYMUS SERPYLLUM L.*

Ibrayeva Manshuk — PhD, acting associate professor Department of Natural sciences, Caspian University of Technology and Engineering named after Sh. Yessenov, Aktau, Kazakhstan

E-mail: ibrayevamanshuk@mail.ru. ORCID ID: <https://orcid.org/0000-0003-4074-5499>;

Duzbayeva Nurbanu — PhD student Department of Chemistry, S. Amanzholov East Kazakhstan University, Ust-Kamenogorsk, Kazakhstan

E-mail: nurbanu.87@mail.ru. ORCID ID: <https://orcid.org/0009-0005-3064-6085>;

Mukazhanova Zhazira — PhD, senior-lector Department of Chemistry, S. Amanzholov East Kazakhstan University, Ust-Kamenogorsk, Kazakhstan

E-mail: mukazhanovazhb@mail.ru. ORCID ID: <https://orcid.org/0000-0003-4635-8000>;

Kabdysalym Kulaigul — Senior lecturer Department of Chemistry, S. Amanzholov East Kazakhstan University, Ust-Kamenogorsk, Kazakhstan

E-mail: kun_ai_gul@mail.ru. ORCID ID: <https://orcid.org/0000-0003-3737-616X>;

Achyut Adhikari — PhD, Assistant Professor Department of Chemistry, Tribhuvan University, Kritipur, Kathmandu, Nepal

E-mail: achyutraj05@gmail.com. ORCID ID: <https://orcid.org/0000-0002-1065-5727>.

Annotation. Plant species of the genus *Thymus Serpyllum L.* are recognized in the scientific literature as the richest sources of secondary metabolites. The purpose of this study is isolation the chemical composition of plant materials and develop a method for obtaining new sources of biologically active substances, establishing their chemical structure. This article presents the results of a study of the chemical composition of the aerial parts of plants of the genus *Thymus Serpyllum L.* of the *Lamiaceae* family, collected during the fruiting period in the Altai region of Kazakhstan. A result of the studies, the content of the complex of flavonoids of the plant was determined by extraction methods (maceration 70 % EtOH, 72 hours, 1:9) and adsorption column chromatography with silica gel from a plant of the genus *Thymus Serpyllum L.* The

quantitative content of flavonoids is 1.02–1.13 %. Using paper chromatography and thin layer chromatography, a qualitative analysis was carried out and a pure substance, cynaroside, was isolated by high-performance liquid chromatography (RP-HPLC) with an ODS-H80 sorbent. The structure of the obtained individual substance was identified by modern physical and chemical methods on the basis of chemical transformations and results, the studied data of IR, UV, ^1H - NMR and ^{13}C - NMR, mass-spectrometry.

Keywords: *Lamiaceae*, *Thymus Serpyllum L.*, extraction, adsorption column chromatography, silica gel, high-performance liquid chromatography, flavonoids, cinaroside

© М. Ибраева^{1*}, Н. Дузбаева², Ж. Мукажанова², К. Қабдысалым²,
Achyut Adhikari³, 2023

¹Ш. Есенов атындағы Каспий технологиялар және инжиниринг университеті,
Ақтау, Қазақстан;

²С. Аманжолов атындағы Шығыс Қазақстан университеті,
Өскемен, Қазақстан;

³Трибхуван Университеті, Критипур, Катманду, Непал.

E-mail: ibrayevamanshuk@mail.ru

***THYMUS SERPYLLUM L.* ТЕКТІ ӨСІМДІК ҚҰРАМЫНАН ЖОҒАРЫЭФФЕКТИВТІ СҰЙЫҚТЫҚ ХРОМАТОГРАФИЯ ӘДІСІМЕН ФЛАВОНОИДТАРДЫ АНЫҚТАУ**

Аннотация. Ғылыми әдебиеттерде *Thymus Serpyllum L.* текті өсімдік түрлері екіншілік метаболиттердің ең бай көздері ретінде танылған. Зерттеудің мақсаты өсімдік шикізатының химиялық құрамын зерттеу және биологиялық белсенді заттардың жаңа көздерін алу әдісін жасау, олардың химиялық құрылымын анықтау. Бұл мақалада Қазақстанның Алтай өңірінде өсетін жеміс беру кезеңінде жиналған *Lamiaceae* тұқымдасына жататын *Thymus Serpyllum L.* текті өсімдігінің жер үсті бөліктерінің химиялық құрамының зерттеу нәтижелері берілген. Зерттеу нәтижесі бойынша *Thymus Serpyllum L.* текті өсімдіктің флавоноидты кешендер құрамы экстракция (мацерация 70% EtOH, 72 сағ, 1:9) әдістерімен және силикагелді адсорбциялық бағаналы хроматография әдісімен анықталды. Флавоноидтардың сандық мөлшері 1,02–1,13 %. Қағазды және жұқа қабатты хроматографияларды қолдана отырып, сапалық талдау жүргізілді және ODS-H80 сорбенті бар жоғары өнімді сұйық хроматография (RP-HPLC) арқылы таза зат цинарозид бөлініп алынды. Бөлінген жеке заттың құрылысы заманауи физика-химиялық әдістердің: ИҚ, УК, ^1H - ЯМР және ^{13}C – ЯМР, масс-спектрометрия мәліметтері бойынша анықталды.

Түйін сөздер: *Lamiaceae*, *Thymus Serpyllum L.*, экстракция, адсорбционды бағаналы хроматография, силикагель, жоғары эффективті сұйықтық хроматографиясы, флавоноидтар, цинарозид

© М. Ибраева¹, Н. Дузбаева², Ж. Мукажанова², К. Қабдысалым²,
Achyut Adhikari³, 2023

¹Каспийский университет технологий и инжиниринга им.Ш.Есенова,
Ақтау, Казахстан;

²Восточно-Казахстанский университет имени С. Аманжолова,
Усть-Каменогорск, Казахстан;

³Университет Трибхувана, Критипур, Катманду, Непал.
E-mail: ibrayevamanshuk @mail.ru

ОПРЕДЕЛЕНИЕ ФЛАВОНОИДОВ МЕТОДОМ ВЫСОКОЭФФЕКТИВНОЙ ЖИДКОСТНОЙ ХРОМАТОГРАФИИ ИЗ РАСТЕНИИ РОДА *THYMUS SERPYLLUM L.*

Аннотация. Виды растений рода *Thymus Serpyllum L.* в научной литературе признаны богатейшими источниками вторичных метаболитов. Цель данного исследования – изучение химического состава растительного сырья и разработка способа получения новых источников биологически активных веществ, установление их химического строения. В данной статье приведены результаты исследования химического состава надземных частей растений рода *Thymus Serpyllum L.* семейства *Lamiaceae*, собранных в период плодоношения в Алтайском краю Казахстана. В результате проведенных исследований установлено содержание комплекса флавоноидов методами экстракции (мацерация 70 % EtOH, 72 ч., 1:9) и адсорбционной колоночной хроматографии с силикагелем из растений рода *Thymus Serpyllum L.* Количественное содержание флавоноидов составляет 1,02–1,13 %. С помощью бумажной и тонкослойной хроматографии проведен качественный анализ и выделен чистое вещество — цинарозид методом высокоэффективной жидкостной хроматографии (RP-HPLC) с сорбентом ODS-H80. Структура полученного индивидуального вещества идентифицирована современными физико–химическими методами на основании химических превращений и результатов, изученных данных ИК, УФ, ¹H – ЯМР и ¹³C – ЯМР, масс-спектрометрия.

Ключевые слова: *Lamiaceae*, *Thymus Serpyllum L.*, экстракция, адсорбционная колоночная хроматография, силикагель, высокоэффективная жидкостная хроматография, флавоноиды, цинарозид

Introduction

More than six thousand plant species are found on the territory of the Republic of Kazakhstan, most of which can produce the necessary medicines. Until this time, only 130 species of them were used as raw materials for the production of medicines. The flora of Kazakhstan is very rich in useful plants, including medicinal plants, which are especially important. Among the drugs used in medical practice, herbal products occupy an important place (Pavlov, 1960: 10).

From this point of view, plants of genus *Thymus L.* of *Lamiaceae* family are of

undoubted interest In Kazakhstan, the official plants of the *Thymus* genus are 15 species, which are recommended for use as an expectorant, antioxidant, antimicrobial and analgesic (Arti, 1998: 8; Duzbayeva, 2020: 10).

Currently, in modern medicine, *Thymus* is used as a liquid extract, showing anti-inflammatory, antibacterial activity and treating respiratory diseases. The basis of all the listed therapeutic effects are polyphenolic compounds (flavonoids) contained in the plant. Flavonoids are present in plants and are responsible for many biological properties, including antioxidant activity (Mata, 2007: 8). In the course of quantitative and qualitative analysis, investigation of secondary methobolytes in the chemical composition of *Thymus* revealed that plant raw materials are rich in various phenolic compounds. For the most part, the composition of essential oils with a terpene compound mixture containing simple phenols - thymol and carvacrol - has been studied a lot. The types and importance of the pharmacological effects of *Thymus* essential oils have been proven by many studies. (Aziz, 2008: 9). In recent years, the study of polyphenolic compounds, especially plant raw materials containing flavonoids, has increased, because the effects of biological activity of flavonoids are diverse and harmless to the body. One of the plants rich in polyphenolic compounds is *Thymus Serpyllum L.* of family *Lamiaceae* (Jia, 2010: 6).

Thymus serpyllum L.s.l. — a perennial plant, the shoots in the lower part are lignified with creeping stems and erect peduncles up to 15 cm high. The leaves are opposite, short-petioled, oblong-oval. The flowers are collected at the ends of the branches in a capitate inflorescence. It is confined mainly to the steppe zone, rocks, rocky and gravelly slopes (Klokov, 1954: 7).

Methods and materials

Objects of research are aboveground parts of family *Lamiaceae* of genus *Thymus Serpyllum L.* during the fruiting period in September 2020, East-Kazakhstan. Raw materials are dried in dry air and stored in a paper box. A herbarium sample of the plant is stored at the Department of Chemistry of the East Kazakhstan University named after S. Amanzholov.

70 % alcohol was used as an extract to separate the flavonoid complex from the raw materials. 1 kg of raw materials is extracted by simple maceration for 72 hours with aqueous - alcohol in a ratio of 1:9. The resulting extract was washed with hexane, chloroform, ethyl acetate and butanol as the polarity increased and four working extracts were obtained. Butanol extraction for the separation of polyphenolic compounds was studied by silica gel sorbent-based adsorption column chromatography (fractions 18–87).

Determination of the quantitative content of flavonoids by quercetin

1 g ground the plant *Thymus Serpyllum L.* is placed in a flask with a capacity of 150 ml and 30 ml of 90 % aqueous alcohol with 1 % HCl is poured on top. The flask is connected to the reverse refrigerator and boiled in a water bath for 30 minutes. After cooling, it is filtered into a flask with a capacity of 100 ml. The extraction is repeated twice with the same solution and the solution in the flask is brought to the mark with 90 % alcohol (solution A).

We take 2 ml of Solution A in a flask with a capacity of 25 ml, pour 1 ml of 1 % solution of aluminum chloride in 95 % alcohol and bring the volume of the solution to the mark with alcohol. After 20 minutes, the optical density of the solution is measured on a 10 mm thick cuvette, a spectrophotometer at a wavelength of 430 nm. As a comparative solution, 2 ml of a solution supplied with 95 % alcohol in a flask with a capacity of 25 ml is used (Muzychkina, 2004: 11).

The content of flavonoids in absolute dry raw materials is calculated by quercetin using the formula:

$$X = \frac{D \times 3 \times 100 \times 100}{764.6 \times 2 \times M \times (100 - W)}$$

where:

D - optical density of the solution,


M - raw material weight, g;

W - lost mass during drying of raw materials, %.


764.6 – Absorption rate of quercetin complex in the presence of aluminum chloride at 430 nm.

Acid hydrolysis on glycosides of flavonoids:

Dissolve 10 mg of the substance in 5 ml of 2 % HCl aqueous or alcohol solution, connect the flask to the refrigerator and heat it in an aqueous bath for 2 hours. Then we cool the solution and bring the reaction mixture with water to a neutral medium. Aglycone is extracted and separated by ethyl acetate and sugars remain in the aqueous part. To determine which sugars are present, the aqueous part is performed in a single — system chromatography in the Butanol-ethyl acetate-water system, using j-toluidine and urea as determinants. The aqueous part is placed on paper chromatography (Harborne, 1965: 14).



o-toluidine



urea

Flavonoids carried out by thin layer chromatography on Sorbfil plates in hexane-ethyl acetate solvent relations 9:1, 8:2, 7:3, 1:1. After processing chromatograms with 5 % alcohol aluminum chloride, the presence of flavonoids at a wavelength of 365 nm of UV light was detected. Flavonoid compounds were separated by system MEOH-H₂O (1:1) solution in the column with sorbent ODS-H80 (150 × 20 nm × 5 microns) in preparative recycling HPLC (Tokyo, Japan).

Results and Discussion

According to the methodology of the I edition of the state Pharmacopoeia of the Republic of Kazakhstan, the quantitative content of flavonoids in the composition of plant raw materials was determined by the method of spectrophotometry, as a result of which the composition of the plant collected during flowering was 1.02 % and during fruiting – 1.13 %.

Butanol extract from plant raw materials chromatography in column chromatography with silica gel sorbent and washed with hexane-ethyl acetate by gradually increasing the polar eluent (9:1, 9,5:0,5, 8:2, 7:3, 6:4, 1:1) system, were obtained fractions consisting of flavonoid complexes. In qualitative analysis of fractions, thin layer chromatography was analyzed by observing yellow spots with UV-light, Ce(SO₄)₂ detectors and similar fractions with the same R_f values were combined. As a result, 38–42 fractions (DM) were examined in the ratio of methanol-water (1:1) solvents in the ODS-H80 column by the method of rotational phase high- performance liquid chromatography (RP-HPLC) and obtained a pure substance (Figure 1) (Ramesh, 2017: 15).




Figure 1 - Chromatogram of pure matter separated by the method of rotational phase high performance liquid chromatography (RP-HPLC)

Looking at the thin layer chromatography on n-butanol-acetic acid-water (4:1:5) system flavonoid was found that there was only one spot (Figure 2) (Wagner, 1996:7).





Figure 2 - Chromatogram of substances in thin layer chromatography

Table 1 – Chromatographic description of a flavonoid from the composition of a plant of the genus *Thymus Serpyllum L.*

№	Rf	Spot Color in the visible area	Spot Color in UV light	Fluorescence after 5 % aluminum chloride treatment	Conclusion
butanol-acetic acid-water (4:1:5)					
1	0,53	Dark yellow	Brown	Light yellow	Flavon or 7-glycoside of flavonol

The structure of the separated individual substance was identified using a modern physico-chemical method - NMR: ^1H , ^{13}C , 2D NMR: HMBC, HSQC, COSY, NOESY, according to NMR spectra and DEPT-135 in the lower region during the spin system anomeric proton resonance $\delta 5.05$ (1H, d, $J = 7.0$ Hz) showed that the compound is luteolin. The chemical shift of H-6 and H-8 (0.2+0.3 ppm respectively) proves that sugar is bound at C-7 place.



Cynaroside

^1H NMR (500 MHz, Pyridine, δ ppm.) 6.73 (1H, s, H-3), 6.60 (1H, s, H-6), 6.73 (1H, s, H-8), 7.41 (1H, s, H-2'), 6.78 (1H, d, $J = 8.5$ Hz, H-5'), 6.79 (1H, d, $J = 8.9$ Hz, H-6'), 5,15 (1H, d, $J=7.1$, H-1''), 3.19-3.46 (1H, t, H-2''), 3.19-3.46 (1H, t, H-3''), 3.26 (1H, t, $J=8.9$, H-4''), 3.08 (1H, m, H-5''), 3.81 (1H, d, $J=12.0$ Hz, H-6''a), 3.61 (1H, d, $J=12.8$ Hz, H-6''b).

^{13}C NMR (100 MHz, Pyridine, δ ppm) 164.8 (C-2), 103.8 (C-3), 181.9 (C-4), 160.2 (C-5), 102.6 (C-6), 164.5 (C-7), 96.1 (C-8), 162.2 (C-9), 106.1 (C-10), 123.5 (C-1'),

115.8 (C-2'), 147.7 (C-3'), 152.2 (C-4'), 118.2 (C-5'), 121.0 (C-6'), 100.9 (C-1''), 75.2 (C-2''), 76.1 (C-3''), 70.3 (C-4''), 77.2 (C-5''), 61.4 (C-6'') (Zoua, 2018:3).

As a result of acid hydrolysis, luteolin and β -glucose were released. In the course of analysis by physico-chemical methods, comparing with the literature, it was proved that the compound is cinaroside.

Conclusion

1 The quantitative content of the flavonoid complex was determined by the methods of extraction and adsorption column chromatography of silica gel sorbent from the plant of genus *Thymus Serpyllum L.* growing in the Altai region.

2 In thin layer chromatography with UV light and cerium sulfate, it showed the yellow spot and the RF value of the compounds belong to the flavonoid group.

3 The flavonoid complex was analyzed by the method of rotational phase high performance liquid chromatography (RP-HPLC) and it was observed that a separate substance was released on the chromatogram. As a result of the analysis by the physico-chemical methods (NMR: ^1H , ^{13}C , 2D NMR: HMBC, HSQC, COSY, NOESY, DEPT-135), it was proved that the individual substance is cinorazide.

REFERENCES:

- Arti A., Muraleedharan G.N., Gale M. (1998). Structure-activity relationships for antioxidant activities of a series of flavonoids in a liposomal system, *Free Radic. Biol. and Med.* — 24: — 1355–1363. — DOI: [https://doi.org/10.1016/S0891-5849\(97\)00458-9](https://doi.org/10.1016/S0891-5849(97)00458-9) (in Eng).
- Aziz-Habib-Ur-Rehman S. (2008). Studies of the chemical constituents of *Thymus serpyllum*, *Turk. J. Chem.* — 32: — 605–614 (in Eng).
- Duzbayeva N.A., Sanyazova Sh.K., Kabdysalym K., Nykmukanova M.M., Adhikari A. (2020). Phytochemical composition of *Thymus Serpyllum L.* plants and study of antibacterial activity, *Bulletin of L.N. Gumilyov ENU*, — 1: — 68–78. — DOI: <https://doi.org/10.32523/2616-6771-2019-130-1-68-75> (in Rus).
- Harborne J.B. (1965). Plant polyphenols XIV: Characterisation of flavonoid glycosides by acid and anisimatic hydrolyses, *Phytochemistry* — 4: — 107–121 (in Eng).
- Jia H.L., Ji Q.L., Xing S.L., Zhang P.H., Zhu G.L., Wang X.H. (2010). Chemical composition and antioxidant, antimicrobial activities of the essential oils of *Thymus marschallianus Will.* and *Thymus proximus Serg.* *J. Food Sci.*, — 75: — 59–65. — DOI: <https://doi.org/10.1111/j.1750-3841.2009.01413.x> (in Eng).
- Klokov M.V. (1954). *Flora of the USSR*. — 1: — 537–538 (in Rus).
- Mata A.T., Proenc C., Ferreira A.R., Serralheiro M.L.M., Nogueira J.M.F., Araujo M.E.M. (2007). Antioxydant and anticetylcholinesterase activities of five plants used as Portuguese food spices, *Food Chem.*, — 103: — 778–786. — DOI: <https://doi.org/10.1016/j.foodchem.2006.09.017> (in Eng).
- Muzychkina R.A., Korulkin D.Yu., Abilov Zh.A. (2004). Qualitative and quantitative analysis of the main groups of biologically active substances in medicinal plant raw materials and phytopreparations. *Chemistry of natural compounds*. — 4: — 288–299 (in Rus).
- Pavlov N.V. (1960). *Flora of Kazakhstan*. — ISBN: 978-5-458-53142-9. (in Rus).
- Ramesh Kumar B. (2017). Application of HPLC and ESI-MS techniques in the analysis of phenolic acids and flavonoids from green leafy vegetables, *Journal of Pharmaceutical Analysis* — 7: — 349–364. — DOI: <https://doi.org/10.1016/j.jpha.2017.06.005> (in Eng).
- Wagner H., Blads S. (1996). *Plant Drug Analysis A Thin Layer Chromatography Atlas*. Springer, Germany. — ISBN: 978-3-540-58676-0 (in Eng).
- Zoua Y., Zhanga M., Zhanga T., Wua J., Wangb J., Liua K., Zhanc N. (2018). Antioxidant and Anti-inflammatory Activities of Cynaroside from *Elsholtzia bodinieri*, *Natural Product Communications*. —13: — 1501–1504. — DOI: <https://doi.org/10.1177/1934578X1801301122> (in Eng).

CONTENTS

A. Abdullin, N. Zhanikulov, B. Taimasov, E. Potopova, A. Raisova
INVESTIGATION OF THE MICROSTRUCTURE OF SYNTHESIZED
ZINC-PHOSPHATE CEMENT CLINKER.....7

G.F. Sagitova, N.B. Ainabekov, Yu.A. Nifontov, N.M. Daurenbek
SELECTION OF RAW MATERIALS FOR THE PRODUCTION OF BITUMEN
MATERIALS BASED ON LOCAL RESOURCES.....19

Kh. Akimzhanova, A. Sabitova, Zh. Kairbekov, B. Mussabayeva, B. Bayahmetova
CHEMICAL CHARACTERISTIC OF THE BLACK AND WHITE MUD
OF THE SHOSHKALY LAKE.....31

**A.S. Auyezkhanova, D.E. Zhanuzak, A.I. Jumekeyeva, Zh.K. Korganbaeva,
A.A. Naizabayev**
CHITOSAN-STABILIZED CATALYSTS FOR CYCLOHEXANE OXIDATION
TO KA-OIL.....44

Ya.A. Vissurkhanova, L.K. Abulyaissova, N.M. Ivanova, B.F. Minaev
MOLECULAR SIMULATION OF THE INTERACTION OF POLYVINYL
ALCOHOL WITH POTENTIAL ACTIVE CENTERS OF COPPER (II)
OXIDE SURFACE.....54

E.A. Gabrilyants, R.S. Alibekov, G.E. Orymbetova
DEVELOPMENT OF CAMEL MILK CHEESE TECHNOLOGY
AND RESEARCH OF QUALITATIVE CHARACTERISTICS.....69

**G.T. Yelemessova, L.K. Orazzhanova, A.N. Klivenko, N.N. Nurgaliyev, A.Ye.
Ayazbayeva, A.V. Shakhvorostov**
SYNTHESIS AND CHARACTERIZATION OF PREFORMED PARTICLE
GELS (PPG) TO INCREASE OIL RECOVERY.....79

E.A. Zhakmanova, G.Zh. Seytenova, R.M. Dyusova
REVIEW OF THE CURRENT STATE OF APPLICATION OF MATHEMATICAL
MODELING METHODS FOR THE PURPOSE OF OPTIMIZING REFINERIES
IN KAZAKHSTAN AND ABROAD.....92

**M. Zhumabek, K. Kassymkhan, R.O. Sarsenova, Zh. Tynybek, S.A. Tungatarova,
Z.T. Zheksenbaeva**
INVESTIGATION OF CATALYSTS OF THE CATALYTIC PROCESSING
OF NATURAL GAS METHANE INTO SYNTHESIS GAS VIA
TEMPERATURE-PROGRAMMED DESORPTION.....103

M. Ibrayeva, N. Duzbayeva, Zh. Mukazhanova, K. Kabdysalym, Achyut Adhikari ISOLATION OF FLAVONOIDS BY HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY FROM PLANT OF GENUS THYMUS SERPYLLUM L.	116
B. Imangaliyeva, B. Dossanova, G. Rakhmetova, A. Apendina, I. Nurlybaev FEATURES AND CHEMICAL PROPERTIES OF ANTHOCYANINS.....	124
B.Zh. Iskendirov, G.F. Sagitova, S.B. Kurbanova, G.F. Aitimbetova, A.S. Sadyrbayeva DEVELOPMENT OF TECHNOLOGY FOR PROCESSING RESIDUES FROM THE DISTILLATION OF A MIXTURE OF OILS AND GAS CONDENSATES.....	144
X.A. Leontyeva, D.S. Puzikova, G.M. Khussurova, P.V. Panchenko, A.K. Galeyeva ELECTROCHEMICAL DEPOSITION OF BISMUTH SULFIDE THIN FILMS.....	158
M.M. Mataev, M.A. Nurbekova, B. Keskin, Z.B. Sarsenbayeva SYNTHESIS AND PHYSICO-CHEMICAL PROPERTIES OF POLYCRYSTAL $\text{FeMnO}_3\text{-Ho}_3\text{Fe}_5\text{O}_{12}$	173
R. Safarov, Zh. Shomanova, E. Kopishev, Yu. Nossenko, Zh. Bexeitova, R. Kamatov SPATIAL DISTRIBUTION OF PM2.5 AND PM10 POLLUTANTS IN RESIDENTIAL AREA OF PAVLODAR, KAZAKHSTAN.....	181

Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайтах:

**www.nauka-nanrk.kz
<http://chemistry-technology.kz/index.php/en/arhiv>
ISSN 2518-1491 (Online), ISSN 2224-5286 (Print)**

Подписано в печать 30.12.2023.
Формат 60x88¹/₈. Бумага офсетная. Печать – ризограф.
13,0 п.л. Тираж 300. Заказ 4.