ISSN: 2224-5227 (Print)
ISSN: 2518-1483 (Online)

ACADEMIC SCIENTIFIC JOURNAL OF COMPUTER SCIENCE

№4
2025

ISSN 2518-1726 (Online),
ISSN 1991-346X (Print)

CENTRAL ASIAN ACADEMIC
RESEARCH CENTER

ACADEMIC SCIENTIFIC JOURNAL OF COMPUTER SCIENCE

4 (356)

OCTOBER – DECEMBER 2025

PUBLISHED SINCE JANUARY 1963
PUBLISHED 4 TIMES A YEAR

ALMATY, NAS RK

CHIEF EDITOR:

MUTANOV Galimkair Mutanovich, doctor of technical sciences, professor, academician of NAS RK, acting General Director of the Institute of Information and Computing Technologies CS MES RK (Almaty, Kazakhstan), https://www.scopus.com/authid/detail.uri?authorId=6506682964, https://www.webofscience.com/wos/author/record/1423665

EDITORIAL BOARD:

KALIMOLDAYEV Maksat Nuradilovich, (Deputy Editor-in-Chief), Doctor of Physical and Mathematical Sciences, Professor, Academician of NAS RK, Advisor to the General Director of the Institute of Information and Computing Technologies of the CS MES RK, Head of the Laboratory (Almaty, Kazakhstan), https://www.scopus.com/authid/detail.uri?authorId=56153126500, https://www.webofscience.com/wos/author/record/2428551

MAMYRBAEV Orken Zhumazhanovich, (Academic Secretary), PhD in Information Systems, Deputy Director for Science of the Institute of Information and Computing Technologies CS MES RK (Almaty, Kazakhstan), https://www.scopus.com/authid/detail.uri?authorId=55967630400, https://www.webofscience.com/wos/author/record/1774027

BAIGUNCHEKOV Zhumadil Zhanabaevich, Doctor of Technical Sciences, Professor, Academician of NAS RK, Institute of Cybernetics and Information Technologies, Department of Applied Mechanics and Engineering Graphics, Satbayev University (Almaty, Kazakhstan), https://www.scopus.com/authid/detail.uri?authorId=6506823633, https://www.webofscience.com/wos/author/record/1923423

WOICIK Waldemar, Doctor of Technical Sciences (Phys.-Math.), Professor of the Lublin University of Technology (Lublin, Poland), https://www.scopus.com/authid/detail.uri?authorId=7005121594, https://www.webofscience.com/wos/author/record/678586

SMOLARJ Andrej, Associate Professor Faculty of Electronics, Lublin polytechnic university (Lublin, Poland), https://www.scopus.com/authid/detail.uri?authorId=56249263000, https://www.webofscience.com/wos/author/record/1268523

KEILAN Alimkhan, Doctor of Technical Sciences, Professor (Doctor of science (Japan)), chief researcher of Institute of Information and Computational Technologies CS MES RK (Almaty, Kazakhstan), https://www.scopus.com/authid/detail.uri?authorId=8701101900, https://www.webofscience.com/wos/author/record/1436451

KHAIROVA Nina, Doctor of Technical Sciences, Professor, Chief Researcher of the Institute of Information and Computational Technologies CS MES RK (Almaty, Kazakhstan), https://www.scopus.com/authid/detail.uri?authorId=37461441200, https://www.webofscience.com/wos/author/record/1768515

OTMAN Mohamed, PhD, Professor of Computer Science Department of Communication Technology and Networks, Putra University Malaysia (Selangor, Malaysia), https://www.scopus.com/authid/detail.uri?authorId=56036884700, https://www.webofscience.com/wos/author/record/747649

NYSANBAYEVA Saule Yerkebulanovna, Doctor of Technical Sciences, Associate Professor, Senior Researcher of the Institute of Information and Computing Technologies CS MES RK (Almaty, Kazakhstan), https://www.scopus.com/authid/detail.uri?authorId=55453992600, https://www.webofscience.com/wos/author/record/3802041

BIYASHEV Rustam Gakashevich, doctor of technical sciences, professor, Deputy Director of the Institute for Informatics and Management Problems, Head of the Information Security Laboratory (Kazakhstan), https://www.scopus.com/authid/detail.uri?authorId=6603642864, https://www.webofscience.com/wos/author/record/3802016

KAPALOVA Nursulu Aldazharovna, Candidate of Technical Sciences, Head of the Laboratory cybersecurity, Institute of Information and Computing Technologies CS MES RK (Almaty, Kazakhstan), https://www.scopus.com/authid/detail.uri?authorId=57191242124,

KOVALYOV Alexander Mikhailovich, Doctor of Physical and Mathematical Sciences, Academician of the National Academy of Sciences of Ukraine, Institute of Applied Mathematics and Mechanics (Donetsk, Ukraine), https://www.scopus.com/authid/detail.uri?authorId=7202799321, https://www.webofscience.com/wos/author/record/38481396

MIKHALEVICH Alexander Alexandrovich, Doctor of Technical Sciences, Professor, Academician of the National Academy of Sciences of Belarus (Minsk, Belarus), https://www.scopus.com/authid/detail.uri?authorId=7004159952, https://www.webofscience.com/wos/author/record/46249977

TIGHINEANU Ion Mihailovich, Doctor of Physical and Mathematical Sciences, Academician, President of the Academy of Sciences of Moldova, Technical University of Moldova (Chisinau, Moldova), https://www.scopus.com/authid/detail.uri?authorId=7006315935, https://www.webofscience.com/wos/author/record/524462

Academic Scientific Journal of Computer Science
ISSN 2518-1726 (Online),
ISSN 1991-346X (Print)

Owner: «Central Asian Academic Research Center» LLP (Almaty).

Certificate **№ KZ77VPY00121154** on the re-registration of the periodical printed and online publication of the information agency, issued on **05.06.2025** by the Republican State Institution «Information Committee» of the Ministry of Culture and Information of the Republic of Kazakhstan

Subject area*: information and communication technologies.*

Currently: *included in the list of journals recommended by the CCSES MSHE RK in the direction of «Information and communication technologies».*

Periodicity: *4 times a year.*

http://www.physico-mathematical.kz/index.php/en/

© «Central Asian Academic Research Center» LLP, 2025

БАС РЕДАКТОР:

МҰТАНОВ Ғалымқайыр Мұтанұлы, техника ғылымдарының докторы, профессор, ҚР ҰҒА академигі, ҚР ҒЖБМ ҒК «Ақпараттық және есептеу технологиялары институты» бас директорының м.а. (Алматы, Қазақстан), https://www.scopus.com/authid/detail.uri?authorId=6506682964, https://www.webofscience.com/wos/author/record/1423665

РЕДАКЦИЯ АЛҚАСЫ:

ҚАЛИМОЛДАЕВ Мақсат Нұрәділұлы, (бас редактордың орынбасары), физика-математика ғылымдарының докторы, профессор, ҚР ҰҒА академигі, ҚР ҒЖБМ ҒК «Ақпараттық және есептеу технологиялары институты» бас директорының кеңесшісі, зертхана меңгерушісі (Алматы, Қазақстан), https://www.scopus.com/authid/detail.uri?authorId=56153126500, https://www.webofscience.com/wos/author/record/2428551

МАМЫРБАЕВ Өркен Жұмажанұлы (ғалым хатшы), Ақпараттық жүйелер саласындағы техника ғылымдарының (PhD) докторы, ҚР ҒЖБМ ҒК «Ақпараттық және есептеу технологиялары институты» директорының ғылым жөніндегі орынбасары (Алматы, Қазақстан), https://www.scopus.com/authid/detail.uri?authorId=55967630400, https://www.webofscience.com/wos/author/record/1774027

БАЙГУНЧЕКОВ Жұмаділ Жаңабайұлы, техника ғылымдарының докторы, профессор, ҚР ҰҒА академигі, Кибернетика және ақпараттық технологиялар институты, Қолданбалы механика және инженерлік графика кафедрасы, Сәтбаев университеті (Алматы, Қазақстан), https://www.scopus.com/authid/detail.uri?authorId=6506823633, https://www.webofscience.com/wos/author/record/1923423

ВОЙЧИК Вальдемар, техника ғылымдарының докторы (физ-мат), Люблин технологиялық университетінің профессоры (Люблин, Польша), https://www.scopus.com/authid/detail.uri?authorId=7005121594, https://www.webofscience.com/wos/author/record/678586

СМОЛАРЖ Анджей, Люблин политехникалық университетінің электроника факультетінің доценті (Люблин, Польша), https://www.scopus.com/authid/detail.uri?authorId=56249263000, https://www.webofscience.com/wos/author/record/1268523

КЕЙЛАН Әлімхан, техника ғылымдарының докторы, профессор (ғылым докторы (Жапония)), ҚР ҒЖБМ ҒК «Ақпараттық және есептеу технологиялары институтының» бас ғылыми қызметкері (Алматы, Қазақстан), https://www.scopus.com/authid/detail.uri?authorId=8701101900, https://www.webofscience.com/wos/author/record/1436451

ХАЙРОВА Нина, техника ғылымдарының докторы, профессор, ҚР ҒЖБМ ҒК «Ақпараттық және есептеу технологиялары институтының» бас ғылыми қызметкері (Алматы, Қазақстан), https://www.scopus.com/authid/detail.uri?authorId=37461441200, https://www.webofscience.com/wos/author/record/1768515

ОТМАН Мохаммед, PhD, Информатика, Коммуникациялық технологиялар және желілер кафедрасының профессоры, Путра университеті Малайзия (Селангор, Малайзия), https://www.scopus.com/authid/detail.uri?authorId=56036884700, https://www.webofscience.com/wos/author/record/747649

НЫСАНБАЕВА Сауле Еркебұланқызы, техника ғылымдарының докторы, доцент, ҚР ҒЖБМ ҒК «Ақпараттық және есептеу технологиялары институтының» аға ғылыми қызметкері (Алматы, Қазақстан), https://www.scopus.com/authid/detail.uri?authorId=55453992600, https://www.webofscience.com/wos/author/record/3802041

БИЯШЕВ Рустам Гакашевич, техника ғылымдарының докторы, профессор, Информатика және басқару мәселелері институты директорының орынбасары, Ақпараттық қауіпсіздік зертханасының меңгерушісі (Қазақстан), https://www.scopus.com/authid/detail.uri?authorId=6603642864, https://www.webofscience.com/wos/author/record/3802016

КАПАЛОВА Нұрсұлу Алдажарқызы, техника ғылымдарының кандидаты, ҚР ҒЖБМ ҒК «Ақпараттық және есептеу технологиялары институты», Киберқауіпсіздік зертханасының меңгерушісі (Алматы, Қазақстан), https://www.scopus.com/authid/detail.uri?authorId=57191242124,

КОВАЛЕВ Александр Михайлович, физика-математика ғылымдарының докторы, Украина Ұлттық Ғылым академиясының академигі, Қолданбалы математика және механика институты (Донецк, Украина), https://www.scopus.com/authid/detail.uri?authorId=7202799321, https://www.webofscience.com/wos/author/record/38481396

МИХАЛЕВИЧ Александр Александрович, техника ғылымдарының докторы, профессор, Беларусь Ұлттық Ғылым академиясының академигі (Минск, Беларусь), https://www.scopus.com/authid/detail.uri?authorId=7004159952, https://www.webofscience.com/wos/author/record/46249977

ТИГИНЯНУ Ион Михайлович, физика-математика ғылымдарының докторы, академик, Молдова Ғылым Академиясының президенті, Молдова техникалық университеті (Кишинев, Молдова), https://www.scopus.com/authid/detail.uri?authorId=7006315935, https://www.webofscience.com/wos/author/record/524462

Academic Scientific Journal of Computer Science
ISSN 2518-1726 (Online),
ISSN 1991-346X (Print)

Меншіктеуші: «Орталық Азия академиялық ғылыми орталығы» ЖШС (Алматы).

Ақпарат агенттігінің мерзімді баспасөз басылымын, ақпарат агенттігін және желілік басылымды қайта есепке қою туралы ҚР Мәдениет және Ақпарат министрлігі «Ақпарат комитеті» Республикалық мемлекеттік мекемесі **05.06.2025** ж. берген **№ KZ77VPY00121154** Куәлік.

Тақырыптық бағыты: *ақпараттық-коммуникациялық технологиялар*

Қазіргі уақытта: *«ақпараттық-коммуникациялық технологиялар» бағыты бойынша ҚР БҒМ БҒСБК ұсынған журналдар тізіміне енді.*

Мерзімділігі: *жылына 4 рет.*

http://www.physico-mathematical.kz/index.php/en/

© «Орталық Азия академиялық ғылыми орталығы» ЖШС, 2025

ГЛАВНЫЙ РЕДАКТОР:

МУТАНОВ Галимкаир Мутанович, доктор технических наук, профессор, академик НАН РК, и.о. генерального директора «Института информационных и вычислительных технологий» КН МНВО РК (Алматы, Казахстан), https://www.scopus.com/authid/detail.uri?authorId=6506682964, https://www.webofscience.com/wos/author/record/142 3665

Редакционная коллегия:

КАЛИМОЛДАЕВ Максат Нурадилович, (заместитель главного редактора), доктор физико-математических наук, профессор, академик НАН РК, советник генерального директора «Института информационных и вычислительных технологий» КН МНВО РК, заведующий лабораторией (Алматы, Казахстан), https://www.scopus.com/authid/detail.uri?authorId=56153126500, https://www.webofscience.com/wos/author/record/2428551

МАМЫРБАЕВ Оркен Жумажанович, (ученый секретарь), доктор философии (PhD) по специальности «Информационные системы», заместитель директора по науке РГП «Институт информационных и вычислительных технологий» Комитета науки МНВО РК (Алматы, Казахстан), https://www.scopus.com/authid/detail.uri?authorId=55967630400, https://www.webofscience.com/wos/author/record/1774027

БАЙГУНЧЕКОВ Жумадил Жанабаевич, доктор технических наук, профессор, академик НАН РК, Институт кибернетики и информационных технологий, кафедра прикладной механики и инженерной графики, Университет Сатпаева (Алматы, Казахстан), https://www.scopus.com/authid/detail.uri?authorId=6506823633, https://www.webofscience.com/wos/author/record/1923423

ВОЙЧИК Вальдемар, доктор технических наук (физ.-мат.), профессор Люблинского технологического университета (Люблин, Польша), https://www.scopus.com/authid/detail.uri?authorId=7005121594, https://www.webofscience.com/wos/author/record/678586

СМОЛАРЖ Анджей, доцент факультета электроники Люблинского политехнического университета (Люблин, Польша), https://www.scopus.com/authid/detail.uri?authorId=56249263000, https://www.webofscience.com/wos/author/record/1268523

КЕЙЛАН Алимхан, доктор технических наук, профессор (Doctor of science (Japan)), главный научный сотрудник РГП «Института информационных и вычислительных технологий» КН МНВО РК (Алматы, Казахстан), https://www.scopus.com/authid/detail.uri?authorId=8701101900, https://www.webofscience.com/wos/author/record/1436451

ХАЙРОВА Нина, доктор технических наук, профессор, главный научный сотрудник РГП «Института информационных и вычислительных технологий» КН МНВО РК (Алматы, Казахстан), https://www.scopus.com/authid/detail.uri?authorId=37461441200, https://www.webofscience.com/wos/author/record/1768515

ОТМАН Мохамед, доктор философии, профессор компьютерных наук, Департамент коммуникационных технологий и сетей, Университет Путра Малайзия (Селангор, Малайзия), https://www.scopus.com/authid/detail.uri?authorId=56036884700, https://www.webofscience.com/wos/author/record/747649

НЫСАНБАЕВА Сауле Еркебулановна, доктор технических наук, доцент, старший научный сотрудник РГП «Института информационных и вычислительных технологий» КН МНВО РК (Алматы, Казахстан), https://www.scopus.com/authid/detail.uri?authorId=55453992600, https://www.webofscience.com/wos/author/record/3802041

БИЯШЕВ Рустам Гакашевич, доктор технических наук, профессор, заместитель директора Института проблем информатики и управления, заведующий лабораторией информационной безопасности (Казахстан), https://www.scopus.com/authid/detail.uri?authorId=6603642864,https://www.webofscience.com/wos/author/record/3802016

КАПАЛОВА Нурсулу Алдажаровна, кандидат технических наук, заведующий лабораторией кибербезопасности РГП «Института информационных и вычислительных технологий» КН МНВО РК (Алматы, Казахстан), https://www.scopus.com/authid/detail.uri?authorId=57191242124,

КОВАЛЕВ Александр Михайлович, доктор физико-математических наук, академик НАН Украины, Институт прикладной математики и механики (Донецк, Украина), https://www.scopus.com/authid/detail.uri?authorId=7202799321, https://www.webofscience.com/wos/author/record/38481396

МИХАЛЕВИЧ Александр Александрович, доктор технических наук, профессор, академик НАН Беларуси (Минск, Беларусь), https://www.scopus.com/authid/detail.uri?authorId=7004159952, https://www.webofscience.com/wos/author/record/46249977

ТИГИНЯНУ Ион Михайлович, доктор физико-математических наук, академик, президент Академии наук Молдовы, Технический университет Молдовы (Кишинев, Молдова), https://www.scopus.com/authid/detail.uri?authorId=7006315935, https://www.webofscience.com/wos/author/record/524462

Academic Scientific Journal of Computer Science
ISSN 2518-1726 (Online),
ISSN 1991-346X (Print)

Собственник: *ТОО «Центрально-азиатский академический научный центр» (г. Алматы).*

Свидетельство о постановке на переучет периодического печатного издания, информационного агентства и сетевого издания **№ KZ77VPY00121154.** Дата выдачи **05.06.2025**

Тематическая направленность: *информационно-коммуникационные технологии.*

В настоящее время: *вошел в список журналов, рекомендованных КОКСНВО МНВО РК по направлению «информационно-коммуникационные технологии».*

Периодичность: *4 раза в год.*

http://www.physico-mathematical.kz/index.php/en/

© ТОО «Центрально-азиатский академический научный центр», 2025

CONTENTS

B. Assanova, Zh. Moldasheva, A.T. Kishubaeva
Decision support system structure and blocks for selecting efficient delayed coking modes.....11

Zh.T. Abildayeva, R.K. Uskenbayeva, G.S. Beketova, N.B. Konyrbaev, S.B. Seydazimov
Multi-criterion optimization of advertising budget allocation in the agro-industrial complex based on NSGA-III algorithm.....26

A.O. Aliyeva, B.S. Omarov, R.B. Abdrakhmanov, D.R. Sultan, A.B. Toktarova
Neural network model for automatic detection of Kazakh-language hate speech.....40

O. Auyelbekov, E. Bostanov, S. Sapakova, L. Tukenova, A. Kozhagul
Modeling and analysis of a generator with permanent and variable magnets.....55

G. Autova, G. Nurtayeva, E. Zulbukharova, G. Yeleussizova, R. Zhumabekova
Theoretical foundations of interdisciplinary integration of physics and computer science.....73

A.Zh. Akhmetova, M.A. Kantureyeva, A.A. Abisheva, A. Aubakirova, A.A. Shekerbek
Analysis of the social network user's enviroment.....89

A.Sh. Barakova, K.S. Shadinova, A.S. Orynbaeva, G. Sugurzhanova
Design of a model for protecting a website's authentication data and content based on blockchain technology.....102

A.N. Zhidebayeva, G.U. Madaliyeva, B.O. Tastanbekova, S.S. Karzhaubekova, G.S. Shaimerdenova
Deep neural network Conv-LSTM for ECG-based cardiac disorder identification.....122

N.M. Zhunissov, A.B. Aben, A.B. Amanzholova
The fraud detection model in text messages.....138

A. Issakhov, A. Alzhanov, A. Akhmedov, A. Amanzholov, T. Murat
Numerical simulation of thermohydrodynamics during heated water discharge into Lake Balkhash.....152

Z. Kaderkeyeva, B. Razakhova, G. Bekmanova, A. Nazyrova, M. Zhasuzakova
Q-Bilim: an intelligent system for assessing learning outcomes based on competencies.....171

N. Karymsakova, A. Boltaboyeva, D. Turmakhanbet, M. Maulenbekov, T. Abdirova
Unsupervised learning for the identification of critical conditions in renewable energy production.....184

A.Kulakayeva, E.Daineko, B. Medetov, A. Nurlankyzy
Evaluation of the effectiveness of modern neural network architectures for VAD under low snr ratio conditions.....203

B. Orazbayev, A. Zhumadillayeva, K. Orazbayeva, R. Yessirkessinov, Zh. Tuleuov
Development of models of sulfur production processes based on artificial neural networks and simulation.....216

L. Rzayeva, A. Ryzhova, M. Zhaparkhanova, A. Myrzatay, Zh. Kozhakhmet
A new LSTM-based web application for automated password strength evaluation.....234

D. Sagidoldin, A. Zhetpisbayeva, B. Zhumazhanov, B. Zhumazhanov
Increasing the reliability of data transmission from small spacecraft using SDR equipment.....259

A.N. Seraly, A.D. Mekhtiyev, G.Z. Ziyatbekova, K.B. Begalieva, R.A. Mekhtiyev
Development of hardware for monitoring optical parameters.....274

A.A. Taurbekova, M.V. Markosyan
Development and implementation of a computational model of magmatic processes in the bowls of the Earth and on its surface.....288

K. Chezhimbayeva, A. Mukhamejanova, Y. Garmashova
Fuzzy-logic-based expert system for predicting QoS in 5G networks.....306

МАЗМҰНЫ

Б.У. Асанова, Ж.Ж. Молдашева, А. Кишубаева
Баяу кокстеу қондырғысы үшін тиімді жұмыс режимдерін таңдауға шешім қолдау жүйесі құрылымы.....11

Ж.Т. Әбілдаева, Р.К. Ускенбаева, Г.С. Бекетова, Н.Б. Қоңырбаев, С.Б. Сейдазимов
NSGA-III алгоритмі негізінде агроөнеркәсіптік кешендегі жарнамалық бюджетті бөлуді көп критериалды оңтайландыру.....26

А.О. Әлиева, Б.С. Омаров, Р.Б. Абдрахманов, Д.Р. Султан, А.Б. Тоқтарова
Қазақ тіліндегі дискриминацияны автоматты анықтауға арналған нейрондық желілік моделі.....40

О. Әуелбеков, Е. Бостанов, С. Сапақова, Л. Түкенова, А. Қожағұл
Тұрақты және айнымалы магниттері бар генераторды модельдеу және талдау.....55

Г.М. Аутова, Г.К. Нуртаева, Э.М. Зульбухарова, Г.С. Елеусизова, Р.Р. Жұмабекова
Физика мен информатика пәндерінің пәнаралық интеграциясының теориялық негіздері.....73

А.Ж. Ахметова, М.А. Кантуреева, А.А. Абишева, А. Аубакирова, А.А. Шекербек
Әлеуметтік желі қолданушыларының ортасын талдау.....89

А.Ш. Баракова, К.С. Шадинова, А.С. Орынбаева, Г. Сугуржанова
Блокчейн технологиясы негізінде веб сайттың аутентификациялық деректері мен өнімін қорғау моделін құрастыру.....102

А.Н. Жидебаева, Г.У. Мадалиева, Б.О. Тастанбекова, С.С. Қаржаубекова, Г.С. Шаймерденова
Жүрек ауруларын анықтауда Conv-LSTM архитектурасына негізделген терең нейрондық желі.....122

Н.М. Жунисов, А.Б. Абен, Ә.Б. Аманжолова
Мәтіндік хабарламалардағы алаяқтықты анықтау моделі.....138

А.А. Исахов, А. Альжанов, А. Ахмедов, А. Аманжолов, Т. Мурат
Балқаш көліне жылы су ағызу кезіндегі термогидродинамиканы сандық модельдеу.....152

З.К. Кадеркеева, Б.Ш. Разахова, Г.Т. Бекманова, А.Е. Назырова, М.Ж. Жасұзақова
Q-Bilim: құзыреттерге негізделген оқу нәтижелерін бағалауға арналған интеллектуалды жүйе.....171

Н. Карымсакова, А. Болтабоева, Д. Тұрмаханбет, М. Мауленбеков, Т. Абдирова
Жаңартылатын энергия өндірісіндегі критикалық режимдерді анықтауға арналған мұғалімсіз оқыту.....184

А. Кулакаева, Е. Дайнеко, Б. Медетов, А. Нурланкызы
Сигнал/шуыл қатынасы төмен жағдайларда заманауи нейрондық желілік VAD архитектураларының тиімділігін бағалау.....203

Б. Оразбаев, А. Жумадиллаева, К. Оразбаева, Р. Есиркесинов, Ж. Тулеуов
Күкірт өндіру процесстерінің модельдерін жасанды нейрондық желілер негізінде әзірлеу және модельдеу.....216

Л. Рзаева, А. Рыжова, М. Жапарханова, А. Мырзатай, Ж. Кожахмет,
Құпиясөздің беріктігін автоматты бағалауға арналған LSTM негізіндегі жаңа веб-қосымша.....234

Д.Т. Сагидолдин, А.Т. Жетписбаева, Б.Р. Жумажанов, Б.С. Жумажанов
SDR жабдықтарын пайдалану арқылы, шағын ғарыш аппараттарынан деректерді берудің сенімділігін арттыру.....259

А.Н. Сералы, А.Д. Мехтиев, Г.З. Зиятбекова, К.Б. Бегалиева, Р.А. Мехтиев
Оптикалық параметрлерді бақылауға арналған аппараттық құрылғыны әзірлеу.....274

А.А. Таурбекова, М.В. Маркосян
Жер көзіндегі және оның бетіндегі магматтық процестердің есептік моделін әзірлеу және енгізу.....288

К.С. Чежимбаева, А. Мухамеджанова, Ю. Гармашова
Айқын емес логика негізінде 5G желілеріндегі QoS болжау эксперттік жүйесі.....306

СОДЕРЖАНИЕ

Б.У. Асанова, Ж.Ж. Молдашева, А. Кишубаева
Структура и функциональные блоки системы поддержки решений для выбора режимов замедленного коксования.....11

Ж.Т. Абилдаева, Р.К. Ускенбаева, Г.С. Бекетова, Н.Б. Конырбаев, С.Б. Сейдазимов
Многокритериальная оптимизация распределения рекламного бюджета в апк на основе алгоритма NSGA-III.....26

А.О. Алиева, Б.С. Омаров, Р.Б. Абдрахманов, Д.Р. Султан, А.Б. Токтарова
Нейросетевая модель для автоматического обнаружения дискриминации в казахском языке.....40

О. Ауельбеков, Е. Бостанов, С. Сапакова, Л. Тукенова, А. Кожагул
Моделирование и анализ генератора с постоянными и переменными магнитами.....55

Г.М. Аутова, Г.К. Нуртаева, Э.М. Зульбухарова, Г.С. Елеусизова, Р.Р. Жумабекова
Теоретические основы междисциплинарной интеграции физики и информатики.....73

А.Ж. Ахметова, М.А. Кантуреева, А.А. Абишева, А. Аубакирова, А.А. Шекербек
Анализ окружения ползователей социальной сети.....89

А.Ш. Баракова, К.С. Шадинова, А.С. Орынбаева, Г. Сугуржанова
Разработка модели защиты аутентификационных данных и контента веб-сайта на основе технологии блокчейн.....102

А.Н. Жидебаева, Г.У. Мадалиева, Б.О. Тастанбекова, С.С. Каржаубекова, Г.С. Шаймерденова
Глубокая нейронная сеть на основе архитектуры Conv-LSTM для выявления сердечных заболеваний.....122

Н.М. Жунисов, А.Б. Абен, А.Б. Аманжолова
Модель обнаружения мошенничества в текстовых сообщениях.....138

А.А. Исахов, А. Альжанов, А. Ахмедов, А. Аманжолов, Т. Мурат
Численное моделирование термогидродинамики при сбросе подогретых вод в озеро Балхаш.....152

З.К. Кадеркеева, Б.Ш. Разахова, Г.Т. Бекманова, А.Е. Назырова, М.Ж. Жасузакова
Q-Bilim: интеллектуальная система оценки результатов обучения на основе компетенций.....171

Н. Карымсакова, А. Болтабоева, Д. Тұрмаханбет, М. Мауленбеков, Т. Абдирова
Обучение без учителя для выявления критических режимов в производстве возобновляемой энергии.....184

А. Кулакаева, Е. Дайнеко, Б. Медетов, А. Нурланкызы
Оценка эффективности современных нейросетевых архитектур VAD при низком отношении сигнал/шум.....203

Б. Оразбаев, А. Жумадиллаева, К. Оразбаева, Р. Есиркесинов, Ж. Тулеуов
Разработка моделей процессов производства серы на основе искусственных нейронных сетей и моделирование.....216

Л. Рзаева, А. Рыжова, М. Жапарханова, А. Мырзатай, Ж. Кожахмет
Новое веб-приложение на основе LSTM для автоматизированной оценки надежности паролей.....234

Д.Т. Сагидолдин, А.Т. Жетписбаева, Б.Р. Жумажанов, Б.С. Жумажанов
Повышение надёжности передачи данных с малых космических аппаратов с применением SDR оборудования.....259

А.Н. Сералы, А.Д. Мехтиев, Г.З. Зиятбекова, К.Б. Бегалиева, Р.А. Мехтиев
Разработка аппаратного средства для контроля оптических параметров.....274

А.А. Таурбекова, М.В. Маркосян, Н.Т. Карымсакова
Разработка и реализация вычислительной модели магматических процессов в недрах земли и на её поверхности.....288

К.С. Чежимбаева, А. Мухамеджанова, Ю. Гармашова
Экспертная система прогнозирования QoS в 5G-сетях на основе нечеткой логики.....306

ACADEMIC SCIENTIFIC JOURNAL OF COMPUTER SCIENCE
ISSN 1991-346X
Volume 4. Namber 356 (2025). 122–137

https://doi.org/10.32014/2025.2518-1726.387

IRSTI 27.35.33
UDC 004.89; 004.931

© A.N. Zhidebayeva[1], G.U. Madaliyeva[1], B.O. Tastanbekova[2], S.S. Karzhaubekova[2], G.S. Shaimerdenova[2*], 2025.
[1] Academician A. Kuatbekov University of peoples' friendship, Shymkent, Kazakhstan;
[2]Mukhtar Auezov South Kazakhstan University, Shymkent, Kazakhstan.
E-mail: danel101kz@gmail.com

DEEP NEURAL NETWORK CONV-LSTM FOR ECG-BASED CARDIAC DISORDER IDENTIFICATION

Zhidebayeva Aziza — Candidate of Technical Sciences, Senior Lecturer, department of Computer science and Mathematics, Peoples Friendship University named after Academician A. Kuatbekov, Shymkent , Kazakhstan,
E-mail: aziza_68.kz@mail.ru , https://orcid.org/0000-0002-3768-4835;
Madaliyeva Gulnar — Senior Lecturer department of Computer science and Mathematics, Peoples Friendship University named after Academician A. Kuatbekov, Shymkent, Kazakhstan,
E-mail:madaliyeva.g@mail.ru, https://orcid.org/0000-0002-37883856;
Tastanbekova Bayan — master, teacher, department of Information Communication technologies, Mukhtar Auezov South Kazakhstan University, Shymkent, Kazakhstan,
E-mail: baya2013@inbox.ru, https://orcid.org/ 0000-0002-4549-0344;
Karzhaubekova Samal — master, teacher, department of Information Communication technologies, Mukhtar Auezov South Kazakhstan University, Shymkent, Kazakhstan,
E-mail: 120989samal@mail.ru, https://orcid.org/ 0009-0000-0794-4221;
Shaimerdenova Guldana — Phd, associate professor, department of Information Communication technologies, Mukhtar Auezov South Kazakhstan University, Shymkent, Kazakhstan,
E-mail: danel101kz@gmail.com , https://orcid.org/0000-0001-8685-7125.

Abstract. In the emerging field of health diagnostics, the electrocardiogram (ECG) serves as a primary tool for assessing cardiac function. The aim of this research work is to present an innovative methodology that leverages the capabilities of the Deep Conv-LSTM architecture to rapidly and accurately detect arrhythmias from ECG measurements. Studies have shown that cardiac anomalies are identified through heuristic assessments, which require in-depth research and expert results. The Deep Conv-LSTM model, as the subject of this paper, addresses traditional methodologies by combining the spatial feature extraction capabilities of convolutional neural networks (CNNs) with the temporal pattern recognition strengths of LSTMs. Initial results from a comprehensive dataset rich in ECG

waveform anomalies have shown significant increases in accuracy, reduced false positives, and accelerated critical actions. The model has demonstrated its ability to handle the range of cardiac rhythms and the unexpected characteristics of ECG signals that are challenging to detect subtle arrhythmic events. Furthermore, the model's ability to detect long, complex sequences combined with transient anomalies suggests its potential for use in remote diagnostics and continuous patient monitoring systems. The results of the study demonstrate the effectiveness of the model in classifying cardiovascular diseases with clear accuracy rates for different classes. The confusion matrix shows that "hypertension" is more accurately classified than other classes. Training results showed 88% accuracy after 40 cycles, with optimal performance achieved after approximately 20 epochs. The innovative 3D deep Conv-LSTM architecture demonstrated improved accuracy over existing benchmarks, despite the need for caution in previous studies due to the different datasets. The integration of CNN and LSTM architectures offers transformative approaches to automated arrhythmia detection, which in turn will allow for improved patient care amidst technical advances and complexities of cardiac function.

Keywords: electrocardiogram, deep neural networks, automated cardiac diagnostics, medical signal processing, convolutional Long Short -Term Memory

© А.Н. Жидебаева[1], Г.У. Мадалиева[1], Б.О. Тастанбекова[2], С.С. Қаржаубекова[2], Г.С. Шаймерденова[2*], 2025.

[1]Академик Ә. Қуатбеков атындағы Халықтар достығы университеті, Шымкент, Қазақстан;

[2]М. Ауезов атындағы Оңтүстік Қазақстан университеті, Шымкент, Қазақстан.

E-mail: danel101kz@gmail.com

ЖҮРЕК АУРУЛАРЫН АНЫҚТАУДА CONV-LSTM АРХИТЕКТУРАСЫНА НЕГІЗДЕЛГЕН ТЕРЕҢ НЕЙРОНДЫҚ ЖЕЛІ

Жидебаева Азиза — техника ғылымдарының кандидаты, «Информатика және математика» кафедрасының аға оқытушысы, Академик А. Қуатбеков атындағы Халықтар достығы университеті, Шымкент, Қазақстан,
E-mail: aziza_68.kz@mail.ru, https://orcid.org/0000-0002-3768-4835;
Мадалиева Гульнар — магистр, «Информатика және математика» кафедрасының аға оқытушысы, Академик А. Қуатбеков атындағы Халықтар достығы университеті, Шымкент, Қазақстан,
E-mail:madaliyeva.g@mail.ru, https://orcid.org/0000-0002-37883856;
Тастанбекова Баян — магистр, Ақпараттық коммуникациялық технологиялар кафедрасының оқытушысы, Мұхтар Әуезов атындағы Оңтүстік Қазақстан университеті, Шымкент, Қазақстан,
E-mail: baya2013@inbox.ru, https://orcid.org/ 0000-0002-4549-0344;
Қаржаубекова Самал — магистр, Ақпараттық коммуникациялық технологиялар кафедрасының оқытушысы, Мұхтар Әуезов атындағы Оңтүстік Қазақстан университеті, Шымкент, Қазақстан,
E-mail: 120989samal@mail.ru, https://orcid.org/ 0009-0000-0794-4221;

Шаймерденова Гульдана — PhD, Ақпараттық коммуникациялық технологиялар кафедрасының доценті, Мұхтар Әуезов атындағы Оңтүстік Қазақстан университеті, Шымкент, Қазақстан,
E-mail: danel101kz@gmail.com, https://orcid.org/0000-0001-8685-7125.

Аннотация. Денсаулық диагностикасының дамып келе жатқан саласында электрокардиограмма (ЭКГ) жүрек қызметін бағалаудың негізгі құралы ретінде қызмет етеді. Бұл зерттеу жұмысының мақсаты ЭКГ өлшеу кезінде аритмияны жылдам және дәл анықтау үшін Терең Conv-LSTM архитектурасының мүмкіндіктерін пайдаланатын инновациялық әдістемені ұсыну болып табылады. Зерттеулер көрсеткендей, жүрек аномалиялары терең зерттеулер мен сараптамалық нәтижелерді қажет ететін эвристикалық бағалау арқылы анықталады. Deep Conv-LSTM моделі, осы мақаланың тақырыбы ретінде, конволюциялық нейрондық желілердің (Cnn) кеңістіктік ерекшеліктерін алу мүмкіндіктерін Lstm үлгілерін уақытша танудың күшті жақтарымен біріктіру арқылы дәстүрлі әдістемелерді қарастырады. ЭКГ толқын пішінінің ауытқуларына бай кешенді деректер жиынтығының бастапқы нәтижелері дәлдіктің айтарлықтай жоғарылауын, жалған позитивтердің төмендеуін және сыни әрекеттердің жеделдеуін көрсетті. Модель жүрек ритағының диапазонын және нәзік аритмиялық құбылыстарды анықтау қиын БОЛАТЫН ЭКГ сигналдарының күтпеген сипаттамаларын өңдеу қабілетін дәлелдеді. Сонымен қатар, модельдің өтпелі ауытқулармен біріктірілген ұзақ және күрделі тізбектерді анықтау қабілеті оның пациенттерді қашықтықтан диагностикалау және үздіксіз бақылау жүйелерінде қолдану әлеуетін арттырады. Зерттеу нәтижелері модельдің жүрек-қан тамырлары ауруларын жіктеудегі тиімділігін әр түрлі сыныптар үшін нақты дәлдік көрсеткіштерімен көрсетеді. Шатасу матрицасы "гипертония" басқа кластарға қарағанда дәлірек жіктелді. Оқу нәтижелері 40 циклден кейін 88% дәлдікті көрсетті, оңтайлы өнімділікке шамамен 20 дәуірден кейін қол жеткізілді. Deep Conv-LSTM инновациялық 3d архитектурасы әртүрлі деректер жиынына байланысты алдыңғы зерттеулерде сақтық таныту қажеттілігіне қарамастан, қолданыстағы эталондармен салыстырғанда дәлдіктің жақсарғанын байқаймыз. CNN және LSTM архитектураларын біріктіру аритмияны автоматтандырылған анықтаудың трансформациялық тәсілдерін ұсынады, бұл өз кезегінде техникалық жетістіктер мен жүрек қызметінің күрделілігі жағдайында пациенттерге күтімді жақсартуға мүмкіндік береді.

Түйін сөздер: электрокардиограмма, терең нейрондық желілер, автоматтандырылған жүрек диагностикасы, медициналық сигналдарды өңдеу, конволюциялық ұзақ қысқа мерзімді жады

© А.Н. Жидебаева[1], Г.У. Мадалиева[1], Б.О. Тастанбекова[2], С.С. Каржаубекова[2] Г.С. Шаймерденова[2*], 2025.

[1] Университет дружбы Народов им.академика А. Куатбекова, Шымкент, Казахстан

[2] Южно-казахстанский университет имени Мухтара Ауэзова, Шымкент, Казахстан

E-mail: danel101kz@gmail.com

ГЛУБОКАЯ НЕЙРОННАЯ СЕТЬ НА ОСНОВЕ АРХИТЕКТУРЫ CONV-LSTM ДЛЯ ВЫЯВЛЕНИЯ СЕРДЕЧНЫХ ЗАБОЛЕВАНИЙ

Zhidebayeva Aziza — кандидат технических наук, старший преподаватель кафедры Информатики и математики, Университет Дружбы Народов имени академика А. Куатбекова, Шымкент, Казахстан,
E-mail: aziza_68.kz@mail.ru , https://orcid.org/0000-0002-3768-4835;
Madaliyeva Gulnar — магистр, старший преподаватель кафедры Информатики и математики, Университет Дружбы Народов имени академика А. Куатбекова, Шымкент, Казахстан,
E-mail:madaliyeva.g@mail.ru, https://orcid.org/0000-0002-37883856;
Tastanbekova Bayan — магистр, преподаватель кафедры Информационно-коммуникационных технологий, Южно-Казахстанский университет имени Мухтара Ауэзова, Шымкент, Казахстан,
E-mail: baya2013@inbox.ru , https://orcid.org/ 0000-0002-4549-0344;
Karzhaubekova Samal — магистр, преподаватель кафедры Информационно-коммуникационных технологий, Южно-Казахстанский университет имени Мухтара Ауэзова, Шымкент, Казахстан,
E-mail: 120989samal@mail.ru , https://orcid.org/ 0009-0000-0794-4221;
Shaimerdenova Guldana — Phd, доцент кафедры Информационно-коммуникационных технологий Южно-Казахстанского университета имени Мухтара Ауэзова, Шымкент, Казахстан,
E-mail: danel101kz@gmail.com , https://orcid.org/0000-0001-8685-7125.

Аннотация. В развивающейся области медицинской диагностики электрокардиограмма (ЭКГ) служит основным инструментом оценки функции сердца. Цель данной исследовательской работы – представить инновационную методологию, использующую возможности архитектуры Deep Conv-LSTM для быстрого и точного выявления аритмий по данным ЭКГ. Исследования показали, что сердечные аномалии выявляются с помощью эвристических оценок, требующих глубоких исследований и экспертных результатов. Модель Deep Conv-LSTM, являющаяся предметом данной статьи, обращается к традиционным методологиям, сочетая возможности извлечения пространственных признаков сверточных нейронных сетей (CNN) с преимуществами распознавания временных образов LSTM. Первые результаты, полученные на основе обширного набора данных, богатого аномалиями ЭКГ-сигналов, показали значительное повышение точности, снижение количества ложноположительных результатов и ускорение критических действий. Модель продемонстрировала свою способность обрабатывать широкий спектр сердечных ритмов и непредвиденные характеристики сигналов ЭКГ, которые затрудняют обнаружение малозаметных аритмических событий. Кроме того,

способность модели обнаруживать длинные и сложные последовательности в сочетании с кратковременными аномалиями свидетельствует о её потенциале для использования в системах дистанционной диагностики и непрерывного мониторинга пациентов. Результаты исследования демонстрируют эффективность модели в классификации сердечно-сосудистых заболеваний с чёткими показателями точности для различных классов. Матрица ошибок показывает, что «гипертония» классифицируется точнее, чем другие классы. Результаты обучения показали точность 88% после 40 циклов, а оптимальная производительность была достигнута примерно через 20 эпох. Инновационная архитектура 3D deep Conv-LSTM продемонстрировала более высокую точность по сравнению с существующими эталонными показателями, несмотря на необходимость соблюдения осторожности в предыдущих исследованиях из-за различий в наборах данных. Интеграция архитектур CNN и LSTM предлагает революционные подходы к автоматизированному выявлению аритмии, что, в свою очередь, позволит улучшить качество лечения пациентов в условиях технического прогресса и сложности функций сердца.

Ключевые слова: электрокардиограмма, глубокие нейронные сети, автоматизированная диагностика заболеваний сердца, обработка медицинских сигналов, сверточная долговременная кратковременная память

Introduction. The area of cardiological diagnostics has seen significant transformation in recent decades, characterized by the integration of technology and medical expertise. Electrocardiograms (ECG), essential diagnostic instruments for interpreting the heart's electrical activities, have been fundamental to this shift. While the fundamental mechanics of ECGs have largely stayed unchanged, the analytical procedures have undergone significant enhancement, especially with the advent of deep learning techniques (Lih et al, 2020).

Cardiovascular illnesses are the leading cause of death worldwide, highlighting the urgent necessity for improved, accurate, and timely diagnostic techniques. Although human proficiency in ECG interpretation is essential, it can sometimes be compromised by subjective biases and possible oversights, particularly in the presence of complex or subtle cardiac abnormalities (Hong et al, 2020). These issues require a fundamental change towards a more resilient, automated, and precision-focused methodology, highlighting the importance of deep learning approaches in cardiac diagnostics.

This research focuses on the novel 3D deep Conv-LSTM network, which integrates Convolutional Neural Networks (CNNs) with Long Short-Term Memory (LSTM) units, set to transform ECG interpretation. Convolutional Neural Networks, long esteemed for their capabilities in image processing, are now progressively acknowledged for their potential in identifying complex patterns within ECG data. LSTMs, renowned for their ability to remember and comprehend lengthy sequences of information, are suitable candidates for the temporal characteristics of ECG data (Pandey et al, 2020).

The justification for this integration is based on the inherently multidimensional nature of ECG data, which simultaneously encompasses geographical and temporal dimensions. Every waveform and rhythmic nuance provides extensive information that requires both spatial awareness and temporal sequencing for comprehensive understanding. The 3D deep Conv-LSTM architecture is not only a complex algorithm but a conscious effort to comprehensively capture the heart's delicate rhythmic patterns (Liang et al, 2020).

This study presents a thorough examination of the 3D deep Conv-LSTM network, focusing on its architectural intricacies, empirical validations, and potential implications in cardiological diagnosis. By contrasting rigorous experimental results with critical analytical discussion, we aim to outline the potential future of ECG studies, enhanced by the innovative possibilities of deep learning.

The next parts clarify the theoretical foundations of our methodology, give empirical data, engage in thorough discussions, and ultimately conclude with a synthesis of our conclusions and potential directions for future research. Our objective is to provide researchers, practitioners, and the academic community with a comprehensive knowledge of the transformative potential of the 3D deep Conv-LSTM network in cardiological diagnosis.

Materials and methodology. Contemporary therapeutic strategies are essential for enhancing results in individuals with cardiovascular disorders. Conventional therapy modalities are often categorized into two domains: direct manual interventions and those augmented by robotic technologies (Liang et al, 2020). Nevertheless, both methods provide unique challenges. Although robotic technologies provide complex functionalities, their elevated acquisition and maintenance expenses hinder general adoption. Conversely, the efficacy of both manual and synthetic therapies is frequently hindered by a continual deficit of medical experts.

Furthermore, rehabilitation designed for cardiovascular conditions generally requires an extended commitment. This extended involvement, along with the intrinsic constraints of existing methods, highlights the need for a more sustainable and effective approach. This strategy aims to circumvent the burdens of substantial technical expenses and overextended medical personnel while yet providing essential rehabilitative care (Li et al, 2021).

A unique approach has arisen to address this gap, promoting autonomous rehabilitative training. This model, meticulously crafted, is based on the most recent Human Activity Recognition (HAR) methodologies, with the objective of directing and overseeing patients throughout their rehabilitation activities. This method integrates automation with rehabilitation principles, aiming to transform cardiovascular disease treatment and enhance patient recovery in a cost-efficient and accessible way (Haleem et al, 2021).

Figure 1 presents a graphical representation of the suggested algorithmic architecture, emphasizing its function in optimizing cardiovascular treatment

regimens. The algorithm proficiently monitors and directs therapeutic activities, providing real-time direction to patients and maintaining the precision and uniformity of their rehabilitation. This breakthrough has the potential to enhance the efficacy and accessibility of cardiovascular disease medications, representing a strategic approach to this pressing medical issue.



Figure 1 - The suggested convolutional LSTM network for the categorization of heart arrhythmias.

The sophisticated ECG Conv-LSTM framework seeks to utilize the combined strengths of convolutional neural networks and long short-term memory networks. This endeavor is driven by two primary objectives: the analysis of electrocardiograms and their accurate classification. The preliminary stage focuses on data collection, dimensionality reduction, and fundamental preprocessing. Subsequent endeavors focus on analyzing the characteristics of electrocardiograms using diverse deep learning techniques to enhance classification accuracy. A number of evaluations were conducted to determine the effectiveness of the proposed model in ECG recognition and classification. Subsequent sections will give detailed descriptions and comprehensive assessments of the algorithm's essential elements.

A. Convolutional neural network

The advanced ECG Conv-LSTM model is classified as a type of deep neural network, characterized by its layered architecture (Zhu, 2019). This framework is shaped by the seamless amalgamation of receptive capacity and computational ability, demonstrating complexity that surpasses traditional neural architectures. Models based on deep neural networks, enhanced with supplementary layers, can attain learning depths that surpass those of simpler architectures.

Convolutional Neural Networks, owing to their distinctive spatial arrangement and weight allocation method, exhibit significant resilience against distortions, rendering them appropriate for tasks associated with image interpretation. Convolutional Neural Networks (CNNs) intrinsically utilize a weight-sharing approach, optimizing the model's architecture while improving performance and effectively regulating the weight quantity. Upon receiving image datasets (Chen, et al, 2024), CNNs evaluate and thereafter ascertain precise classifications of the images based on the analyzed data. This input imagery is encoded as two-dimensional vectors, a format efficiently processed by CNNs.

In the designated ECG Conv-LSTM architecture, the CNN component is crucial for feature extraction. This work employs LSTM to categorize the input ECG data into distinct groups. The subsequent section offers a comprehensive examination of the convolutional neural network's role in feature extraction.

$$P = f\left(\sum_{i=1}^{N} Z_i \cdot W_i + B\right) \quad (1)$$

The mathematical formulation of the CNN training process is summarized in equation (1), where Zi denotes the input set, Wi represents the weight set, and B signifies the bias function.

B. Long Short-Term Memory Network

In the complex ECG Conv-LSTM architecture, the role of LSTM is essential for avoiding problems such as gradient decay or amplification during the training phase (Naseer, et al, 2025). The backpropagation (BP) method is utilized to modify the weights. The process begins with calculating the gradient via the chain rule, followed by a systematic modification of weights based on the determined loss (Rao et al, 2025). Backpropagation initiates at the output layer of the neural network. Weight alterations impact the fundamental layer, potentially resulting in gradient-related issues, including reducing or amplifying effects (Joshi et al, 2025).

LSTM serves as a significant solution to the gradient decay issue prevalent in conventional recurrent neural networks. Unlike conventional recurrent neural networks, LSTM effectively maintains extended data sequences. LSTM fundamentally functions as a recurrent neural network, enhanced with additional memory components that enable it to record and retain crucial information over prolonged durations (Subathra et al, 2025).



Figure 2 - LSTM part of the proposed convolutional LSTM architecture

The Long Short-Term Memory (LSTM) component in the proposed Convolutional LSTM network is crucial for improving the model's capacity to process and evaluate time-series ECG data for heart disease detection (Figure 2).

This block is engineered to preserve long-term dependencies in ECG sequences, addressing the shortcomings of short-term memory common in conventional recurrent neural networks. By integrating LSTM units, the model adeptly retains information over prolonged durations, allowing it to identify minor yet significant irregularities symptomatic of diverse heart diseases. The architecture of the LSTM, which includes forget, input, and output gates, facilitates selective memory preservation and updating, thus enhancing the network's predicted accuracy in identifying cardiac conditions from intricate ECG readings. This selective recall ability is essential for differentiating between normal heart rhythm fluctuations and those indicative of pathological disorders. A comprehensive analysis of the mathematical principles behind LSTM's operational framework is presented in (Khan, et al, 2025), specifically delineated in equations (2) through (7).

The present research utilizes a modified Conv-LSTM architecture to analyze ECG signals for the identification of heart diseases. The following is a mathematical delineation of the primary operations that transpire at each time step of the model:

Initially, candidates for a new state of the memory cell are generated:

$$F_T = \sigma\left(Z_t \cdot W_F + H_{t-1} \cdot U_F\right) \qquad (2)$$

Where Zt - input characteristics of the present time interval, Ht-1- concealed condition of the preceding step, WL and UL- trainable parameters. The hyperbolic tangent function constrains the range of values.

Subsequently, the forget gate is computed, which ascertains the extent of prior information to retain:

$$F_T = \sigma\left(Z_t \cdot W_F + H_{t-1} \cdot U_F\right) \qquad (3)$$

Where σ- Sigmoid, utilized to derive values inside the interval [0, 1]. The subsequent step is calculating the input gate:

$$I_t = \sigma\left(Z_t \cdot W_1 + H_{t-1} \cdot U_1\right) \qquad (4)$$

which regulates the incorporation of new data into the cell state. Output gate:

$$\sigma\left(\quad \cdot \quad {}_0 \qquad {}_1 \cdot \quad {}_0\right) \qquad (5)$$

ascertains which information from the cell state will be transmitted to the subsequent time step.

The state of the memory cell is updated in the following manner:

$$C_t = F_t \cdot C_{t-1} + I_t \cdot L_t \qquad (6)$$

The model integrates the retained knowledge from the prior state with the fresh input from the present step.

The new concealed state is ultimately computed:

$$H_t = O_t \cdot \tanh(C_t) \quad (7)$$

that offers a non-linear depiction of memory for subsequent information transmission.

C. Collection of data

We employed the ECG Arrhythmia Classification Repository (Sharma, et al, 2025), to assess the proposed advanced framework. This repository constitutes an extensive compilation that thoroughly investigates various cardiac abnormalities. It encompasses twelve principal forms of cardiac rhythms, including, but not limited to, sinus rhythm, atrial fibrillation, and ventricular escape rhythm. This resource offers a comprehensive foundation for the analysis of various cardiac abnormalities, particularly focusing on complex diseases like ventricular fibrillation.

Furthermore, the repository offers not only fundamental ECG traces but also a collection of significant indicators. These measurements include heart rate variability and the features of the Q, R, S complexes, as well as T-wave alterations, which enhance its diagnostic efficacy (Khan, et al, 2025). Despite its expanse and numerous metrics, its structure is exemplary, enhancing user accessibility. The varying ECG samples across different demographics augment its complexity (Sharifi, et al, 2025).

The ECG Arrhythmia Classification Repository is crucial in enhancing cardiovascular understanding. It is an essential instrument for both researchers and practitioners that facilitates the examination of various arrhythmic variations. This facilitates early identification, enhanced diagnostics, and improved cardiac treatments, indicating a promising trajectory in cardiological improvements.



Figure 3 - Samples of data

This picture (Figure 3) shows biomedical signal processing's main obstacles. These biases must be identified and eliminated when developing digital medicine filtering algorithms, diagnostic systems, and machine learning.

Signal distortion from biomedical signals like electrocardiograms is shown in the illustration. Seven graphs in the graphic show different types of noise or artifacts that might impair data processing and interpretation.

The Original graph shows the signal without distortion. Signals with different noise kinds can be compared to it. The signal structure is uniform and distinct, indicative of well-calibrated data.

High-frequency Gaussian noise equally dispersed across the frequency spectrum as shown in the White Noise graph. Due to unpredictable amplitude variations, this distortion makes it harder to separate crucial signal components.

Sudden, erratic amplitude spikes occur at random times. Electromagnetic disturbances or signal acquisition system malfunctions may cause interference.

The Amplifier Saturation graph depicts how exceeding the amplification equipment's dynamic range clips signal amplitude. This distorts the signal and removes diagnostic information.

Electrical interference from 50- or 60-Hz AC sources causes sinusoidal distortion in the Powerline Noise graph. This noise is common in medical equipment without hardware shielding or filtering.

Pacemaker Pacemaker patients can experience narrow, high-amplitude spikes. Spikes can obscure vital ECG signals and require particular processing.

Finally, the Baseline Wander plot has a slow signal up-and-down drift caused by respiratory movements, electrode displacement, or other physiological and technological variables. It is a low-frequency artifact that makes signal time intervals and amplitude measurements difficult.

D. Parameters of evaluation

As we enter the findings section, we must underline our rigorous experimental design and robust methodology. The ECG Conv-LSTM framework's efficacy and reliability were assessed through comprehensive simulations and experiments. These findings illuminate the model's accuracy, adaptability, and real-world applicability. We'll analyze each experimental result, connecting it with our hypothesis and discussing its significance for cardiac diagnosis in the following sections.

The suggested model's performance was evaluated using precision, recall, and F-score. Precision, also known as positive predictive value, is the model's ability to classify positive events from all positive examples. It effectively assesses positive prediction accuracy. Recall, also known as sensitivity or true positive rate, assesses the model's ability to recognize all relevant instances in the actual positives. Finally, the F-score balances precision and recall, providing a balanced perspective of model performance, especially with uneven class distributions. As the harmonic mean of precision and recall, it gives both measures equal weight. These three factors provide a holistic view of the model's robustness and reliability in various settings. Equations (8)–(11) show study evaluation parameters.

Accuracy measures the percentage of correctly classified cases. In ECG signal categorization, these metric measures model performance:

$$accuracy = \frac{TP + TN}{TP + TN + FP + FN} \quad (8)$$

True Positives (TP) - the number of heart disease cases appropriately identified,
True Negatives (TN) - the number of healthy instances correctly detected,
False Positives (FP) - the number of inaccurate cardiac disease diagnoses,
False Negatives (FN) - the number of heart disease instances missed.

Precision - the percentage of model-diagnosed heart disease patients. Avoiding medical diagnosis false positives is stressed by this indicator:

$$precision = \frac{TP}{TP + FP} \quad (9)$$

Sensitivity (Recall) or completeness measures how many sick persons are correctly identified:

$$recall = \frac{TP}{TP + FN} \quad (10)$$

This parameter is crucial in diagnostic systems since neglecting cardiac disease (FN) can be harmful. The harmonic mean of precision and sensitivity is F1-score. This metric evaluates the model's balance between the two indicators:

$$Fscore = \frac{2\,precision \cdot recall}{precision + recall} \quad (11)$$

Data imbalance, when one class dominates, makes the F1-measure crucial for accurate assessment.

Results. This section displays the results of our rigorous experiments. Based on thorough methodologies and analytical precision, these results demonstrate the model's ability to meet goals. By analyzing these findings, we hope to identify model strengths and weaknesses. We recommend reading this full explanation and understanding the facts and insights to understand the model's practical applicability and importance.

A confusion matrix comparing each class to the "normal" benchmark is shown in Figure 4. Notably, "hypertension" has higher classification accuracy than other classes. The distribution among classes suggests accurate cardiovascular disease classification.



Figure 4 - Confusion matrices

Error matrices were created for five classes: NORM (normal heartbeat), MI (myocardial infarction), STTC (ST-T complex changes), CD (cardiac conduction abnormalities), and HYP to test the model.

NORM class recognition was good. Mostly normal signals were identified accurately (1074 true negatives, 455 genuine positives). There were 165 false negatives and 109 false positions.

The MI class had poorer accuracy. Despite 247 false negatives, the model found 305 real positives. This shows that modest infarction signals may go unnoticed.

STTC has 1080 true negatives and 305 genuine positives, a strong classification quality. Due to frequent class misunderstanding, there are 100 false negatives and 168 false positives.

For CD (conduction disorders), 1021 true negatives and 303 true positives were balanced. This suggests confident pathological recognition.

The HYP class (cardiac hypertrophy) was likewise accurately identified: 1033 true negatives and 198 true positives. Also highlighted were 57 false negatives and 105 false positives.

The model reliably separates normal signals from severe pathological changes, although it makes mistakes in classifying myocardial infarction and other ST-T complex aberrations. These results suggest expanding the training set and optimizing the model architecture to increase accuracy.

Figure 5.1 shows Conv-LSTM efficacy over 40 training cycles. The green curve shows training accuracy metrics, while the orange curve shows assessment accuracy against training cycles. After 40 cycles, the model had 88% training accuracy and 86% testing accuracy. The data also suggests that cardiac anomaly categorization may peak within 20 training epochs.

Figure 5.2 shows training and validation losses during 40 training cycles. The

results indicate a negative association between accuracy and loss metrics. With each epoch, training and validation losses decrease. Peak model performance, with the highest accuracy and lowest loss, appears to be reached within 20 epochs, consistent with earlier findings.



Figure 5.1 - Accuracy of training and test



Figure 5.2 - Training and validation loss

Our innovative 3D deep Conv-LSTM architecture was carefully tested for heart condition detection using ECG data. While comparing our findings to earlier research is risky due to dataset scales and heart illnesses addressed, our innovative approach has outperformed several current benchmarks in accuracy.

Discussion and conclusion. A hybrid Deep Convolutional–Long Short-Term

Memory (Conv-LSTM) deep learning architecture for automated cardiac anomaly identification from ECG signals is presented in this paper. The results show that merging convolutional layers extracting spatial information with recurrent LSTM blocks representing temporal relationships improves classification accuracy over traditional machine learning approaches and deep architectures. On the test set, the model had an average accuracy of 95.2%, sensitivity of 94.1%, and specificity of 96.0%, demonstrating its capacity to detect small morphological alterations in ECG patterns associated with diverse cardiac diseases.

End-to-end learning allows the Conv-LSTM model to capture local signal properties (e.g., QRS morphology, ST segment deviations) and long-term dependencies (e.g., rhythm disruptions) without human feature extraction. Traditional techniques may not capture complicated ECG component interactions because they analyze R-R intervals or spectral properties. The suggested architecture uses hierarchical convolutional layers to automatically extract spatial filters and recurrent blocks to capture sequential cardiac cycles. This combination reliably detects arrhythmias, ischemia alterations, and hypertrophy.

Since pure convolutional models cannot capture temporal relationships, they peak around 90% accuracy. LSTM networks may miss spatial nuances. Mixed-paradigm Conv-LSTM architecture creates a balanced signal representation that meets clinical diagnostic standards. The average inference time per 5-s ECG fragment was 12 ms, suggesting real-time applications in wearables and bedside monitoring.

The study has various drawbacks. First, while the training set includes many pathologies, it does not fully represent clinical settings, demographics, and signal recording variability. Validation on multicenter and outpatient databases is needed to demonstrate model generalizability. Second, the deep network is a “black box” that makes interpretation challenging. Integrating attention mechanisms or saliency maps may boost clinician confidence and simplify regulatory approval.

This paper proposes and investigates a 3D deep Conv-LSTM architecture to improve ECG-based cardiovascular disease diagnostic accuracy and reliability. Combining convolutional layers for spatial analysis and recurrent LSTM blocks for temporal modeling improves recognition accuracy and outperforms existing architectures, proving spatio-temporal analytics works.

The experimental results show that the suggested model can adapt to complex cardiac data and detect early disease. Further clinical validation is needed for a variety of cardiac situations and ECG recording circumstances.

References

Lih O.S., Jahmunah V., San T.R., Ciaccio E.J., Yamakawa T., Tanabe M., Acharya U.R. (2020) Comprehensive electrocardiographic diagnosis based on deep learning. Artificial intelligence in medicine. —Vol. 103. — P. 101-113 (in English).

Hong S., Zhou Y., Shang J., Xiao C., Sun J. (2020) Opportunities and challenges of deep learning methods for electrocardiogram data: A systematic review. Computers in biology and medicine. — Vol. — P.103-115 (in English).

Pandey S.K., & Janghel R.R. (2021) Classification of electrocardiogram signal using an ensemble of deep learning models. Data Technologies and Applications. —Vol. 55(3). — P. 446-460 (in English).

Liang Y., Yin S., Tang Q., Zheng Z., Elgendi M., Chen Z. (2020) Deep learning algorithm classifies heartbeat events based on electrocardiogram signals. Frontiers in Physiology. —Vol. 11, — P. 569050 (in English).

Li H., Wang X., Liu C., Li P., Jiao Y. (2021) Integrating multi-domain deep features of electrocardiogram and phonocardiogram for coronary artery disease detection. Computers in Biology and Medicine. — Vol.138. — P. 104 – 117 (in English).

Haleem M.S., Castaldo R., Pagliara S.M., Petretta M., Salvatore M., Franzese M., Pecchia L. (2021) Time adaptive ECG driven cardiovascular disease detector. Biomedical Signal Processing and Control, — Vol.70, — P. 968-981(in English).

Zhu F., Ye F., Fu Y., Liu Q., & Shen B. (2019) Electrocardiogram generation with a bidirectional LSTM-CNN generative adversarial network. Scientific reports. — Vol. 9(1). — P. 6734-6746 (in English).

Chen J., Huang S., Zhang Y., Chang Q., Zhang Y., Li D., Liang H. (2024) Congenital heart disease detection by pediatric electrocardiogram based deep learning integrated with human concepts. Nature Communications. — Vol.15(1). — P. 976-988 (in English).

Naseer A., Khan M.M., Arif F., Iqbal W., Ahmad A., Ahmad I. (2025) An improved hybrid model for cardiovascular disease detection using machine learning in IoT. Expert Systems. — Vol.42(1). e13520 (in English).

Rao G.M., Ramesh D., Sharma V., Sinha A., Hassan M.M., & Gandomi A.H. (2024) AttGRU-HMSI: enhancing heart disease diagnosis using hybrid deep learning approach. Scientific Reports. — Vol. 14(1). — P. 7833-7845 (in English).

Joshi N., & Dave T. (2025) Improved accuracy for heart disease diagnosis using machine learning techniques. Journal of Informatics and Web Engineering. — Vol.4(1). — P. 42-52 (in English).

Subathra R., Sumathy V. (2025) A smart CardioSenseNet framework with advanced data processing models for precise heart disease detection. Computers in Biology and Medicine, — Vol.185. — P. 473-485 (in English).

Khan K., Ullah F., Syed I., Ullah I. (2025) The Role of Machine Learning in Congenital Heart Disease Diagnosis: Datasets, Algorithms, and Insights. arXiv preprint arXiv:2501.04493 (in English).

Sharma N.K., Chauhan A.S., Fatima S., Saxena S. (2025) Enhancing heart disease diagnosis: Leveraging classification and ensemble machine learning techniques in healthcare decision-making. Journal of Integrated Science and Technology. — Vol.13(1). — P. 1016-1027 (in English).

Sharifi S., & Donyadadi A. (2025) Detection and Diagnosis of Congenital Heart Disease from Chest X-Rays with Deep Learning Models. International Journal of Applied Data Science in Engineering and Health. — Vol.1(1). — P. 1-9 (in English).

Publication Ethics and Publication Malpractice in the journals of the Central Asian Academic Research Center LLP

For information on Ethics in publishing and Ethical guidelines for journal publication see http://www.elsevier.com/publishingethics and http://www.elsevier.com/journal-authors/ethics.

Submission of an article to the journals of the Central Asian Academic Research Center LLP implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see http://www.elsevier.com/postingpolicy), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The Central Asian Academic Research Center LLP follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service http://www.elsevier.com/editors/plagdetect.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the Central Asian Academic Research Center LLP.

The Editorial Board of the Central Asian Academic Research Center LLP will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайтах:
www:nauka-nanrk.kz
http://physics-mathematics.kz/index.php/en/archive
ISSN2518-1726 (Online),
ISSN 1991-346X (Print)

Ответственный редактор *А. Ботанқызы*
Редакторы: *Д.С. Аленов, Т. Апендиев*
Верстка на компьютере: *Г.Д. Жадырановой*

Подписано в печать 22.12.2025.
Формат 60x881/8. Бумага офсетная.
Печать –ризограф. 20,0 п.л. Заказ 4.

«Central Asian Academic Research Center» LLP
Алматы, Қонаев к-сі, 142