

ISSN 2518-1726 (Online),  
ISSN 1991-346X (Print)

**ACADEMIC SCIENTIFIC  
JOURNAL OF COMPUTER SCIENCE**

**№4  
2025**

ISSN 2518-1726 (Online),  
ISSN 1991-346X (Print)



CENTRAL ASIAN ACADEMIC  
RESEARCH CENTER



**ACADEMIC SCIENTIFIC  
JOURNAL OF COMPUTER  
SCIENCE**

**4 (356)**

**OCTOBER – DECEMBER 2025**

**PUBLISHED SINCE JANUARY 1963  
PUBLISHED 4 TIMES A YEAR**

ALMATY, NAS RK

#### CHIEF EDITOR:

**MUTANOV Galimkair Mutanovich**, doctor of technical sciences, professor, academician of NAS RK, acting General Director of the Institute of Information and Computing Technologies CS MES RK (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=6506682964>, <https://www.webofscience.com/wos/author/record/1423665>

#### EDITORIAL BOARD:

**KALIMOLDAYEV Maksat Nuradilovich**, (Deputy Editor-in-Chief), Doctor of Physical and Mathematical Sciences, Professor, Academician of NAS RK, Advisor to the General Director of the Institute of Information and Computing Technologies of the CS MES RK, Head of the Laboratory (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=56153126500>, <https://www.webofscience.com/wos/author/record/2428551>

**MAMYRBAEV Orken Zhumazhanovich**, (Academic Secretary), PhD in Information Systems, Deputy Director for Science of the Institute of Information and Computing Technologies CS MES RK (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=55967630400>, <https://www.webofscience.com/wos/author/record/1774027>

**BAIGUNCHEKOV Zhumadil Zhanabaevich**, Doctor of Technical Sciences, Professor, Academician of NAS RK, Institute of Cybernetics and Information Technologies, Department of Applied Mechanics and Engineering Graphics, Satbayev University (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=6506823633>, <https://www.webofscience.com/wos/author/record/1923423>

**WOICIK Waldemar**, Doctor of Technical Sciences (Phys.-Math.), Professor of the Lublin University of Technology (Lublin, Poland), <https://www.scopus.com/authid/detail.uri?authorId=7005121594>, <https://www.webofscience.com/wos/author/record/678586>

**SMOLARJ Andrej**, Associate Professor Faculty of Electronics, Lublin polytechnic university (Lublin, Poland), <https://www.scopus.com/authid/detail.uri?authorId=56249263000>, <https://www.webofscience.com/wos/author/record/1268523>

**KEILAN Alimkhan**, Doctor of Technical Sciences, Professor (Doctor of science (Japan)), chief researcher of Institute of Information and Computational Technologies CS MES RK (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=8701101900>, <https://www.webofscience.com/wos/author/record/1436451>

**KHAIROVA Nina**, Doctor of Technical Sciences, Professor, Chief Researcher of the Institute of Information and Computational Technologies CS MES RK (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=37461441200>, <https://www.webofscience.com/wos/author/record/1768515>

**OTMAN Mohamed**, PhD, Professor of Computer Science Department of Communication Technology and Networks, Putra University Malaysia (Selangor, Malaysia), <https://www.scopus.com/authid/detail.uri?authorId=56036884700>, <https://www.webofscience.com/wos/author/record/747649>

**NYSANBAYEVA Saule Yerkebulanovna**, Doctor of Technical Sciences, Associate Professor, Senior Researcher of the Institute of Information and Computing Technologies CS MES RK (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=55453992600>, <https://www.webofscience.com/wos/author/record/3802041>

**BIYASHEV Rustam Gakashevich**, doctor of technical sciences, professor, Deputy Director of the Institute for Informatics and Management Problems, Head of the Information Security Laboratory (Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=6603642864>, <https://www.webofscience.com/wos/author/record/3802016>

**KAPALOVA Nursulu Aldazarovna**, Candidate of Technical Sciences, Head of the Laboratory cybersecurity, Institute of Information and Computing Technologies CS MES RK (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=57191242124>,

**KOVALYOV Alexander Mikhailovich**, Doctor of Physical and Mathematical Sciences, Academician of the National Academy of Sciences of Ukraine, Institute of Applied Mathematics and Mechanics (Donetsk, Ukraine), <https://www.scopus.com/authid/detail.uri?authorId=7202799321>, <https://www.webofscience.com/wos/author/record/38481396>

**MIKHALEVICH Alexander Alexandrovich**, Doctor of Technical Sciences, Professor, Academician of the National Academy of Sciences of Belarus (Minsk, Belarus), <https://www.scopus.com/authid/detail.uri?authorId=7004159952>, <https://www.webofscience.com/wos/author/record/46249977>

**TIGHINEANU Ion Mihailovich**, Doctor of Physical and Mathematical Sciences, Academician, President of the Academy of Sciences of Moldova, Technical University of Moldova (Chisinau, Moldova), <https://www.scopus.com/authid/detail.uri?authorId=7006315935>, <https://www.webofscience.com/wos/author/record/524462>

---

#### Academic Scientific Journal of Computer Science

ISSN 2518-1726 (Online),

ISSN 1991-346X (Print)

Owner: «Central Asian Academic Research Center» LLP (Almaty).

Certificate № **KZ77VPY00121154** on the re-registration of the periodical printed and online publication of the information agency, issued on **05.06.2025** by the Republican State Institution «Information Committee» of the Ministry of Culture and Information of the Republic of Kazakhstan

Subject area: *information and communication technologies.*

Currently: *included in the list of journals recommended by the CCSES MSHE RK in the direction of «Information and communication technologies».*

Periodicity: *4 times a year.*

<http://www.physico-mathematical.kz/index.php/en/>

#### БАС РЕДАКТОР:

**МҮТАНОВ Ғалымқайыр Мұтанұлы**, техника ғылымдарының докторы, профессор, ҚР ҰҒА академигі, ҚР ҒЖБМ ҒК «Ақпараттық және есептеу технологиялары институты» бас директорының м.а. (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=6506682964>, <https://www.webofscience.com/wos/author/record/1423665>

#### РЕДАКЦИЯ АЛҚАСЫ:

**ҚАЛИМОЛДАЕВ Максат Нұрәділұлы**, (бас редактордың орынбасары), физика-математика ғылымдарының докторы, профессор, ҚР ҰҒА академигі, ҚР ҒЖБМ ҒК «Ақпараттық және есептеу технологиялары институты» бас директорының кеңесшісі, зертхана меңгерушісі (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=56153126500>, <https://www.webofscience.com/wos/author/record/2428551>

**МАМЫРБАЕВ Өркен Жұмажанұлы** (ғалым хатшы), Ақпараттық жүйелер саласындағы техника ғылымдарының (PhD) докторы, ҚР ҒЖБМ ҒК «Ақпараттық және есептеу технологиялары институты» директорының ғылым жөніндегі орынбасары (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=55967630400>, <https://www.webofscience.com/wos/author/record/1774027>

**БАЙҒУНЧЕКОВ Жұмаділ Жанабайұлы**, техника ғылымдарының докторы, профессор, ҚР ҰҒА академигі, Кибернетика және ақпараттық технологиялар институты, Қолданбалы механика және инженерлік графика кафедрасы, Сәтбаев университеті (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=6506823633>, <https://www.webofscience.com/wos/author/record/1923423>

**ВОЙЧИК Вальдемар**, техника ғылымдарының докторы (физ-мат), Люблин технологиялық университетінің профессоры (Люблин, Польша), <https://www.scopus.com/authid/detail.uri?authorId=7005121594>, <https://www.webofscience.com/wos/author/record/678586>

**СМОЛАРЖ Анджей**, Люблин политехникалық университетінің электроника факультетінің доценті (Люблин, Польша), <https://www.scopus.com/authid/detail.uri?authorId=56249263000>, <https://www.webofscience.com/wos/author/record/1268523>

**КЕЙЛАН Әлімхан**, техника ғылымдарының докторы, профессор (ғылым докторы (Жапония)), ҚР ҒЖБМ ҒК «Ақпараттық және есептеу технологиялары институтының» бас ғылыми қызметкері (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=8701101900>, <https://www.webofscience.com/wos/author/record/1436451>

**ХАЙРОВА Нина**, техника ғылымдарының докторы, профессор, ҚР ҒЖБМ ҒК «Ақпараттық және есептеу технологиялары институтының» бас ғылыми қызметкері (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=37461441200>, <https://www.webofscience.com/wos/author/record/1768515>

**ОТМАН Мохаммед**, PhD, Информатика, Коммуникациялық технологиялар және желілер кафедрасының профессоры, Путра университеті Малайзия (Селангор, Малайзия), <https://www.scopus.com/authid/detail.uri?authorId=56036884700>, <https://www.webofscience.com/wos/author/record/747649>

**НЫСАНБАЕВА Сауле Еркебұланқызы**, техника ғылымдарының докторы, доцент, ҚР ҒЖБМ ҒК «Ақпараттық және есептеу технологиялары институтының» аға ғылыми қызметкері (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=55453992600>, <https://www.webofscience.com/wos/author/record/3802041>

**БИЯШЕВ Рустам Гакашевич**, техника ғылымдарының докторы, профессор, Информатика және басқару мәселелері институты директорының орынбасары, Ақпараттық қауіпсіздік зертханасының меңгерушісі (Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=6603642864>, <https://www.webofscience.com/wos/author/record/3802016>

**КАПАЛОВА Нұрсұлу Алдаржарқызы**, техника ғылымдарының кандидаты, ҚР ҒЖБМ ҒК «Ақпараттық және есептеу технологиялары институты», Киберқауіпсіздік зертханасының меңгерушісі (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=57191242124>,

**КОВАЛЕВ Александр Михайлович**, физика-математика ғылымдарының докторы, Украина Ұлттық Ғылым академиясының академигі, Қолданбалы математика және механика институты (Донецк, Украина), <https://www.scopus.com/authid/detail.uri?authorId=7202799321>, <https://www.webofscience.com/wos/author/record/38481396>

**МИХАЛЕВИЧ Александр Александрович**, техника ғылымдарының докторы, профессор, Беларусь Ұлттық Ғылым академиясының академигі (Минск, Беларусь), <https://www.scopus.com/authid/detail.uri?authorId=7004159952>, <https://www.webofscience.com/wos/author/record/46249977>

**ТИГИНЯНУ Ион Михайлович**, физика-математика ғылымдарының докторы, академик, Молдова Ғылым Академиясының президенті, Молдова техникалық университеті (Кишинев, Молдова), <https://www.scopus.com/authid/detail.uri?authorId=7006315935>, <https://www.webofscience.com/wos/author/record/524462>

---

**Academic Scientific Journal of Computer Science**

**ISSN 2518-1726 (Online),**

**ISSN 1991-346X (Print)**

Меншіктеуші: «Орталық Азия академиялық ғылыми орталығы» ЖШС (Алматы).

Ақпарат агенттігінің мерзімді баспасөз басылымын, ақпарат агенттігін және желілік басылымды қайта есепке қою туралы ҚР Мәдениет және Ақпарат министрлігі «Ақпарат комитеті» Республикалық мемлекеттік мекемесі **05.06.2025** ж. берген № **KZ77VPY00121154** Куәлік.

Тақырыптық бағыты: *ақпараттық-коммуникациялық технологиялар*

Қазіргі уақытта: *«ақпараттық-коммуникациялық технологиялар» бағыты бойынша ҚР ҒЖМ БҒСБК ұсынған журналдар тізіміне енді.*

Мерзімділігі: *жылына 4 рет.*

<http://www.physico-mathematical.kz/index.php/en/>

© «Орталық Азия академиялық ғылыми орталығы» ЖШС, 2025

## ГЛАВНЫЙ РЕДАКТОР:

**МУТАНОВ Галимжаир Мутанович**, доктор технических наук, профессор, академик НАН РК, и.о. генерального директора «Института информационных и вычислительных технологий» КН МНВО РК (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=6506682964>, <https://www.webofscience.com/wos/author/record/1423665>

## Редакционная коллегия:

**КАЛИМОЛДАЕВ Максат Нурадилович**, (заместитель главного редактора), доктор физико-математических наук, профессор, академик НАН РК, советник генерального директора «Института информационных и вычислительных технологий» КН МНВО РК, заведующий лабораторией (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=56153126500>, <https://www.webofscience.com/wos/author/record/2428551>

**МАМЫРБАЕВ Оркен Жумажанович**, (ученый секретарь), доктор философии (PhD) по специальности «Информационные системы», заместитель директора по науке РГП «Институт информационных и вычислительных технологий» Комитета науки МНВО РК (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=55967630400>, <https://www.webofscience.com/wos/author/record/1774027>

**БАЙГУНЧЕКОВ Жумадил Жанабаевич**, доктор технических наук, профессор, академик НАН РК, Институт кибернетики и информационных технологий, кафедра прикладной механики и инженерной графики, Университет Сатпаева (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=6506823633>, <https://www.webofscience.com/wos/author/record/1923423>

**ВОЙЧИК Валдемар**, доктор технических наук (физ.-мат.), профессор Люблинского технологического университета (Люблин, Польша), <https://www.scopus.com/authid/detail.uri?authorId=7005121594>, <https://www.webofscience.com/wos/author/record/678586>

**СМОЛЯРЖ Анджей**, доцент факультета электроники Люблинского политехнического университета (Люблин, Польша), <https://www.scopus.com/authid/detail.uri?authorId=56249263000>, <https://www.webofscience.com/wos/author/record/1268523>

**КЕЙЛАН Алимхан**, доктор технических наук, профессор (Doctor of science (Japan)), главный научный сотрудник РГП «Института информационных и вычислительных технологий» КН МНВО РК (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=8701101900>, <https://www.webofscience.com/wos/author/record/1436451>

**ХАЙРОВА Нина**, доктор технических наук, профессор, главный научный сотрудник РГП «Института информационных и вычислительных технологий» КН МНВО РК (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=37461441200>, <https://www.webofscience.com/wos/author/record/1768515>

**ОТМАН Мохамед**, доктор философии, профессор компьютерных наук, Департамент коммуникационных технологий и сетей, Университет Путра Малайзия (Селангор, Малайзия), <https://www.scopus.com/authid/detail.uri?authorId=56036884700>, <https://www.webofscience.com/wos/author/record/747649>

**НЫСАНБАЕВА Сауле Еркебулановна**, доктор технических наук, доцент, старший научный сотрудник РГП «Института информационных и вычислительных технологий» КН МНВО РК (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=55453992600>, <https://www.webofscience.com/wos/author/record/3802041>

**БИЯШЕВ Рустам Гакашевич**, доктор технических наук, профессор, заместитель директора Института проблем информатики и управления, заведующий лабораторией информационной безопасности (Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=6603642864>, <https://www.webofscience.com/wos/author/record/3802016>

**КАПАЛОВА Нурсулу Алдажаровна**, кандидат технических наук, заведующий лабораторией кибербезопасности РГП «Института информационных и вычислительных технологий» КН МНВО РК (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=57191242124>,

**КОВАЛЕВ Александр Михайлович**, доктор физико-математических наук, академик НАН Украины, Институт прикладной математики и механики (Донецк, Украина), <https://www.scopus.com/authid/detail.uri?authorId=7202799321>, <https://www.webofscience.com/wos/author/record/38481396>

**МИХАЛЕВИЧ Александр Александрович**, доктор технических наук, профессор, академик НАН Беларуси (Минск, Беларусь), <https://www.scopus.com/authid/detail.uri?authorId=7004159952>, <https://www.webofscience.com/wos/author/record/46249977>

**ТИГИНЯНУ Ион Михайлович**, доктор физико-математических наук, академик, президент Академии наук Молдовы, Технический университет Молдовы (Кишинев, Молдова), <https://www.scopus.com/authid/detail.uri?authorId=7006315935>, <https://www.webofscience.com/wos/author/record/524462>

---

**Academic Scientific Journal of Computer Science**

**ISSN 2518-1726 (Online),**

**ISSN 1991-346X (Print)**

Собственник: *ТОО «Центрально-азиатский академический научный центр» (г. Алматы).*

Свидетельство о постановке на учет периодического печатного издания, информационного агентства и сетевого издания № **KZ77VPY00121154**. Дата выдачи **05.06.2025**

Тематическая направленность: *информационно-коммуникационные технологии.*

В настоящее время: *вошел в список журналов, рекомендованных КОКСНВО МНВО РК по направлению «информационно-коммуникационные технологии».*

Периодичность: *4 раза в год.*

<http://www.physico-mathematical.kz/index.php/en/>

© ТОО «Центрально-азиатский академический научный центр», 2025

## CONTENTS

<b>B. Assanova, Zh. Moldasheva, A.T. Kishubaeva</b> Decision support system structure and blocks for selecting efficient delayed coking modes.....	11
<b>Zh.T. Abildayeva, R.K. Uskenbayeva, G.S. Beketova, N.B. Konyrbaev, S.B. Seydazimov</b> Multi-criterion optimization of advertising budget allocation in the agro-industrial complex based on NSGA-III algorithm.....	26
<b>A.O. Aliyeva, B.S. Omarov, R.B. Abdrakhmanov, D.R. Sultan, A.B. Toktarova</b> Neural network model for automatic detection of Kazakh-language hatespeech.....	40
<b>O. Auyelbekov, E. Bostanov, S. Sapakova, L. Tukenova, A. Kozhagul</b> Modeling and analysis of a generator with permanent and variable magnets.....	55
<b>G. Autova, G. Nurtayeva, E. Zulfukharova, G. Yeleussizova, R. Zhumabekova</b> Theoretical foundations of interdisciplinary integration of physics and computer science.....	73
<b>A.Zh. Akhmetova, M.A. Kantureyeva, A.A. Abisheva, A. Aubakirova, A.A. Shekerbek</b> Analysis of the social network user's environment.....	89
<b>A.Sh. Barakova, K.S. Shadinova, A.S. Orynbaeva, G. Sugurzhanova</b> Design of a model for protecting a website's authentication data and content based on blockchain technology.....	102
<b>A.N. Zhidebayeva, G.U. Madaliyeva, B.O. Tastanbekova, S.S. Karzhaubekova, G.S. Shaimerdenova</b> Deep neural network Conv-LSTM for ECG-based cardiac disorder identification.....	122
<b>N.M. Zhunissov, A.B. Aben, A.B. Amanzholova</b> The fraud detection model in text messages.....	138
<b>A. Issakhov, A. Alzhanov, A. Akhmedov, A. Amanzholov, T. Murat</b> Numerical simulation of thermohydrodynamics during heated water discharge into Lake Balkhash.....	152

**Z. Kaderkeyeva, B. Razakhova, G. Bekmanova, A. Nazyrova, M. Zhasuzakova**  
Q-Bilim: an intelligent system for assessing learning outcomes based on competencies.....171

**N. Karymsakova, A. Boltaboyeva, D. Turmakhanbet, M. Maulenbekov, T. Abdirova**  
Unsupervised learning for the identification of critical conditions in renewable energy production.....184

**A.Kulakayeva, E.Daineko, B. Medetov, A. Nurlankyzy**  
Evaluation of the effectiveness of modern neural network architectures for VAD under low snr ratio conditions.....203

**B. Orazbayev, A. Zhumadillayeva, K. Orazbayeva, R. Yessirkessinov, Zh. Tuleuov**  
Development of models of sulfur production processes based on artificial neural networks and simulation.....216

**L. Rzayeva, A. Ryzhova, M. Zhaparkhanova, A. Myrzatay, Zh. Kozhakhmet**  
A new LSTM-based web application for automated password strength evaluation.....234

**D. Sagidoldin, A. Zhetpisbayeva, B. Zhumazhanov, B. Zhumazhanov**  
Increasing the reliability of data transmission from small spacecraft using SDR equipment.....259

**A.N. Seraly, A.D. Mekhtiyev, G.Z. Ziyatbekova, K.B. Begalieva, R.A. Mekhtiyev**  
Development of hardware for monitoring optical parameters.....274

**A.A. Taurbekova, M.V. Markosyan**  
Development and implementation of a computational model of magmatic processes in the bowls of the Earth and on its surface.....288

**K. Chezhimbayeva, A. Mukhamejanova, Y. Garmashova**  
Fuzzy-logic-based expert system for predicting QoS in 5G networks.....306

## МАЗМҰНЫ

<b>Б.У. Асанова, Ж.Ж. Молдашева, А. Кишубаева</b> Баяу кокстеу қондырғысы үшін тиімді жұмыс режимдерін таңдауға шешім қолдау жүйесі құрылымы.....	11
<b>Ж.Т. Әбілдаева, Р.К. Ускенбаева, Г.С. Бекетова, Н.Б. Қоңырбаев, С.Б. Сейдазимов</b> NSGA-III алгоритмі негізінде агроөнеркәсіптік кешендегі жарнамалық бюджетті бөлуді көп критериялы оңтайландыру.....	26
<b>А.О. Әлиева, Б.С. Омаров, Р.Б. Абдрахманов, Д.Р. Султан, А.Б. Тоқтарова</b> Қазақ тіліндегі дискриминацияны автоматты анықтауға арналған нейрондық желілік моделі.....	40
<b>О. Әуелбеков, Е. Бостанов, С. Сапақова, Л. Түкенова, А. Қожағұл</b> Тұрақты және айнымалы магниттері бар генераторды модельдеу және талдау.....	55
<b>Г.М. Аутова, Г.К. Нуртаева, Ә.М. Зильбухарова, Г.С. Елеусизова, Р.Р. Жұмабекова</b> Физика мен информатика пәндерінің пәнаралық интеграциясының теориялық негіздері.....	73
<b>А.Ж. Ахметова, М.А. Кантуреева, А.А. Абишева, А. Аубакирова, А.А. Шекербек</b> Әлеуметтік желі қолданушыларының ортасын талдау.....	89
<b>А.Ш. Баракова, К.С. Шадинова, А.С. Орынбаева, Г. Сугуржанова</b> Блокчейн технологиясы негізінде веб сайттың аутентификациялық деректері мен өнімін қорғау моделін құрастыру.....	102
<b>А.Н. Жидебаева, Г.У. Мадалиева, Б.О. Тастанбекова, С.С. Қаржаубекова, Г.С. Шаймерденова</b> Жүрек ауруларын анықтауда Conv-LSTM архитектурасына негізделген терең нейрондық желі.....	122
<b>Н.М. Жунисов, А.Б. Абен, Ә.Б. Аманжолова</b> Мәтіндік хабарламалардағы алаяқтықты анықтау моделі.....	138
<b>А.А. Исахов, А. Альжанов, А. Ахмедов, А. Аманжолов, Т. Мурат</b> Балқаш көліне жылы су ағызу кезіндегі термогидродинамиканы сандық модельдеу.....	152

<b>З.К. Кадеркеева, Б.Ш. Разахова, Г.Т. Бекманова, А.Е. Назырова, М.Ж. Жасұзақова</b> Q-Bilim: құзыреттерге негізделген оқу нәтижелерін бағалауға арналған интеллектуалды жүйе.....	171
<b>Н. Карымсакова, А. Болтабоева, Д. Тұрмаханбет, М. Мауленбеков, Т. Абдирова</b> Жанартылатын энергия өндірісіндегі критикалық режимдерді анықтауға арналған мұғалімсіз оқыту.....	184
<b>А. Кулакаева, Е. Дайнеко, Б. Медетов, А. Нурланқызы</b> Сигнал/шуыл қатынасы төмен жағдайларда заманауи нейрондық желілік VAD архитектураларының тиімділігін бағалау.....	203
<b>Б. Оразбаев, А. Жумадиллаева, К. Оразбаева, Р. Есиркесинов, Ж. Тулеуов</b> Күкірт өндіру процесстерінің модельдерін жасанды нейрондық желілер негізінде әзірлеу және модельдеу.....	216
<b>Л. Рзаева, А. Рыжова, М. Жапарханова, А. Мырзатай, Ж. Кожамет, Құпиясөздің беріктігін автоматты бағалауға арналған LSTM негізіндегі жаңа веб-қосымша.....</b>	234
<b>Д.Т. Сагидолдин, А.Т. Жетписбаева, Б.Р. Жумажанов, Б.С. Жумажанов</b> SDR жабдықтарын пайдалану арқылы, шағын ғарыш аппараттарынан деректерді берудің сенімділігін арттыру.....	259
<b>А.Н. Сералы, А.Д. Мехтиев, Г.З. Зиятбекова, К.Б. Бегалиева, Р.А. Мехтиев</b> Оптикалық параметрлерді бақылауға арналған аппараттық құрылғыны әзірлеу.....	274
<b>А.А. Таурбекова, М.В. Маркосян</b> Жер көзіндегі және оның бетіндегі магматтық процестердің есептік моделін әзірлеу және енгізу.....	288
<b>К.С. Чежимбаева, А. Мухамеджанова, Ю. Гармашова</b> Айқын емес логика негізінде 5G желілеріндегі QoS болжау expertтік жүйесі.....	306

## СОДЕРЖАНИЕ

<b>Б.У. Асанова, Ж.Ж. Молдашева, А. Кишубаева</b> Структура и функциональные блоки системы поддержки решений для выбора режимов замедленного коксования.....	11
<b>Ж.Т. Абилдаева, Р.К. Ускенбаева, Г.С. Бекетова, Н.Б. Конырбаев, С.Б. Сейдазимов</b> Многокритериальная оптимизация распределения рекламного бюджета в апк на основе алгоритма NSGA-III.....	26
<b>А.О. Алиева, Б.С. Омаров, Р.Б. Абдрахманов, Д.Р. Султан, А.Б. Токтарова</b> Нейросетевая модель для автоматического обнаружения дискриминации в казахском языке.....	40
<b>О. Ауельбеков, Е. Бостанов, С. Сапакова, Л. Туkenова, А. Кожугул</b> Моделирование и анализ генератора с постоянными и переменными магнитами.....	55
<b>Г.М. Аутова, Г.К. Нуртаева, Э.М. Зулбухарова, Г.С. Елеусизова, Р.Р. Жумабекова</b> Теоретические основы междисциплинарной интеграции физики и информатики.....	73
<b>А.Ж. Ахметова, М.А. Кантуреева, А.А. Абишева, А. Аубакирова, А.А. Шекербек</b> Анализ окружения ползователей социальной сети.....	89
<b>А.Ш. Баракова, К.С. Шадинова, А.С. Орынбаева, Г. Сугуржанова</b> Разработка модели защиты аутентификационных данных и контента веб-сайта на основе технологии блокчейн.....	102
<b>А.Н. Жидебаева, Г.У. Мадалиева, Б.О. Тастанбекова, С.С. Каржаубекова, Г.С. Шаймерденова</b> Глубокая нейронная сеть на основе архитектуры Conv-LSTM для выявления сердечных заболеваний.....	122
<b>Н.М. Жунисов, А.Б. Абен, А.Б. Аманжолова</b> Модель обнаружения мошенничества в текстовых сообщениях.....	138
<b>А.А. Исахов, А. Альжанов, А. Ахмедов, А. Аманжолов, Т. Мурат</b> Численное моделирование термогидродинамики при сбросе подогретых вод в озеро Балхаш.....	152

<b>З.К. Кадеркеева, Б.Ш. Разахова, Г.Т. Бекманова, А.Е. Назырова, М.Ж. Жасузакова</b> Q-Bilim: интеллектуальная система оценки результатов обучения на основе компетенций.....	171
<b>Н. Карымсакова, А. Болтабоева, Д. Тұрмаханбет, М. Мауленбеков, Т. Абдирова</b> Обучение без учителя для выявления критических режимов в производстве возобновляемой энергии.....	184
<b>А. Кулакаева, Е. Дайнеко, Б. Медетов, А. Нурланкызы</b> Оценка эффективности современных нейросетевых архитектур VAD при низком отношении сигнал/шум.....	203
<b>Б. Оразбаев, А. Жумадиллаева, К. Оразбаева, Р. Есиркесинов, Ж. Тулеуов</b> Разработка моделей процессов производства серы на основе искусственных нейронных сетей и моделирование.....	216
<b>Л. Рзаева, А. Рыжова, М. Жапарханова, А. Мырзатай, Ж. Кожамет</b> Новое веб-приложение на основе LSTM для автоматизированной оценки надежности паролей.....	234
<b>Д.Т. Сагидолдин, А.Т. Жетписбаева, Б.Р. Жумажанов, Б.С. Жумажанов</b> Повышение надёжности передачи данных с малых космических аппаратов с применением SDR оборудования.....	259
<b>А.Н. Сералы, А.Д. Мехтиев, Г.З. Зиятбекова, К.Б. Бегалиева, Р.А. Мехтиев</b> Разработка аппаратного средства для контроля оптических параметров.....	274
<b>А.А. Таурбекова, М.В. Маркосян, Н.Т. Карымсакова</b> Разработка и реализация вычислительной модели магматических процессов в недрах земли и на её поверхности.....	288
<b>К.С. Чежимбаева, А. Мухамеджанова, Ю. Гармашова</b> Экспертная система прогнозирования QoS в 5G-сетях на основе нечеткой логики.....	306

<https://doi.org/10.32014/2025.2518-1726.389>

UDC 533.9.01; 519.63; 519.684  
IRSTI 27.35.21; 27.35.47; 27.41.19

© A. Issakhov<sup>1\*</sup>, A. Alzhanov<sup>2</sup>, A. Akhmedov<sup>2</sup>, A. Amanzholov<sup>2</sup>,  
T. Murat<sup>2</sup>, 2025.

<sup>1</sup>Kazakh-British Technical University, Almaty, Kazakhstan;

<sup>2</sup>International school Haileybury, Almaty, Kazakhstan.

\*E-mail: [alibek.issakhov@gmail.com](mailto:alibek.issakhov@gmail.com)

## NUMERICAL SIMULATION OF THERMOHYDRODYNAMICS DURING HEATED WATER DISCHARGE INTO LAKE BALKHASH

**Issakhov Alibek** — PhD, Professor of the School of Applied Mathematics at Kazakh-British Technical University, Almaty, Kazakhstan,

E-mail: [Alibek.issakhov@gmail.com](mailto:Alibek.issakhov@gmail.com), <https://orcid.org/0000-0002-1937-8615>;

**Alzhanov Alibek** — student at International school Haileybury, Almaty, Kazakhstan,

email: [Alzhanov.Alibek@Haileybury.com](mailto:Alzhanov.Alibek@Haileybury.com), <https://orcid.org/0000-1002-1938-8715>;

**Akhmedov Ali** — student at International school Haileybury, Almaty, Kazakhstan,

E-mail: [Akhmedov.Ali@Haileybury.com](mailto:Akhmedov.Ali@Haileybury.com), <https://orcid.org/0000-1002-1938-87156>;

**Amanzholov Amirlan** – student at International school Haileybury, Almaty, Kazakhstan.

E-mail: [Amanzholov.Amirlan@Haileybury.com](mailto:Amanzholov.Amirlan@Haileybury.com), <https://orcid.org/0000-1002-1938-87157>;

**Murat Timur** — student at International school Haileybury, Almaty, Kazakhstan,

E-mail: [Murat.Timur@Haileybury.com](mailto:Murat.Timur@Haileybury.com), <https://orcid.org/0000-1002-1938-87158>.

**Abstract.** This paper presents a numerical study of thermal pollution from a potential discharge of heated water from a nuclear power plant's cooling system into the coastal zone of Lake Balkhash. The aim of the study was to determine the dynamics of the formation and spatial propagation of the thermal footprint, as well as to assess its impact on the hydrodynamic characteristics of the water area. A two-dimensional computational fluid dynamic (CFD) model based on the Navier-Stokes and energy equations, supplemented by a  $k-\omega$  SST turbulence model, was used for the simulation. The simulation was conducted using the geometry of a real coastline. The model was validated using a test jet injection problem, which demonstrated good agreement with experimental data. The experimental data were taken from the work of other authors. Modeling results showed that within the first hour after the discharge begins, a stable zone of thermal pollution, approximately 1.5 km<sup>2</sup> in area, forms, where water temperatures exceed background values by 0.5–1.0 K. The high-temperature plume gradually transforms into a diffuse heat spot, which persists in the coastal zone due to weak water exchange and recirculation. Velocity field analysis revealed zones of local circulation that facilitate long-term

heat retention. The scientific novelty of the study lies in the use of computational fluid dynamics (CFD) to assess the thermohydrodynamics of discharge under conditions of limited water exchange in a large lake with the actual morphology of the shoreline of Lake Balkhash. The practical significance lies in the potential use of the developed method for predicting environmental risks and optimizing the cooling systems of nuclear and thermal power plants located near the lake.

**Keywords:** thermal pollution, CFD modeling, Lake Balkhash, heated waters, SST  $k-\omega$  model, hydrodynamics, environmental safety

© А.А. Исахов<sup>1\*</sup>, А. Альжанов<sup>2</sup>, А. Ахмедов<sup>2</sup>, А. Аманжолов<sup>2</sup>,  
Т. Мурат<sup>2</sup>, 2025.

<sup>1</sup>Қазақ-Британ техникалық университеті, Алматы, Қазақстан;

<sup>2</sup>Хейлибери халықаралық мектебі, Алматы, Қазақстан.

\*E-mail: Alibek.issakhov@gmail.com

## БАЛҚАШ КӨЛІНЕ ЖЫЛЫ СУ АҒЫЗУ КЕЗІНДЕГІ ТЕРМОГИДРОДИНАМИКАНЫ САНДЫҚ МОДЕЛЬДЕУ

**Исахов Алибек** — PhD докторы, Қазақ-Британ техникалық университеті Қолданбалы математика мектебінің профессоры, Алматы, Қазақстан,

E-mail: Alibek.issakhov@gmail.com, <https://orcid.org/0000-0002-1937-8615>;

**Альжанов Алибек** — Haileybury халықаралық мектебінің студенті, Алматы, Қазақстан,

E-mail: Alzhanov.Alibek @Haileybury.com, <https://orcid.org/0000-1002-1938-8715>;

**Ахмедов Али** — Халықаралық Haileybury мектебінің студенті, Алматы, Қазақстан,

E-mail: Akhmedov.Ali @Haileybury.com, <https://orcid.org/0000-1002-1938-87156>;

**Аманжолов Амирлан** — Haileybury халықаралық мектебінің студенті, Алматы, Қазақстан,

email: Amanzholov.Amirlan @Haileybury.com, <https://orcid.org/0000-1002-1938-87157>;

**Мурат Тимур** — Халықаралық Haileybury мектебінің студенті, Алматы, Қазақстан,

email: Murat.Timur @Haileybury.com, <https://orcid.org/0000-1002-1938-87158>.

**Аннотация.** Бұл мақалада атом электр станциясының салқындату жүйесінен Балқаш көлінің жағалау аймағына қыздырылған судың ықтимал ағызылуынан термиялық ластанудың сандық зерттеуі ұсынылған. Зерттеудің мақсаты жылулық іздің пайда болу динамикасын және кеңістіктік таралуын анықтау, сондай-ақ оның су айдынының гидродинамикалық сипаттамаларына әсерін бағалау болды. Модельдеу үшін Навье-Стокс және энергия теңдеулеріне негізделген екі өлшемді есептеу сұйықтық динамикасы (CFD) моделі қолданы, қосымша  $k-\omega$  SST турбуленттілік моделімен толықтырылды. Модельдеу нақты жағалау сызығының геометриясын қолдана отырып жүргізілді. Модель эксперименттік деректермен жақсы сәйкестікті көрсеткен сынақ ағынды инъекция есебін қолдана отырып тексерілді. Ал эксперименттік деректер басқа авторлардың жұмыстарынан алынды. Модельдеу нәтижелері ағызылу басталғаннан кейінгі алғашқы сағат ішінде су температурасы фондық мәндерден 0.5–1.0 К асатын ауданы шамамен 1.5 км<sup>2</sup> болатын тұрақты термиялық ластану аймағы пайда болатынын көрсетті. Сондай-ақ жоғары

температуралы шлейф біртіндеп су алмасуының және қайта айналымының әлсіздігіне байланысты жағалау аймағында сақталатын диффузиялық жылу нүктесіне айналады. Жылдамдық өрісін талдау ұзақ мерзімді жылуды сақтауға ықпал ететін жергілікті айналым аймақтарын анықтады. Зерттеудің ғылыми жаңалығы Балқаш көлінің жағалау сызығының нақты морфологиясымен бірге үлкен көлде шектеулі, ал су алмасу жағдайында ағынды сулардың термогидродинамикасын бағалау үшін есептеу сұйықтық динамикасын (CFD) пайдалануда жатыр. Тәжірибелік маңыздылығы көлдің жанында орналасқан атом және жылу электр станцияларының салқындату жүйелерін экологиялық тәуекелдерді болжау және оңтайландыру үшін әзірленген әдісті қолдану мүмкіндігінде жатыр.

**Түйін сөздер:** термиялық ластану, CFD модельдеу, Балқаш көлі, жылытылған сулар, SST  $k-\omega$  моделі, гидродинамика, экологиялық қауіпсіздік

© А.А. Исахов<sup>1\*</sup>, А. Альжанов<sup>2</sup>, А. Ахмедов<sup>2</sup>, А. Аманжолов<sup>2</sup>,  
Т. Мурат<sup>2</sup>, 2025.

<sup>1</sup>Казахстанско-Британский технический университет, Алматы, Казахстан;

<sup>2</sup>Международной школы Haileybury, Алматы, Казахстан.

\*E-mail: Alibek.issakhov@gmail.com

## ЧИСЛЕННОЕ МОДЕЛИРОВАНИЕ ТЕРМОГИДРОДИНАМИКИ ПРИ СБРОСЕ ПОДОГРЕТЫХ ВОД В ОЗЕРО БАЛХАШ

**Исахов Алибек** — доктор PhD, профессор Школы прикладной математики Казахстанско-Британского технического университета, Алматы, Казахстан,

E-mail: Alibek.issakhov@gmail.com, <https://orcid.org/0000-0002-1937-8615>;

**Альжанов Алибек** — студент Международной школы Haileybury, Алматы, Казахстан,

E-mail: Alzhanov.Alibek @Haileybury.com, <https://orcid.org/0000-1002-1938-8715>;

**Ахмедов Али** — студент Международной школы Haileybury, Алматы, Казахстан,

E-mail: Akhmedov.Ali @Haileybury.com, <https://orcid.org/0000-1002-1938-8715>;

**Аманжолов Амирлан** — студент Международной школы Haileybury, Алматы, Казахстан,

E-mail: Amanzholov.Amirlan @Haileybury.com, <https://orcid.org/0000-1002-1938-8715>;

**Мурат Тимур** — студент Международной школы Haileybury, Алматы, Казахстан,

E-mail: Murat.Timur @Haileybury.com, <https://orcid.org/0000-1002-1938-8715>.

**Аннотация.** В данной работе представлено численное исследование теплового загрязнения от возможного сброса нагретой воды из системы охлаждения атомной электростанции в прибрежную зону озера Балхаш. Целью исследования являлось определение динамики формирования и пространственного распространения теплового следа, а также оценка его влияния на гидродинамические характеристики акватории. Для моделирования использовалась двумерная вычислительная гидродинамическая модель (CFD), основанная на уравнениях Навье-Стокса и энергии, дополненная  $k-\omega$  SST-моделью турбулентности. Моделирование проводилось на основе геометрии реальной береговой линии. Валидация модели была проведена

на тестовой задаче инъекции струи, которая показала хорошее согласие с экспериментальными данными. Экспериментальные данные были взяты с работ других авторов. Результаты моделирования показали, что в течение первого часа после начала сброса формируется устойчивая зона теплового загрязнения площадью около 1,5 км<sup>2</sup>, где температура воды превышает фоновые значения на 0,5–1,0 К. Высокотемпературный шлейф постепенно трансформируется в диффузное тепловое пятно, сохраняющееся в прибрежной зоне благодаря слабому водообмену и рециркуляции. Анализ поля скорости выявил зоны локальной циркуляции, способствующие длительному сохранению тепла. Научная новизна исследования заключается в применении вычислительной гидродинамики (CFD) для оценки термогидродинамики сброса в условиях ограниченного водообмена в крупном озере с реальной морфологией береговой линии озера Балхаш. Практическая значимость заключается в возможности использования разработанного метода для прогнозирования экологических рисков и оптимизации систем охлаждения атомных и тепловых электростанций, расположенных вблизи озера.

**Ключевые слова:** тепловое загрязнение, CFD-моделирование, озеро Балхаш, подогретые воды, SST  $k$ - $\omega$  модель, гидродинамика, экологическая безопасность

**Introduction.** Growing energy production and the development of industrial complexes are increasing the pressure on aquatic ecosystems, especially in regions with limited water resources. Thermal pollution, caused by the discharge of heated water from power plants, remains one of the most significant anthropogenic impacts. Rising temperatures alter the thermal and hydrodynamic regimes of water bodies, affecting dissolved oxygen levels, biochemical processes, and ecosystem structure. In large lakes and reservoirs, localized heating can lead to an extension of the stratification period, increased evaporation, and redistribution of matter and energy flows. Quantifying these effects requires highly accurate models capable of reproducing the spatiotemporal dynamics of temperature fields, taking into account the actual shoreline geometry and hydrological features.

A number of studies have assessed the impacts of thermal pollution and developed numerical models describing the dynamics of thermal discharges. Råman Vinnå et al. (2017) showed that discharges of heated water from nuclear power plants into lakes cause a temperature increase of up to 3 °C and an extension of the stratification period, which significantly alters exchange processes and heat fluxes. Gaudard et al. (2018) noted that the use of rivers and lakes as heat-exchange reservoirs should be considered a form of anthropogenic impact that has long-term effects on hydrological and biological systems. Caissie (2006) emphasized the importance of understanding river thermal regimes, noting that deterministic models using energy-efficient approaches are crucial for predicting changes in water temperature due to anthropogenic impacts, including thermal pollution. These studies highlight the need for an integrated approach to modeling thermal processes in real water bodies, followed by an assessment of their environmental impacts.

Modern research employs a wide range of computational methods to describe the propagation of heated waters. Issakhov (2019) implemented a two-dimensional CFD model based on the Navier–Stokes and energy equations to analyze the formation of thermal pollution zones under the influence of power plant discharges. The model was successfully verified using field data, confirming its reliability in predicting the scale of thermal impact. Al-Suhaili (2006) developed a similar approach for river flows with a point heat source, taking into account unsteady transport and dissipation processes. Tang (2008) proposed a three-dimensional CFD model taking into account complex coastal geometry and turbulent effects, which allowed for obtaining a detailed structure of temperature and velocity fields in coastal areas. Thus, computational fluid dynamics provides the most accurate and spatially resolved description of the interaction of hydrodynamic and thermal processes.

Particular attention is paid to the influence of discharge parameters on the formation of temperature traces. Mahmood and Mohammad (2022) studied the propagation of a thermal plume along a section of the Tigris River using COMSOL Multiphysics. It was shown that reducing the discharge velocity from 1.6 to 0.5 m/s promotes more uniform mixing and reduces temperature anomalies. Kalinowska et al. (2012) obtained similar results for the Vistula River, where optimizing the discharge flow and direction minimized localized overheating zones.

In recent years, research aimed at an integrated description of thermohydrodynamic and ecological processes in aquatic ecosystems has gained significant momentum. Du et al. (2025) showed that the volume of thermal discharge has a stronger effect on the extent of the thermal footprint than the heating temperature, emphasizing the need for parametric optimization of cooling scenarios. Velázquez-Araque et al. (2025) demonstrated the versatility of CFD approaches by applying them to the analysis of microplastic dispersion using a multiphase turbulent model in ANSYS Fluent; the proposed approach was also applicable to thermal dispersion problems. Tarena et al. (2024) conducted a systematic review of the use of CFD in hydroecological studies and showed that the most widely used methods remain RANS and LES models implemented in the ANSYS Fluent and FLOW-3D software packages.

In a global context, Raptis et al. (2016) found that the world's largest rivers, including the Mississippi and Rhine, experience significant increases in water temperature due to energy discharges, with thermal energy dispersed tens of kilometers downstream. Miara et al. (2018) extended these findings by using 3D CFD modeling to analyze the impact of heat fluxes on energy system infrastructure and the sustainability of their operations. According to Răman Vinnă et al. (2017), in lake systems, up to 60% of excess heat is removed through spillways, while the remainder alters internal convective structures, increasing ecosystem sensitivity to anthropogenic impacts.

Modern CFD approaches enable highly accurate analysis of the spatial structure of temperature fields, assessment of mixing efficiency, and prediction of the impact of thermal emissions at the local and regional levels. In this context, numerical

modeling of thermal pollution within Lake Balkhash—a large transboundary ecosystem in Central Asia characterized by a complex coastal configuration and high sensitivity to external influences—is of particular interest. Studying the propagation of heat flow processes arising from the potential construction of a nuclear power plant in the coastal zone allows for a quantitative assessment of the scale of thermal impact and the identification of critical zones of thermal regime change.

### **Materials and Methods. Geographical and hydrological characteristics of the study area**

The study was conducted on the coastal section of Lake Balkhash, located near the village of Ulken on the southwestern shore of the reservoir (Figure 1). This area is considered a potential intake and discharge zone for cooling water during the operation of the nuclear power plant. Geographically, it is a closed part of the lake, partially separated from the main body of water by hydraulic structures (dams and bridges), which limits water exchange and creates a relatively isolated ecosystem.

The main geometric parameters of the study area are: length 7.6 km, average width 3.8 km, area 16.07 km<sup>2</sup>, and shoreline perimeter approximately 22.6 km. According to the International Lakes Environment Committee (ILEC), Balkhash is a warm lake with pronounced seasonal variability in its thermal regime: surface temperatures range from 0°C in December to 28°C in July, with a long-term average of approximately 10°C in the western part and 9°C in the eastern part. Freezing occurs annually from November to March, with ice persisting for 10–15 days longer in the eastern part.

Using this coastal section of the lake as part of the nuclear power plant's cooling system could lead to a number of hydrodynamic and environmental consequences. Under conditions of limited water exchange, the heated jet stream can create persistent water temperature anomalies reaching 3–9°C relative to background values. Such temperature increases potentially alter vertical circulation and stratification processes, reduce dissolved oxygen concentrations, and may disrupt the natural thermal and biochemical balance of the ecosystem.



Figure 1. Top view of the study area of Lake Balkhash

**Mathematical Model.** To numerically describe the currents and temperature distribution in the studied reservoir, the equations for a non-stationary viscous incompressible fluid in the Navier-Stokes form with an added energy equation were used.

– continuity equation

$$\frac{\partial u_i}{\partial x_i} = 0 \tag{1}$$

– momentum equation

$$\frac{\partial u_i}{\partial t} + u_j \frac{\partial u_i}{\partial x_j} = -\frac{1}{\rho} \frac{\partial P}{\partial x_i} + \nu \frac{\partial^2 u_i}{\partial x_j^2} \tag{2}$$

– pollution transfer equation

$$\frac{\partial T}{\partial t} + u_j \frac{\partial T}{\partial x_j} = \alpha \frac{\partial^2 T_i}{\partial x_j^2} \tag{3}$$

where  $u_i$  – are the components of the velocity vector, T is the temperature,  $\nu$  is the molecular viscosity,  $\alpha$  is the thermal conductivity coefficient,  $\rho$  is the density, p is the pressure.

After Reynolds averaging of the Navier–Stokes equations, additional terms describing the momentum transfer by turbulent fluctuations appear in the momentum equations. To close these terms, the Boussinesq hypothesis is used, linking these terms to the mean velocity gradients through the turbulent viscosity  $\nu_t$ , calculated from the turbulence model equations. The effective viscosity  $\nu_{eff} = \nu + \nu_t$  is used in the equations for averaged fields, ensuring the correct accounting for the influence of turbulent eddies. In the energy equation, turbulent heat transfer is accounted for through an additional diffusion term  $\nu_t / Pr_t$ , analogous to the effect of turbulent viscosity in the momentum equation.

To describe turbulence, the SST k– $\omega$  (Shear Stress Transport) model was used, combining the advantages of the standard k– $\epsilon$  and k– $\omega$  models. It provides a stable and physically correct solution near rigid boundaries and in regions with weakly turbulent coastal currents.

The model is based on solving two transport equations—one for the kinetic energy of turbulence  $k$  and the specific rate of its dissipation  $\omega$ :

$$\frac{\partial k}{\partial t} + \bar{u}_j \frac{\partial u_j k}{\partial x_j} = P_k - \beta^* k \omega + \frac{\partial}{\partial x_j} \left( (\mu + \sigma_k \mu_t) \frac{\partial k}{\partial x_j} \right) \tag{4}$$

$$\frac{\partial \omega}{\partial t} + \bar{u}_j \frac{\partial u_j \omega}{\partial x_j} = \alpha \frac{\omega}{k} P_k - \beta \omega^2 + \frac{\partial}{\partial x_j} \left( (\nu + \sigma_\omega \nu_t) \frac{\partial \omega}{\partial x_j} \right) + 2(1 - f_1) \frac{\sigma_{\omega 2}}{\omega} \frac{\partial k}{\partial x_j} \frac{\partial \omega}{\partial x_j} \tag{5}$$

where  $P_k$  – is the generation of turbulent energy caused by the velocity shift.

**Boundary and Initial Conditions.** At the jet outlet boundary, a constant velocity of 3.89 m/s and a temperature of 297 K are specified. The shoreline is treated as a stationary rigid wall with a no-slip condition ( $u = 0$ ) and a zero temperature gradient along the normal. Symmetry conditions are used at the remaining boundaries.

The initial water temperature in the lake is assumed to be 291 K, and the initial flow velocity is 0 m/s. These values correspond to the state of a calm lake before the discharge begins. The same initial and boundary conditions were used for all simulations, ensuring a fair comparison of the scenarios.

Since the simulated domain is a closed coastal section of the lake with no distinct inlet or outlet, zero gradient conditions for all parameters were used at the outer boundaries. The propagation of the heated water occurred due to the inertia of the jet and turbulent mixing within the computational domain.

**Computational Grid Construction and Independence Test.** A digital copy of the coastline, created using satellite and cartographic data, was used to construct the geometry and grid (Figure 1). The computational domain was discretized using an unstructured triangular grid with localized densification in the jet outlet zone and in the warm flow dilution zone (Figure 2).

The overall cell size in the global part of the reservoir was 6–7 m, while densifications of 0.15–2.1 m were used near the jet source. The radius of the densification zone was 1400 m from the discharge center. Three grid variants with varying resolutions were created (Table 1). To verify the independence of the solution from grid size, identical physical models, boundary conditions, and time step (0.05 s) were used. The convergence criterion for all parameters was set at  $10^{-6}$ .



(a)




Figure 2. Computational grid

Table 1. Parameters of computational grids for convergence studies

Mesh	Global size [m]	Maximum size in the clustering zone [m]	Minimal size in the clustering zone [m]	Number of nodes	Number of cells
1	7 m	2.3 m	0.16 m	3 395 393	1 695 132
2	7 m	2.2 m	0.15 m	3 982 539	1 988 612
3	6 m	2.1 m	0.14 m	5 683 954	2 838 985

Figure 3 shows the average temperature distribution along the longitudinal profile for each mesh. As can be seen, when moving from the coarse mesh (mesh 1) to the more detailed meshes (mesh 2 and mesh 3), the shape of the temperature profile changes only slightly, indicating that mesh convergence has been achieved. The difference in maximum temperatures between meshes 2 and 3 does not exceed 1.5%, suggesting that mesh 3 is sufficient for subsequent calculations.




Figure 3. Distribution of average temperature along the x-axis for three variants of computational grids (mesh 1–3).


**Numerical Implementation.** For flow modeling, the equations for conservation of mass, momentum, and energy for a two-dimensional, steady, incompressible flow were used. The calculations were performed using the finite volume method, with the SIMPLE algorithm for coupling pressure and velocity. Temporal discretization was performed using an implicit first-order scheme. Convective terms were approximated by a second-order approximation using the upwind scheme, ensuring stability and accuracy of the solution while preserving sharp temperature gradients.

To speed up the computations, the problem was parallelized and run on 32 processors. The simulation time interval was 1 hour, and the results were saved every 10 minutes for analysis of the evolution of the temperature and velocity fields.


**Model Validation.** To verify the correctness of the mathematical model and numerical algorithm used, validation was performed using a benchmark problem: a heated jet injected into a horizontal closed channel. This configuration was chosen in accordance with the experimental studies of Chen and Hwang (1991) and the numerical analysis of Chang and Chen (1995), allowing the obtained results to be compared with reliable laboratory measurements.

#### *Geometry and Problem Conditions*

The computational domain (Figure 4a) consisted of a rectilinear channel 500 mm long and 120 mm high, with a single hot fluid injection point through a nozzle with a width of  $D = 5$  mm, located 97.5 mm from the inlet. The nozzle center was taken as the origin, the X-axis was directed along the channel, and the Y-axis was directed vertically upward.



(a)  
 $u = v = \frac{\partial T}{\partial y} = 0$



(b)

Figure 4 - Computational domain (a) and boundary conditions (b) of the test problem

The boundary conditions are shown in Figure 4b. The main flow temperature (Inlet 1) was  $T_{\infty} = 298 \text{ K}$  ( $25 \text{ }^{\circ}\text{C}$ ), and the temperature of the heated water entering through the nozzle (Inlet 2) was  $T_j = 354 \text{ K}$  ( $81 \text{ }^{\circ}\text{C}$ ). The main flow velocity was  $U_{\infty} = 2.005 \text{ m/s}$ , and the jet injection velocity was  $V_j = 11.969 \text{ m/s}$ .

No-slip conditions ( $u = v = 0$ ) and adiabatic boundary conditions for temperature ( $\partial T / \partial n = 0$ ) were used on the channel walls. Neumann-type boundary conditions were applied at the channel outlet, ensuring a free flow without reflections.

**Comparison with Experiment.** The numerical results (Figure 5) were compared with experimental data in five cross sections at distances  $X/D$

= 2, 4, 6, 8, and 10 from the nozzle. To compare temperature profiles, the normalized value was used  $Q = \frac{T - T_{\infty}}{T_j - T_{\infty}}$ .




Figure 5 - Comparison of results with the experiment of Chen and Hwang (1991) [14] and the numerical analysis of Chang and Chen (1995) [15]

A comparison of the profiles showed that the obtained calculated data were in good agreement with the experiment: maximum deviations in temperature values did not exceed 5–7%, and the jet profile shape and isotherm positions matched the measurements. The SST  $k-\omega$  model accurately reproduced both thermal diffusion and the jet trajectory in the crossflow, demonstrating high accuracy near the symmetry axis and in the region of intense mixing.

**Results and Discussion.** Numerical modeling allowed us to study in detail the spatiotemporal dynamics of the formation and propagation of a thermal wake from a potential discharge of heated waters in the coastal zone of Lake Balkhash over the course of one hour. A combined analysis of temperature and velocity fields (Figures 6a–f, 7a–f) demonstrates the consistent evolution of the thermal plume and corresponding changes in the hydrodynamic structure of the flow.

At the initial stage of the process ( $t = 10$  min), the formation of a compact, high-temperature jet is observed, caused by the discharge of water with a temperature of 297 K. The core of the jet, with a temperature above 296.4 K, has a distinct directional structure and extends over more than 500 meters from the source, reflecting the dominant influence of the discharge impulse in the first minutes of the flow.

Over time ( $t = 20\text{--}40$  min), the structure of the thermal field changes significantly. The inertial phase gives way to a diffusion phase: the role of turbulent heat transfer and advection increases, leading to a gradual expansion of the elevated temperature zone. As a result, the temperature field equalizes and coastal waters are involved in the warming process.


By the 50th minute of the simulation, the formation of the thermal plume enters a quasi-stationary phase. The temperature field stabilizes, as evidenced by the virtually identical temperature distributions at 50 and 60 minutes. By the 60th minute of the simulation, the warm jet loses its compactness, and the thermal plume covers a significant portion of the water area.

The calculated estimate shows that by the end of the 60-minute simulation interval, the area of water subject to noticeable thermal effects ( $\Delta T \geq 0.5$  K) is approximately 1.5 km<sup>2</sup>, which corresponds to approximately 14% of the area of the study area (10.5 km<sup>2</sup>). The average water temperature within the calculated region increases to 291.25 K, reflecting an overall increase in thermal background even over the short period of the release.


**Flow Hydrodynamics.** Analysis of the velocity field revealed that during the first 30 minutes of the simulation, the maximum velocity in the jet core gradually decreases – from 4.51 m/s ( $t = 10$  min) to 4.15 m/s ( $t = 30$  min). This is due to the development of turbulent mixing and the interaction of the jet with the surrounding waters. By the 40th minute, a localized increase in velocity to 5.03 m/s is recorded, likely due to flow reflection from the shoreline and the formation of localized vortex structures.

In the final stage ( $t = 50\text{--}60$  min), the hydrodynamic structure stabilizes. The maximum velocity in the core decreases from 4.38 m/s to 4.32 m/s, reflecting the establishment of a balance between jet inertia and energy dissipation. The area with elevated velocities ( $\geq 2.5$  m/s) forms a stable corridor aligned with the direction of the main thermal plume. In the peripheral areas of the water area, velocities do not exceed 0.5–1.0 m/s, creating conditions for local stagnation and heat accumulation.


Thus, the results of the full hourly modeling demonstrate that, with a weak background current and complex coastal geometry, the discharge of heated waters forms a vast and stable zone of thermal pollution. Within the first hour, the system reaches a quasi-steady state, in which thermal impact becomes a constant environmental factor. The observed structure of the temperature and velocity fields indicates the potential for long-term changes in the local thermal regime, including disruption of seasonal stratification, a decrease in dissolved oxygen concentration, and the transformation of aquatic biocenoses.




(a)




(b)




(c)



(d)




(e)




(f)


Figure 6. Evolution of the temperature field (K) in the coastal zone of Lake Balkhash during the simulation of the discharge of heated water: (a)  $t = 10$  min, (b)  $t = 20$  min, (c)  $t = 30$  min, (d)  $t = 40$  min, (e)  $t = 50$  min (f),  $t = 60$  min.




(a)




(b)




(c)



(d)



(e)



(f)

Figure 7. Velocity field (m/s) in the coastal zone of Lake Balkhash at different time stages of the simulation.

**Conclusion.** This numerical study provided the first detailed analysis of the spatiotemporal dynamics of heated water propagation during a potential discharge from the cooling system of a nuclear power plant in the coastal zone of Lake Balkhash. The use of a two-dimensional model based on the Navier–Stokes equations, supplemented by an energy equation and the SST  $k-\omega$  turbulence model, provided a reliable description of thermohydrodynamic processes under complex coastal conditions and weak background currents.

Validation of the model on a test problem of jet injection demonstrated high agreement with experimental data, confirming the validity of the chosen approach for modeling local heat exchange processes in reservoirs. A grid-independence test demonstrated the stability of the solutions for cell sizes exceeding 2.7 million, ensuring the reliability of the obtained results. Modeling results showed that within the first 60 minutes of the discharge, a distinct thermal pollution zone of approximately 1.5 km<sup>2</sup> is formed, with water temperatures exceeding background values by 0.5–1.0 K. The high-temperature jet emanating from the source gradually transforms into a diffuse thermal spot, which persists in the coastal zone due to weak water exchange and recirculation. Analysis of the velocity field revealed the presence of localized circulation zones and stagnant areas that facilitate long-term heat retention.

These results indicate that the discharge of heated waters, even at moderate temperatures, can cause significant changes in the thermal and hydrodynamic regime of the water area. Under conditions of limited water exchange and complex shoreline morphology, such impacts can lead to long-term changes in the stratification structure, oxygen balance, and biological processes. Thus, the performed modeling confirms the effectiveness of computational fluid dynamics (CFD) methods for analyzing thermal pollution of aquatic ecosystems and can serve as a basis for subsequent assessment of environmental safety and optimization of the parameters of cooling systems of nuclear and thermal power plants located near lake areas.

#### References

- Al-Suhaili R.H., Nasir M.J. (2006) Two-dimensional numerical model for thermal pollution of single source in river. *J Eng*, 12(1). — P. 25–35. DOI: 10.31026/j.eng.2006.01.03 (in English).
- Caissie D. (2006) The thermal regime of rivers: a review. *Freshwater Biol*, 51. — P. 1389–1406. DOI: 10.1111/j.1365-2427.2006.01597x (in English).
- Chang Y.R., Chen K.S. (1995) Prediction of opposing turbulent line jets discharged laterally into a confined crossflow. *\*Int J Heat Mass Transfer*, 38(17). — P. 3069–3082. DOI: 10.1016/0017-9310(94)00390 (in English).
- Chen K.S., Hwang J.Y. (1991) Experimental study on the mixing of one- and dual-line heated jets with a cold crossflow in a confined channel. *AIAA J*, 29(3). — P. 353–360. DOI: 10.2514/3.10619 (in English).
- Du T., Dugdale S.J., Johnson M. F. (2026) A scenario-based, generalised model of the thermal impacts of cooling water discharge from thermoelectric power plants: thermopeaking and spatio-temporal interactions. *Water Res*, 288(Part A), 124529. DOI: 10.1016/j.watres.2025.124529 (in English).

Gaudard A., Weber C., Alexander T.J., Hunziker S., Schmid M. (2018) Impacts of using lakes and rivers for extraction and disposal of heat. *WIREs Water*, 5, e1295. DOI: 10.1002/wat2.1295 (in English).

Issakhov A., Zhandaulet Y. (2019) Numerical simulation of thermal pollution zones' formations in the water environment from the activities of the power plant. *Eng Appl Comput Fluid Mech*, 13(1). — P. 279–299. DOI: 10.1080/19942060.2019.1584126 (in English).

Kalinowska M.B., Rowiński P.M., Kubrak J., et al. (2012) Scenarios of the spread of a waste heat discharge in a river – Vistula River case study. *Acta Geophys*, 60. — P. 214–231. DOI: 10.2478/s11600-011-0045-x (in English).

Mahmood N.S., Mohammad T.A. (2022) Assessment of thermal pollution at selected stretch of Tigris River in Baghdad by field observations and numerical simulations. *J Eng*, 28(9). — P. 18–34. DOI: 10.31026/j.eng.2022.09.02 (in English).

Miara A., Vörösmarty C.J., Macknick J.E., Tidwell V.C., Fekete B., Corsi F., Newmark R. (2018) Thermal pollution impacts on rivers and power supply in the Mississippi River watershed. *Environ Res Lett*, 13(3), 034033. DOI: 10.1088/1748-9326/aaac85 (in English).

Råman Vinnå L., Wüest A., Bouffard D. (2017) Physical effects of thermal pollution in lakes. *Water Resour Res*, 53. — P. 3968–3987. DOI: 10.1002/2016WR019686 (in English).

Raptis C.E., van Vliet M. T. H., Pfister S. (2016) Global thermal pollution of rivers from thermoelectric powerplants. *Environ Res Lett*, 11(10), 104011. DOI: 10.1088/1748-9326/11/10/104011 (in English).

Tang H.S., Paik J., Sotiropoulos F., Khangaonkar T. (2008) Three-dimensional numerical modeling of initial mixing of thermal discharges at real-life configurations. *J Hydraul Eng*, 134(9). — P. 1210–1224. DOI: 10.1061/(ASCE)0733-9429(2008)134:9 (1210) (in English).

Tarena F., Nyqvist D., Katopodis C., Comoglio C. (2024) Computational fluid dynamics in fishway research: a systematic review on upstream fish passage solutions. *J Ecohydraulics*, 10(1). — P. 107–126. DOI: 10.1080/24705357.2024.2363772 (in English).

Velazquez-Araque L., Flor J., Méndez A., Cárdenas-Calle M. (2025) Modeling microplastic dispersion in the Salado Estuary using computational fluid dynamics. *Fluids*, 10(5), 118. DOI: 10.3390/fluids10050118 (in English).

## **Publication Ethics and Publication Malpractice in the journals of the Central Asian Academic Research Center LLP**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the journals of the Central Asian Academic Research Center LLP implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The Central Asian Academic Research Center LLP follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct ([http://publicationethics.org/files/u2/New\\_Code.pdf](http://publicationethics.org/files/u2/New_Code.pdf)). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the Central Asian Academic Research Center LLP.

The Editorial Board of the Central Asian Academic Research Center LLP will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайтах:

**[www.nauka-nanrk.kz](http://www.nauka-nanrk.kz)**

**<http://physics-mathematics.kz/index.php/en/archive>**

**ISSN2518-1726 (Online),**

**ISSN 1991-346X (Print)**

Ответственный редактор *А. Ботанқызы*

Редакторы: *Д.С. Аленов, Т. Апендиев*

Верстка на компьютере: *Г.Д. Жадырановой*

Подписано в печать 22.12.2025.

Формат 60x881/8. Бумага офсетная.

Печать –ризограф. 20,0 п.л. Заказ 4.