

ISSN: 2224-5227 (Print)
ISSN: 2518-1483 (Online)

**ACADEMIC SCIENTIFIC
JOURNAL OF COMPUTER SCIENCE**

**№1
2026**

ISSN 2518-1726 (Online),
ISSN 1991-346X (Print)



CENTRAL ASIAN ACADEMIC
RESEARCH CENTER



**ACADEMIC SCIENTIFIC
JOURNAL OF COMPUTER
SCIENCE**

1 (357)

JANUARY – MARCH 2026

**PUBLISHED SINCE JANUARY 1963
PUBLISHED 4 TIMES A YEAR**

ALMATY, NAS RK

Chief Editor:

MUTANOV Galimkair Mutanovich, doctor of technical sciences, professor, academician of NAS RK, (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=6506682964>, <https://www.webofscience.com/wos/author/record/1423665>

EDITORIAL BOARD:

KALIMOLDAYEV Maksat Nuradilovich, (Deputy Editor-in-Chief), Doctor of Physical and Mathematical Sciences, Professor, Academician of NAS RK, Advisor to the General Director of the Institute of Information and Computing Technologies of the CS MES RK, Head of the Laboratory (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=56153126500>, <https://www.webofscience.com/wos/author/record/2428551>

MAMYRBAEV Orken Zhumazhanovich, (Academic Secretary), PhD in Information Systems, Deputy Director for Science of the Institute of Information and Computing Technologies CS MES RK (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=55967630400>, <https://www.webofscience.com/wos/author/record/1774027>

BAIGUNCHEKOV Zhumadil Zhanabaevich, Doctor of Technical Sciences, Professor, Academician of NAS RK, Institute of Cybernetics and Information Technologies, Department of Applied Mechanics and Engineering Graphics, Satbayev University (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=6506823633>, <https://www.webofscience.com/wos/author/record/1923423>

WOICIK Waldemar, Doctor of Technical Sciences (Phys.-Math.), Professor of the Lublin University of Technology (Lublin, Poland), <https://www.scopus.com/authid/detail.uri?authorId=7005121594>, <https://www.webofscience.com/wos/author/record/678586>

SMOLARJ Andrej, Associate Professor Faculty of Electronics, Lublin polytechnic university (Lublin, Poland), <https://www.scopus.com/authid/detail.uri?authorId=56249263000>, <https://www.webofscience.com/wos/author/record/1268523>

KEILAN Alimkhan, Doctor of Technical Sciences, Professor (Doctor of science (Japan)), chief researcher of Institute of Information and Computational Technologies CS MES RK (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=8701101900>, <https://www.webofscience.com/wos/author/record/1436451>

KHAIROVA Nina, Doctor of Technical Sciences, Professor, Chief Researcher of the Institute of Information and Computational Technologies CS MES RK (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=37461441200>, <https://www.webofscience.com/wos/author/record/1768515>

OTMAN Mohamed, PhD, Professor of Computer Science Department of Communication Technology and Networks, Putra University Malaysia (Selangor, Malaysia), <https://www.scopus.com/authid/detail.uri?authorId=56036884700>, <https://www.webofscience.com/wos/author/record/747649>

NYSANBAYEVA Saule Yerkebulanovna, Doctor of Technical Sciences, Associate Professor, Senior Researcher of the Institute of Information and Computing Technologies CS MES RK (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=55453992600>, <https://www.webofscience.com/wos/author/record/3802041>

USATOVA Olga Alexandrovna, PhD, Associate Professor, Chief Scientific Secretary of the Institute of Information and Computing Technologies of the National Academy of Sciences of the Republic of Kazakhstan (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=57204581062>, <https://www.webofscience.com/wos/author/record/JCO-3058-2023>

KAPALOVA Nursulu Aldazharovna, Candidate of Technical Sciences, Head of the Laboratory cybersecurity, Institute of Information and Computing Technologies CS MES RK (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=57191242124>,

KOVALYOV Alexander Mikhailovich, Doctor of Physical and Mathematical Sciences, Academician of the National Academy of Sciences of Ukraine, Institute of Applied Mathematics and Mechanics (Donetsk, Ukraine), <https://www.scopus.com/authid/detail.uri?authorId=7202799321>, <https://www.webofscience.com/wos/author/record/38481396>

MIKHALEVICH Alexander Alexandrovich, Doctor of Technical Sciences, Professor, Academician of the National Academy of Sciences of Belarus (Minsk, Belarus), <https://www.scopus.com/authid/detail.uri?authorId=7004159952>, <https://www.webofscience.com/wos/author/record/46249977>

TIGHINEANU Ion Mihailovich, Doctor of Physical and Mathematical Sciences, Academician, President of the Academy of Sciences of Moldova, Technical University of Moldova (Chisinau, Moldova), <https://www.scopus.com/authid/detail.uri?authorId=7006315935>, <https://www.webofscience.com/wos/author/record/524462>

Academic Scientific Journal of Computer Science

ISSN 2518-1726 (Online),

ISSN 1991-346X (Print)

Owner: «Central Asian Academic Research Center» LLP (Almaty).

Certificate № **KZ77VPY00121154** on the re-registration of the periodical printed and online publication of the information agency, issued on **05.06.2025** by the Republican State Institution «Information Committee» of the Ministry of Culture and Information of the Republic of Kazakhstan

Subject area: *information and communication technologies*.

Currently: *included in the list of journals recommended by the CCSES MSHE RK in the direction of «Information and communication technologies».*

Periodicity: *4 times a year.*

<http://www.physico-mathematical.kz/index.php/en/>

© «Central Asian Academic Research Center» LLP, 2026

БАС РЕДАКТОР:

МУТАНОВ Ғалымқайыр Мұтанұлы, техника ғылымдарының докторы, профессор, ҚР ҰҒА академигі, (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=6506682964>, <https://www.webofscience.com/wos/author/record/1423665>

РЕДАКЦИЯ АЛҚАСЫ:

КАЛИМОЛДАЕВ Мақсат Нұрәділұлы, (бас редактордың орынбасары), физика-математика ғылымдарының докторы, профессор, ҚР ҰҒА академигі, ҚР ҒЖБМ ҒК «Ақпараттық және есептеу технологиялары институты» бас директорының кеңесшісі, зертхана меңгерушісі (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=56153126500>, <https://www.webofscience.com/wos/author/record/2428551>

МАМЫРБАЕВ Өркен Жұмажанұлы (ғалым хатшы), Ақпараттық жүйелер саласындағы техника ғылымдарының (PhD) докторы, ҚР ҒЖБМ ҒК «Ақпараттық және есептеу технологиялары институты» директорының ғылым жөніндегі орынбасары (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=55967630400>, <https://www.webofscience.com/wos/author/record/1774027>

БАЙГУНЧЕКОВ Жұмаділ Жаңабайұлы, техника ғылымдарының докторы, профессор, ҚР ҰҒА академигі, Кибернетика және ақпараттық технологиялар институты, Қолданбалы механика және инженерлік графика кафедрасы, Сәтбаев университеті (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=6506823633>, <https://www.webofscience.com/wos/author/record/1923423>

ВОЙЧИК Вальдемар, техника ғылымдарының докторы (физ-мат), Люблин технологиялық университетінің профессоры (Люблин, Польша), <https://www.scopus.com/authid/detail.uri?authorId=7005121594>, <https://www.webofscience.com/wos/author/record/678586>

СМОЛАРЖ Анджей, Люблин политехникалық университетінің электроника факультетінің доценті (Люблин, Польша), <https://www.scopus.com/authid/detail.uri?authorId=56249263000>, <https://www.webofscience.com/wos/author/record/1268523>

КЕЙЛАН Әлімхан, техника ғылымдарының докторы, профессор (ғылым докторы (Жапония)), ҚР ҒЖБМ ҒК «Ақпараттық және есептеу технологиялары институтының» бас ғылыми қызметкері (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=8701101900>, <https://www.webofscience.com/wos/author/record/1436451>

ХАЙРОВА Нина, техника ғылымдарының докторы, профессор, ҚР ҒЖБМ ҒК «Ақпараттық және есептеу технологиялары институтының» бас ғылыми қызметкері (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=37461441200>, <https://www.webofscience.com/wos/author/record/1768515>

ОТМАН Мохаммед, PhD, Информатика, Коммуникациялық технологиялар және желілер кафедрасының профессоры, Путра университеті Малайзия (Селангор, Малайзия), <https://www.scopus.com/authid/detail.uri?authorId=56036884700>, <https://www.webofscience.com/wos/author/record/747649>

НЫСАНБАЕВА Сауле Еркебұланқызы, техника ғылымдарының докторы, доцент, ҚР ҒЖБМ ҒК «Ақпараттық және есептеу технологиялары институтының» аға ғылыми қызметкері (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=55453992600>, <https://www.webofscience.com/wos/author/record/3802041>

УСАТОВА Ольга Александровна, PhD, қауымдастырылған профессор, ҚР ҒЖБМ "Ақпараттық және есептеу технологиялары институтының" бас ғалым хатшысы (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=57204581062>, <https://www.webofscience.com/wos/author/record/JCO-3058-2023>

КАПАЛОВА Нұрсұлу Алдажарқызы, техника ғылымдарының кандидаты, ҚР ҒЖБМ ҒК «Ақпараттық және есептеу технологиялары институты», Киберқауіпсіздік зертханасының меңгерушісі (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=57191242124>,

КОВАЛЕВ Александр Михайлович, физика-математика ғылымдарының докторы, Украина Ұлттық Ғылым академиясының академигі, Қолданбалы математика және механика институты (Донецк, Украина), <https://www.scopus.com/authid/detail.uri?authorId=7202799321>, <https://www.webofscience.com/wos/author/record/38481396>

МИХАЛЕВИЧ Александр Александрович, техника ғылымдарының докторы, профессор, Беларусь Ұлттық Ғылым академиясының академигі (Минск, Беларусь), <https://www.scopus.com/authid/detail.uri?authorId=7004159952>, <https://www.webofscience.com/wos/author/record/46249977>

ТИГИНЯНУ Ион Михайлович, физика-математика ғылымдарының докторы, академик, Молдова Ғылым Академиясының президенті, Молдова техникалық университеті (Кишинев, Молдова), <https://www.scopus.com/authid/detail.uri?authorId=7006315935>, <https://www.webofscience.com/wos/author/record/524462>

Academic Scientific Journal of Computer Science

ISSN 2518-1726 (Online),

ISSN 1991-346X (Print)

Меншіктеуші: «Орталық Азия академиялық ғылыми орталығы» ЖШС (Алматы).

Ақпарат агенттігінің мерзімді баспасөз басылымын, ақпарат агенттігін және желілік басылымды қайта есепке қою туралы ҚР Мәдениет және Ақпарат министрлігі «Ақпарат комитеті» Республикалық мемлекеттік мекемесі **05.06.2025** ж. берген № **KZ77VPY00121154** Куәлік.

Тақырыптық бағыты: *ақпараттық-коммуникациялық технологиялар*

Қазіргі уақытта: *«ақпараттық-коммуникациялық технологиялар» бағыты бойынша ҚР БҒМ БҒСБК ұсынған журналдар тізіміне енді.*

Мерзімділігі: *жылына 4 рет.*

<http://www.physico-mathematical.kz/index.php/en/>

© «Орталық Азия академиялық ғылыми орталығы» ЖШС, 2026

Главный редактор:

МУТАНОВ Галимканр Мутанович, доктор технических наук, профессор, академик НАН РК, (Алматы, Казахстан), <https://www.scopus.com/author/detail.uri?authorId=6506682964>, <https://www.webofscience.com/wos/author/record/1423665>

Редакционная коллегия:

КАЛИМОЛДАЕВ Максат Нурадилович, (заместитель главного редактора), доктор физико-математических наук, профессор, академик НАН РК, советник генерального директора «Института информационных и вычислительных технологий» КН МНВО РК, заведующий лабораторией (Алматы, Казахстан), <https://www.scopus.com/author/detail.uri?authorId=56153126500>, <https://www.webofscience.com/wos/author/record/2428551>

МАМЫРБАЕВ Оркен Жумажанович, (ученый секретарь), доктор философии (PhD) по специальности «Информационные системы», заместитель директора по науке РГП «Институт информационных и вычислительных технологий» Комитета науки МНВО РК (Алматы, Казахстан), <https://www.scopus.com/author/detail.uri?authorId=55967630400>, <https://www.webofscience.com/wos/author/record/1774027>

БАЙГУНЧЕКОВ Жумадил Жанабаевич, доктор технических наук, профессор, академик НАН РК, Институт кибернетики и информационных технологий, кафедра прикладной механики и инженерной графики, Университет Сагпаева (Алматы, Казахстан), <https://www.scopus.com/author/detail.uri?authorId=6506823633>, <https://www.webofscience.com/wos/author/record/1923423>

ВОЙЧИК Вальдемар, доктор технических наук (физ.-мат.), профессор Люблинского технологического университета (Люблин, Польша), <https://www.scopus.com/author/detail.uri?authorId=7005121594>, <https://www.webofscience.com/wos/author/record/678586>

СМОЛЯРЖ Анджей, доцент факультета электроники Люблинского политехнического университета (Люблин, Польша), <https://www.scopus.com/author/detail.uri?authorId=56249263000>, <https://www.webofscience.com/wos/author/record/1268523>

КЕЙЛАН Алимхан, доктор технических наук, профессор (Doctor of science (Japan)), главный научный сотрудник РГП «Института информационных и вычислительных технологий» КН МНВО РК (Алматы, Казахстан), <https://www.scopus.com/author/detail.uri?authorId=8701101900>, <https://www.webofscience.com/wos/author/record/1436451>

ХАЙРОВА Нина, доктор технических наук, профессор, главный научный сотрудник РГП «Института информационных и вычислительных технологий» КН МНВО РК (Алматы, Казахстан), <https://www.scopus.com/author/detail.uri?authorId=37461441200>, <https://www.webofscience.com/wos/author/record/1768515>

ОТМАН Мохамед, доктор философии, профессор компьютерных наук, Департамент коммуникационных технологий и сетей, Университет Путра Малайзия (Селангор, Малайзия), <https://www.scopus.com/author/detail.uri?authorId=56036884700>, <https://www.webofscience.com/wos/author/record/747649>

НЫСАНБАЕВА Сауле Еркебулановна, доктор технических наук, доцент, старший научный сотрудник РГП «Института информационных и вычислительных технологий» КН МНВО РК (Алматы, Казахстан), <https://www.scopus.com/author/detail.uri?authorId=55453992600>, <https://www.webofscience.com/wos/author/record/3802041>

УСАТОВА Ольга Александровна, PhD, ассоциированный профессор, Главный ученый секретарь «Института информационных и вычислительных технологий» КН МНВО РК (Алматы, Казахстан), <https://www.scopus.com/author/detail.uri?authorId=57204581062>, <https://www.webofscience.com/wos/author/record/JCO-3058-2023>

КАПАЛОВА Нурсулу Алдажаровна, кандидат технических наук, заведующий лабораторией кибербезопасности РГП «Института информационных и вычислительных технологий» КН МНВО РК (Алматы, Казахстан), <https://www.scopus.com/author/detail.uri?authorId=57191242124>,

КОВАЛЕВ Александр Михайлович, доктор физико-математических наук, академик НАН Украины, Институт прикладной математики и механики (Донецк, Украина), <https://www.scopus.com/author/detail.uri?authorId=7202799321>, <https://www.webofscience.com/wos/author/record/38481396>

МИХАЛЕВИЧ Александр Александрович, доктор технических наук, профессор, академик НАН Беларуси (Минск, Беларусь), <https://www.scopus.com/author/detail.uri?authorId=7004159952>, <https://www.webofscience.com/wos/author/record/46249977>

ТИГИНЯНУ Ион Михайлович, доктор физико-математических наук, академик, президент Академии наук Молдовы, Технический университет Молдовы (Кишинев, Молдова), <https://www.scopus.com/author/detail.uri?authorId=7006315935>, <https://www.webofscience.com/wos/author/record/524462>

Academic Scientific Journal of Computer Science

ISSN 2518-1726 (Online),

ISSN 1991-346X (Print)

Собственник: *ТОО «Центрально-азиатский академический научный центр» (г. Алматы).*

Свидетельство о постановке на переучет периодического печатного издания, информационного агентства и сетевого издания № **KZ77VRY00121154**. Дата выдачи **05.06.2025**

Тематическая направленность: *информационно-коммуникационные технологии.*

В настоящее время: *вошел в список журналов, рекомендованных КОКШВО МНВО РК по направлению «информационно-коммуникационные технологии».*

Периодичность: *4 раза в год.*

<http://www.physico-mathematical.kz/index.php/en/>

© ТОО «Центрально-азиатский академический научный центр», 2026

CONTENTS

COMPUTER SCIENCE

Akhmetova S.T., Yunussova A.A., Alisheva S.S., Olzhataeva B.T., Mussirepova E.B. Social network data mining for automated offensive language detection.....	13
Amanov A.N., Kazbekova G.N., Zhunissov N.M., Abibullayeva A.A., Aben A.B. Artificial intelligence-based intrusion detection for DDOS attacks in Software Defined Networking.....	30
Amanzholova S.T., Ussatova O.A., Mutanov G.M., Mukhanov S.B., Aitmukash D. Backend architecture of a hybrid blockchain-based academic credential verification system.....	52
Amirkhanova G.A., Nurgazy T.N., Amirkhanov B.S., Tokhtassyn M.M., Nurgazy N.N. Developing a predictive digital twin for a food product based on Edge ML and IoT sensors.....	73
Bekarystankyzy A., Ussen D., Kassenkhan A., Chinibayev Y. Cold-start in educational recommender systems: classical and LLM-Era strategies.....	91
Bimoldina Zh., Mussiraliyeva Sh., Bagitova K., Terekovska L. Detection of cyber-propaganda content using machine learning and semantic models....	106
Chezhimbayeva K.S. Forecasting key 5G network KPIs using MLP and LSTM neural network models.....	129
Dauitbayeva A.O., Konyrbaev N.B., Abildayeva Zh.T., Yessirkepova A.U., Karim N.A. Development of an application to optimize the process of employment of graduates.....	148
Dzhsupbekova G., Othman M., Ordabayeva G. Comparative analysis of artificial intelligence algorithms to detect network attacks.....	167
Issakhov A., Orazmoldayev N., Zharkynbek Y., Abylkassymova A. Numerical modeling of the spread of viral infection by airborne droplets in confined spaces.....	182
Kantureeva M., Omarova G.S., Duisen Z.D., Shekerbek A.A., Tulebayev Y.B. Application of machine learning methods in forecasting and optimizing the processes of evacuation of people in high-rise buildings.....	202
Khusain B., Telmanov M., Khusain A.B., Brodskiy A.R., Sass A.S. Digital twin of an integrated emission purification and decarbonization system for thermal units.....	218
Kulakayeva A., Ashurov A., Zhumazhanov B., Daineko Ye., Zylgara A. Algorithm for determining the initial orbital parameters of KazeEOSat-1 for deorbiting.....	236

Mimenbayeva A.B., Turebayeva R.D., Ospanova T.T., Aruova A.B., Naizagarayeva A.A. Development and comparative analysis of machine learning models for urban traffic prediction.....	253
Naumenko V.V., Mukanova Zh.A., Kiseleva O.V., Maintser D.A., Nerezov A.K. The use of real-time polling to improve student academic performance.....	271
Nazyrova A.E., Kaderkeyeva Z.K., Bekmanova G.T., Milosz M., Lamasheva Zh. Transformation of education through digital technologies: advancing student academic performance across learning stages.....	287
Oralbekova D., Mamyrbayev O., Akhmediyarova A., Kassymova D., Alibiyeva Z. Development of a multi-level model for text summarization based on pretrained models.....	316
Orazbayev B.B., Zhumadillayeva A.K., Kurbangalieva N.B., Yessirkessinov R.Zh., Orazbayeva K.N. Synthesis of linguistic models for assessing sulfur quality and fuzzy modeling of the sulfur production process.....	337
Sarsenbayeva A.K., Rakhimova D.R., Shormakova A.N., Mansurova M.E., Adali E. Application of semantic methods in the field of legislation: an intellectual system for analysis of agglutinative texts.....	354
Serek A., Shoiynbek A., Sharipov K., Kuanyshbay D., Mukhametzhano A. Analysis and classification of telephone fraud based on lexical features of speech transcriptions.....	373
Shynzhigit B.B., Balabekova M.O., Amangeldy T.T. Analysis and forecasting of brick product sales using machine learning models.....	393
Tokhayeva A.O., Alzhanov A.K., Nezh Önal, Ziyatbekova G.Z., Begaliev K.B. Formation of students virtualization competencies in higher education based on Proxmox VE.....	412
Tukenova L.M., Auyelbekov O.A., Sapakova S.Z., Sametova A.A., Bostanov E.L. Modelling and optimisation of hybrid power plant operating modes for unmanned aerial vehicles.....	430
Yerimbetova A., Berzhanova U., Daiyrbayeva E., Sakenov B., Sambetbayeva M. Sign language recognition using temporal convolutional network and MediaPipe.....	443
Zhukabayeva T.K., Benkhelifa E., Mardenov Y.M., Baumuratova D., Karabayev N. Decision support for responding to attacks in cyber-physical industrial internet-of-things systems.....	461

МАЗМҰНЫ

ИНФОРМАТИКА

Ахметова С.Т., Юнусова А.А., Алишева С.С., Олжатаева Б.Т., Мүсірепова Э.Б. Әлеуметтік желідегі бейәдеп пікірлерді автоматты анықтауда деректерді интеллектуалды талдау.....	13
Аманов А.Н., Казбекова Г.Н., Жунисов Н.М., Абибуллаева А.А., Абен А.Б. Бағдарламалық жасақтамамен анықталған желідегі DDOS шабуылдары үшін жасанды интеллектке негізделген шабуылдарды анықтау.....	30
Аманжолова С.Т., Усатова О.А., Мутанов Г.М., Муханов С.Б., Айтмукаш Д. Гибридтік блокчейнге негізделген академиялық сенімдік деректерді тексеру жүйесінің бекендік архитектурасы.....	52
Амирханова Г.А., Нұрғазы Т.Н., Амирханов Б.С., Нұрғазы Н. Н. EDGE ML және IOT сенсорлары негізінде азық-түлік өнімінің предиктивті цифрлық егізін әзірлеу.....	73
Бекарыстанқызы А., Үсен Д., Қасенхан А., Чинибаев Е. Білім беру саласындағы ұсынымдық жүйелеріндегі «Cold-start» мәселесі: классикалық әдістер және LLM дәуірінің стратегиялары.....	91
Бимолдина Ж.А., Мусиралиева Ш.Ж., Багитова К.Б., Терейковская Л.З Кибернасихаттық контентті анықтау үшін машиналық оқыту және семантикалық модельдер қолдану.....	106
Чечимбаева К.С. MLP және LSTM нейрондық желі модельдерін қолдана отырып, 5G желісінің негізгі KPI-лерін болжау.....	129
Дәуітбаева А.О., Қоңырбаев Н.Б., Әбілдаева Ж.Т., Есіркепова А.У., Кәрім Н.Ә. Бітіруші түлектердің жұмысқа орналастыру процесін оңтайландыру үшін қосымша әзірлеу.....	148
Джусупбекова Г., Othman M., Ордабаева Г. Жасанды интеллект алгоритмдерін желілік шабуылдарды анықтау үшін салыстырмалы талдау.....	167
Исахов А.А., Оразмолдаев Н., Жаркынбек Е., Абылкасымова А. Ауа тамшылары арқылы вирустық инфекцияның шектеулі кеңістікте таралуын сандық модельдеу.....	182
Қантурсева М.А., Омарова Г.С., Дүйсен Ж.Д., Шекербек А.Ә., Түлебаев Е.Б. Биік ғимараттардағы адамдарды эвакуациялау процестерін болжау және оңтайландыруда машиналық оқыту әдістерін қолдану.....	202

Хусаин Б., Тельманов М.М., Хусаин А.Б., Бродский А.Р., Сасс А.С. Жылу қондырғыларының шығарындыларын кешенді тазалау және декарбонизациялау жүйесінің цифрлық егізі.....	218
Кулакаева А.Е., Ашуров А.Е., Жумажанов Б.Р., Дайнеко Е.А., Зылғара А.Е. КАZEOSAT-1 ғарыш аппаратының деорбитациясын жүзеге асыру үшін бастапқы орбиталық параметрлерін анықтау алгоритмі.....	236
Мименбаева А.Б., Туребаева А.Д., Оспанова Т.Т., Аруова А.Б., Найзағарасва А.А. Қалалық көлік ағынын болжауға арналған машиналық оқыту модельдерін әзірлеу және салыстырмалы талдау.....	253
Науменко В.В., Муканова Ж.А., Киселева О.В., Майнцер Д.А., Нерезов А.К. Білім алушылардың үлгерімін арттыру үшін real-time сауалнамаларын қолдану.....	271
Назырова А.Е., Кадеркеева З.К., Бекманова Г.Т., Милош М., Ламашева Ж.Б. Цифрлық білім және студенттердің академиялық жетістіктері: деңгейлер бойынша білім беруді дамыту.....	287
Оралбекова Д., Мамырбаев О., Ахмедиярова А., Қасымова Д.З, Алибиева Ж., Алдын ала оқытылған модельдер негізінде мәтінді резюмелеуге арналған көпдеңгейлі модельді әзірлеу.....	316
Оразбаев Б.Б., Жумадиллаева А.К., Курбанғалиева Н.Б., Оразбаева К.Н. Күкірт сапасын бағалаудың лингвистикалық модельдерін синтездеу және күкіртті өндіру процесін бұлыңғыр модельдеу.....	337
Сарсенбаева А.К., Рахимова Д.Р., Шормакова А.Н., Мансурова М.Е., Адали Э. Семантикалық әдістерді заңнама саласында қолдану: агглютинативті мәтіндерді талдауға арналған интеллектуалды жүйе.....	354
Серек А., Шойынбек А., Шарипов К., Қуанышбай Д., Мухаметжанов А. Сөйлеу транскрипцияларының лексикалық белгілеріне негізделген телефон алаяқтықтарын талдау және жіктеу.....	373
Шынжігіт Б.Б., Балабекова М.О., Амангелді Т.Т. Кірпіш өнімдерін сату көлемдерін машиналық оқытуда талдау және болжамдау.....	393
Тохаева А.О., Альжанов А.К., Nezir Ö., Зиятбекова Г.З., Бегалиева К.Б. PROXMOX VE негізінде жоғары оқу орындарында білім алушыларды виртуалдандыру құзыреттерін қалыптастыру.....	412

Төкенова Л.М., Әуелбеков О.А., Сапақова С., Саметова А.А., Бостанов Е.Л.
Пилотсыз ұшу аппараттарына арналған гибриді электр станцияларының жұмыс режимдерін модельдеу және оңтайландыру.....430

Еримбетова А.С., Бержанова У.Г., Дайырбаева Э.Н., Сәкенов Б.Е., Самбетбаева М.А.
Уақытша конволюциялық желі мен media pipe көмегімен ым тілін тану.....443

Жукабаева Т.К., Бенхелифа Э., Марденов Е.М., Баумуратова Д., Карабаев Н.
Киберфизикалық өнеркәсіптік интернет заттары жүйелеріндегі шабуылдарға әрекет ету кезінде шешім қабылдауды қолдау.....461

СОДЕРЖАНИЕ

ИНФОРМАТИКА

Ахметова С.Т., Юнусова А.А., Алишева С.С., Олжатаева Б.Т., Мүсірепова Э.Б. Интеллектуальный анализ данных для автоматического выявления языка ненависти в социальных сетях.....	13
Аманов А.Н., Казбекова Г.Н., Жунисов Н.М., Абибуллаева А.А., Абен А.Б. Обнаружение вторжений на основе искусственного интеллекта для DDoS-атак в программно-определяемых сетях.....	30
Аманжолова С.Т., Усатова О.А., Мутанов Г.М., Муханов С.Б., Айтмукаш Д. Бэкенд-архитектура гибридной системы проверки академических достижений на основе блокчейна.....	52
Амирханова Г.А., Нургазы Т.Н., Амирханов Б.С., Нургазы Н.Н. Разработка предиктивного цифрового двойника пищевого продукта на основе Edge ML и IoT-сенсоров.....	73
Бекарыстанқызы А., Үсен Д., Қасенхан А., Чинибаев Е. Холодный старт в системах рекомендаций в области образования: классические подходы и стратегии эпохи LLM.....	91
Бимолдина Ж.А., Мусиралиева Ш.Ж., Багитова К.Б., Терейковская Л. Использование машинного обучения и семантических моделей для обнаружения киберпропагандистского контента.....	106
Чечимбаева К.С. Прогнозирование ключевых KPI сетей 5G на основе нейросетевых моделей MLP и LSTM.....	129
Даутбаева А.О., Конырбаев Н.Б., Абильдаева Ж.Т., Есиркепова А.У., Карим Н.А. Разработка приложения для оптимизации процесса трудоустройства выпускников.....	148
Джусупбекова Г., Othman M., Ордабаева Г. Сравнительный анализ алгоритмов искусственного интеллекта для обнаружения сетевых атак.....	167
Исахов А.А., Оразмолдаев Н., Жаркынбек Е., Абылкасымова А. Численное моделирование распространения вирусной инфекции воздушно-капельным путём в замкнутых помещениях.....	182

Кантуреева М.А., Омарова Г.С., Дүйсен Ж.Д., Шекербек А.Ә., Тулебаев Е.Б. Использование методов машинного обучения для прогнозирования и оптимизации процессов эвакуации людей в высотных зданиях.....	202
Хусаин Б., Тельманов М.М., Хусаин А.Б., Бродский А.Р., Сасс А.С. Цифровой двойник комплексной системы очистки и декарбонизации выбросов тепловых установок.....	218
Кулакаева А.Е., Ашуров А.Е., Жумажанов Б.Р., Дайнеко Е.А., Зылгара А.Е. Алгоритм определения начальных орбитальных параметров KazEOSat-1 для деорбитации.....	236
Мименбаева А.Б., Туребаева А.Д., Оспанова Т.Т., Аруова А.Б., Найзагараева А.А. Разработка и сравнительный анализ моделей машинного обучения для прогнозирования городского трафика.....	253
Науменко В.В., Муканова Ж.А., Киселёва О.В., Майнцер Д.А., Нерезов А.К. Применение опросов в режиме реального времени для повышения успеваемости обучающихся.....	271
Назырова А.Е., Кадеркеева З.К., Бекманова Г.Т., Милош М., Ламашева Ж.Б. Цифровое образование и академическая успеваемость учащихся: межуровневый анализ.....	287
Оралбекова Д., Мамырбаев О., Ахмедиярова А., Касымова Д., Алибиева Ж. Разработка многоуровневой модели для абстрактивного резюмирования текста на основе предварительно обученных моделей.....	316
Оразбаев Б.Б., Жумадиллаева А.К., Курбангалиева Н.Б., Есиркесинов Р.Ж., Оразбаева К.Н. Синтез лингвистических моделей оценки качества серы и нечёткое моделирование процесса её производства.....	337
Сарсенбаева А.К., Рахимова Д.Р., Шормакова А.Н., Мансурова М.Е., Адали Э. Применение семантических методов в юридическом анализе: интеллектуальная система для обработки агглютинативных текстов.....	354
Серек А., Шойынбек А., Шарипов К., Куанышбай Д., Мухаметжанов А. Анализ и классификация телефонного мошенничества на основе лексических признаков речевых транскрипций.....	373
Шынжігіт Б.Б., Балабекова М.О., Амангелді Т.Т. Анализ и прогнозирование объёмов продаж кирпичной продукции с использованием машинного обучения.....	393

Тохаева А.О., Альжанов А.К., Nezih Ö., Зиятбекова Г.З., Бегалиева К.Б. Формирование компетенций в области виртуализации у обучающихся в высшем образовании на основе платформы Proxmox VE.....	412
Тукенова Л.М., Ауелбеков О.А., Сапакова С.З., Саметова А.А., Бостанов Е.Л. Моделирование и оптимизация режимов работы гибридных силовых установок для беспилотных летательных аппаратов.....	430
Еримбетова А.С., Бержанова У.Г., Дайырбаева Э.Н., Сакенов Б.Е., Самбетбаева М.А. Распознавание языка жестов с использованием временных свёрточных сетей и MediaPipe4.....	43
Жукабаева Т.К., Бенхелифа Э., Марденов Е.М., Баумуратова Д., Карабаев Н. Поддержка принятия решений при реагировании на атаки в киберфизических промышленных системах интернета вещей.....	461

ACADEMIC SCIENTIFIC JOURNAL OF COMPUTER SCIENCE
ISSN 1991-346X
Volume 1.
Number 357 (2026). 182–201

<https://doi.org/10.32014/2026.2518-1726.408>

IRSTI 27.35.21; 27.35.47; 27.41.19
UDC 533.9.01; 519.63; 519.684

© **Issakhov A.^{1*}, Orazmoldayev N.¹, Zharkynbek Y.²,
Abylkassymova A.¹, 2026.**

¹Kazakh-British Technical University, Almaty, Kazakhstan;

²King Abdullah University of Science & Technology, Thuwal, Saudi Arabia.

E-mail: alibek.issakhov@gmail.com

NUMERICAL MODELING OF THE SPREAD OF VIRAL INFECTION BY AIRBORNE DROPLETS IN CONFINED SPACES

Issakhov Alibek — PhD, Professor, Kazakh-British Technical University, Almaty, Kazakhstan,
E-mail: alibek.issakhov@gmail.com, <https://orcid.org/0000-0002-1937-8615>;

Orazmoldayev Nurbol — Master's student, Kazakh-British Technical University, Almaty,
Kazakhstan,

E-mail: nurbol.ozarmoldayev@gmail.com, <https://orcid.org/0009-0004-2444-7621>;

Zharkynbek Yeskendir — Master's student, King Abdullah University of Science & Technology,
Thuwal, Saudi Arabia,

E-mail: yeskendir.zharkynbek@gmail.com, <https://orcid.org/0009-0001-0616-567X>;

Abylkassymova Aizhan — PhD, Associated Professor, Kazakh-British Technical University,
Almaty, Kazakhstan,

E-mail: Abylkassymova.Aizhan@gmail.com, <https://orcid.org/0000-0002-5967-6959>.

Abstract. Airborne virus transmission is a key mechanism for the spread of infectious diseases in enclosed spaces, where asymptomatic carriers are especially dangerous, which can increase the rate of infection foci formation. The behavior of aerosol particles in the air is determined by the complex dynamics of air flows, thermal effects, and characteristics of ventilation systems, which makes the problem relevant for developing effective strategies to prevent indoor contamination. In this paper, a numerical study of the propagation of droplets and virus particles in ventilated rooms is performed based on the solution of three-dimensional Navier-Stokes equations for incompressible flows in combination with the discrete phase (DPM) model and the turbulent SST $k-\omega$ model. The developed mathematical model takes into account the influence of human body temperature, gravitational deposition, room geometry, location of ventilation openings, as well as the behavior of particles during breathing, coughing and sneezing. Two room configurations and two particle ejection rates are considered (6, 20 m/s), which makes it possible to

cover a wide range of real-world scenarios. The simulation results demonstrate that particles can spread over a distance of more than 5-6 meters, and improper or uneven ventilation leads to the formation of zones of increased aerosol concentration. The nonlinear effect of the human heat plume and ventilation design on the dynamics of air flow, precipitation and particle transport is shown. The data obtained can be used to optimize ventilation systems, design safe indoor spaces, and develop protocols to reduce the risk of indoor transmission of infections. Computational Fluid Dynamics (CFD) provides valuable information for substantiating safety protocols and reducing the risk of airborne transmission, which makes the proposed approach particularly relevant for practical applications.

Key words: particles, enclosed space, SST k-omega, viral diseases

For citations: Issakhov A., Orazmoldayev N., Zharkynbek Y., Abylkassymova A. Numerical modeling of the spread of viral infection by airborne droplets in confined spaces. Academic Scientific Journal of Computer Science, 2026. — No.1. — P. 182–201. DOI: <https://doi.org/10.32014/2026.2518-1726.408>

© **Исахов А.А.^{1*}, Оразмолдаев Н.¹, Жаркынбек Е.²,
Абылкасымова А.¹, 2026.**

¹Қазақ-Британ техникалық университеті, Алматы, Қазақстан;

² Сауд Арабиясының Король Абдулла атындағы ғылым және технология университеті, Тувал, Сауд Арабия.
E-mail: Alibek.issakhov@gmail.com

АУА ТАМШЫЛАРЫ АРҚЫЛЫ ВИРУСТЫҚ ИНФЕКЦИЯНЫҢ ШЕКТЕУЛІ КЕҢІСТІКТЕ ТАРАЛУЫН САНДЫҚ МОДЕЛЬДЕУ

Исахов Алибек — PhD, Профессор, Қазақ-Британ техникалық университеті, Алматы, Қазақстан,

E-mail: alibek.issakhov@gmail.com, <https://orcid.org/0000-0002-1937-8615>;

Оразмолдаев Нұрбол — магистрант, Қазақ-Британ техникалық университеті, Алматы, Қазақстан,

E-mail: nurbol.orazmoldayev@gmail.com, <https://orcid.org/0009-0004-2444-7621>;

Жаркынбек Ескендір — магистрант, Сауд Арабиясының Король Абдулла атындағы ғылым және технология университеті, Тувал, Сауд Арабия,

E-mail: yeskendir.zharkynbek@gmail.com, <https://orcid.org/0009-0001-0616-567X>;

Абылкасымова Айжан — PhD, қауымдастырылған профессор, Қазақ-Британ техникалық университеті, Алматы, Қазақстан,

E-mail: Abylkassymova.Aizhan@gmail.com, <https://orcid.org/0000-0002-5967-6959>.

Аннотация. Вирустардың ауа-тамшылары арқылы таралуы инфекция ошақтарының қалыптасу жылдамдығын арттыруға қабілетті, асимптоматикалық тасымалдаушылар аса қауіпті жабық үй-жайларда жұқпалы аурулардың таралуының негізгі механизмі болып табылады. Ауадағы аэрозоль бөлшектерінің әрекеті ауа ағындарының күрделі динамикасымен,

жылу әсерлерімен және желдету жүйелерінің сипаттамаларымен анықталады, бұл мәселені ішкі инфекцияның алдын алудың тиімді стратегияларын әзірлеу үшін өзекті етеді. Бұл жұмыста дискретті фазалық модельмен (DPM) және SST $K-\omega$ турбулентті моделімен біріктірілген сығылмайтын ағындар үшін үш өлшемді Навье–Стокс теңдеулерін шешу негізінде желдетілетін бөлмелерде тамшылар мен вирустық бөлшектердің таралуын сандық зерттеу жүргізілді. Әзірленген математикалық модель адамның дене температурасының, гравитациялық тұндырудың, бөлме геометриясының, желдеткіш саңылаулардың орналасуының және тыныс алу, жөтелу және түшкіру кезіндегі бөлшектердің әрекетінің әсерін ескереді. Бөлменің екі конфигурациясы және екі бөлшектердің шығарылу жылдамдығы қарастырылады (6, 20 м/с). Бұл нақты сценарийлердің кең ауқымын қамтуға мүмкіндік береді. Модельдеу нәтижелері бөлшектердің 5-6 метрден астам қашықтыққа таралуы мүмкін екенін көрсетеді, ал дұрыс емес немесе біркелкі емес желдету аэрозоль концентрациясының жоғарылау аймақтарының пайда болуына әкеледі. Адамның жылу шлейфі мен желдету құрылымының ауа ағынының динамикасына, тұндыруға және бөлшектердің тасымалдануына сызықтық емес әсері көрсетілген. Нәтижелер желдету жүйелерін оңтайландыру, қауіпсіз ішкі кеңістіктерді жобалау және үй ішінде инфекциялардың таралу қаупін азайту хаттамаларын әзірлеу үшін пайдаланылуы мүмкін. Есептеу гидродинамикасы (CFD) қауіпсіздік хаттамаларын негіздеу және ауа арқылы жұқтыру қаупін азайту үшін құнды ақпарат береді, бұл ұсынылған тәсілді практикалық қолдануға ерекше маңызды етеді.

Түйін сөздер: бөлшектер, жабық бөлме, SST $k-\omega$, вирустық аурулар

© **Исахов А.А.^{1*}, Оразмолдаев Н.¹, Жаркынбек Е.²,
Абылкасымова А.¹, 2026.**

¹Казахстанско-Британский технический университет, Алматы, Казахстан;

² Университет науки и технологий имени короля Абдаллы,

Тувал, Саудовская Аравия

E-mail: Alibek.issakhov@gmail.com

ЧИСЛЕННОЕ МОДЕЛИРОВАНИЕ РАСПРОСТРАНЕНИЕ ВИРУСНОЙ ИНФЕКЦИИ ВОЗДУШНО-КАПЕЛЬНЫМ ПУТЕМ В ЗАМКНУТЫХ ПОМЕЩЕНИЯХ

Исахов Алибек — PhD, Профессор, Казахстанско-Британский технический университет, Алматы, Казахстан,

E-mail: alibek.issakhov@gmail.com, <https://orcid.org/0000-0002-1937-8615>;

Оразмолдаев Нұрбол — магистрант, Казахстанско-Британский технический университет, Алматы, Казахстан,

E-mail: nurbol.ozarmoldayev@gmail.com, <https://orcid.org/0009-0004-2444-7621>;

Жаркынбек Ескендір — магистрант, Университет науки и технологий имени короля Абдаллы, Тувал, Саудовская Аравия,

E-mail: yeskendir.zharkynbek@gmail.com, <https://orcid.org/0009-0001-0616-567X>;

Абылкасымова Айжан — PhD, ассоциированный профессор, Казахстанско-Британский технический университет, Алматы, Казахстан,
E-mail: Abylkassymova.Aizhan@gmail.com, <https://orcid.org/0000-0002-5967-6959>.

Аннотация. Воздушно-капельная передача вирусов является одним из ключевых механизмов распространения инфекционных заболеваний в закрытых помещениях, где особую опасность представляют бессимптомные носители, способные ускорять формирование очагов заражения. Поведение аэрозольных частиц определяется сложной динамикой воздушных потоков, тепловыми эффектами и характеристиками вентиляционных систем, что обуславливает актуальность разработки эффективных стратегий предотвращения внутрипомещенного заражения. В работе выполнено численное моделирование распространения капель и вирусных частиц в вентилируемых помещениях на основе решения трёхмерных уравнений Навье–Стокса для несжимаемых течений в сочетании с моделью дискретной фазы (DPM) и турбулентной моделью SST $k-\omega$. Разработанная математическая модель учитывает влияние температуры тела человека, гравитационного осаждения частиц, геометрии помещения, расположения вентиляционных отверстий, а также режимов дыхания, кашля и чихания. Рассмотрены две конфигурации помещения и два режима скорости выброса частиц (6 и 20 м/с), что позволяет охватить широкий диапазон реальных сценариев. Результаты моделирования показывают, что частицы способны распространяться на расстояние более 5–6 метров, а неравномерная или неэффективная вентиляция приводит к формированию зон повышенной концентрации аэрозолей. Выявлено нелинейное влияние теплового шлейфа человека и параметров вентиляции на динамику воздушных потоков, перенос и осаждение частиц. Полученные результаты могут быть использованы для оптимизации систем вентиляции, проектирования безопасных внутренних пространств и разработки мер по снижению риска передачи инфекций в помещениях. Методы вычислительной гидродинамики (CFD) предоставляют важную информацию для обоснования санитарно-гигиенических рекомендаций и повышения эффективности систем вентиляции.

Ключевые слова: частицы, замкнутое помещение, SST $k-\omega$, вирусные заболевания.

Introduction. In the last decades, it became evident that understanding and modelling the spreading of airborne droplet particles, such as viruses, is of great importance to public health and safety. The COVID-19 pandemic clearly demonstrated the significance of studying the aerosol ways of infection transmission to develop efficient prevention strategies. The global statistics of COVID-19 are as follows: the number of infected exceeds 775 million people, and more than 7 million people have passed away (World Health Organization WHO, 2023). Among the symptoms of virus, the most common are: an increase in

body temperature to 38° C, significant fatigue and loss of sense of smell and taste. One of the foremost aspects of such research is the modelling of the behavior and dynamics of particles in air flows, which requires accounting for multiple factors, such as turbulence, lift forces, and inter-particle interaction. The primary mode of disease transmission is recognized as droplets containing viral particles expelled by an infected individual through breathing, coughing, and sneezing (Bipasha et al., 2015). Data from the study indicate that a healthy individual typically coughs twice and sneezes four times daily (Hansen et al., 2002; Surinder et al., 2006). SARS-CoV-2, the coronavirus SARS-CoV-2, as many other viruses, are mainly transmitted through the airborne droplet route (Busco et al., 2020). The primary transmission mechanisms include:

The SARS-CoV-2 coronavirus, like many other viruses, is transmitted mainly through airborne droplets. The main transmission mechanisms include:

Drip transmission: Large droplets released when coughing, sneezing or talking may contain viral particles. These droplets settle on the surface within a few meters of the source.

Aerosol transmission: Fine particles (aerosols), also released when breathing, talking or coughing, can remain suspended in the air for a long time and travel long distances, especially in conditions of insufficient ventilation. In fact, the speed of reflex processes can vary significantly, averaging between 1 - 22 m/s (Gao et al., 2007; Gupta et al., 2009).

Contact transmission: The virus can be transmitted by touching contaminated surfaces and then to mucous membranes (eyes, nose, mouth) (Wolfer et al., 2020; Pan et al., 2019).

The main focus of this work is on the study of the behavior of aerosol particles containing SARS-CoV-2 virus particles. In particular, three basic physical models were used: the Saffman lifting force, stochastic collision, and the particle rupture model. Each of these models plays an important role in accurately describing the dynamics of particles in turbulent flows.

The Saffman lifting force takes into account the effect of the velocity gradient on particles, which is especially important for small particles in streams with high shear rates. Stochastic collision describes the probabilistic interactions between particles, and the rupture model takes into account the process of breaking large particles or droplets into smaller ones under the action of turbulence and shear forces.

To accomplish this task, modern numerical modeling methods were used, including discrete phase models (DPM) (Pirker et al., 2011) and turbulence models. The use of such models makes it possible to obtain a detailed picture of particle propagation under various conditions, as well as to assess the influence of various physical factors on this propagation.

The thesis also considers the initial and boundary conditions used in modeling, including temperature and particle composition, which allows us to reproduce the real conditions of the spread of viral particles in the air as accurately as possible.

The ventilation rate of the room, along with both the individual's body temperature and the ambient room temperature, exert significant influence on the characteristics of infectious aerosols (Mutlu et al., 2020). The human body temperature was set at 37°C (310.15 K), which was taken into account in the simulation to accurately reproduce the thermal effect on air flows and, consequently, on the propagation of particles.

To assess the nature of the flow, the Reynolds number was calculated, which made it possible to determine the flow regime and take into account its influence on the behavior of particles. The turbulent nature of the air flow plays a key role in the spread of particles, especially in confined spaces where viral particles can remain suspended in the air for a long time. Therefore, proper modeling of turbulence and its effect on the trajectory and distribution of particles is a critically important aspect of this study.

Various numerical methods, including the finite element method and the finite volume method, have also been used to better understand and predict the behavior of particles in air flows. These methods make it possible to solve complex systems of equations describing the motion and interaction of particles in a multicomponent medium.

Literature Review. Computational fluid dynamics (CFD) was used to study the formation and spread of viruses. Experimental investigation of such processes presents significant difficulties, therefore CFD offers a valuable tool for modeling the distribution and spread of viral droplets that occur during reflex processes such as coughing, sneezing and breathing. Numerical modeling in the study (Hamid et al., 2021), various ventilation options were considered in order to influence ventilation on the transfer of pathogen droplets. The authors of the work (Mengfan et al., 2022) numerically analyzed the spread of droplets during coughing in different seasons of time indoors. It was concluded that the rate of droplet transmission accelerates at low temperature and the exhalation height of droplets plays an important role in droplet transmission. The study (Aliyu et al., 2021) considered airborne transport with and without masks in ventilated rooms. As a result, in cases of wearing masks, more than 96% of all discarded droplets were trapped within the recommended social distancing radius of 2 m. Without wearing masks, 80% of the drops were trapped, and 20% of the drops got into the air and spread. CFD was used in the above-mentioned works and the authors of these works suggest using CFD for such tasks, namely particle propagation.

The purpose of this thesis is to develop and apply an integrated approach to modeling the aerosol spread of viruses, which can make a significant contribution to understanding the mechanisms of transmission of infections and developing measures to prevent them. The results of the study can be used to improve ventilation systems, develop more effective disinfection methods and reduce the risk of transmission of infections in public places.

Materials and methods

Mathematical model. A mathematical model has been developed to study

the spread of viral particles in airborne droplets in a confined spaces. To simulate the airflow and particle dynamics within a confined indoor environment, the incompressible Navier–Stokes equations were employed as the governing equations for fluid motion:

$$\nabla u = 0, \quad (1)$$

$$\rho \left(\frac{\partial u}{\partial t} + (\nabla u)u \right) = -\nabla p + \mu \nabla^2 u - \rho \beta g (T - T_0), \quad (2)$$

$$\frac{\partial T}{\partial t} + u_j \frac{\partial T}{\partial x_j} = D_a \left(\frac{\partial^2 T}{\partial x_j^2} \right) + \frac{S_T}{\rho c_p}, \quad (3)$$

Where u – velocity vector, $(\nabla u)u$ – the convective term describing the change in velocity due to fluid motion, ρ – density, p – pressure, μ – effective dynamic viscosity, β – thermal expansion coefficient, g – acceleration due to gravity, T – temperature, T_0 – initial temperature, D_a - thermal diffusivity, S_T - heat source, c_p - specific heat capacity.

To describe the conservation of mass in a fluid flow, the continuity equation shown in equation (1) is used. To describe the dynamics of air in a room, the equations of motion presented in equation (2) is used and equation of temperature (3).

To model the thermal effects due to human body temperature, the Boussinesq approximation was applied, assuming that density variations are negligible except in the buoyancy term. The human body acts as a localized heat source, generating thermal plumes that influence particle movement. “ β ” is an indicator of the relative change in the density of a liquid depending on temperature. It is defined as:

$$\beta = \frac{2}{T_1 + T_2}. \quad (4)$$

The particle motion was modeled using a dispersed phase (DPM), which is solved by integrating the force balance. In a set of differential equations that calculate the positions and velocities of particles. In the CFD code, all particles are considered as point masses, the kinematic relationship between the position of the particles (respiratory droplet) and the velocity of the particles (respiratory droplet) is equal to

$$\frac{dx_p}{dt} = u_p, \quad (5)$$

$$m_p \frac{du_p}{dt} = F_D + F_G. \quad (6)$$

The trajectory of particles is determined by these forces, since they include the main effects on their movement. F_D - It is calculated as follows:

$$F_D = \frac{1}{2} \rho_f \frac{\pi d_p^2}{4} C_D (u_f - u_p) |u_f - u_p|, \quad (7)$$

$$C_D = \begin{cases} \frac{24}{Re}; & (Re < 1) \\ \frac{24}{Re} (1 + 0.15 Re^{0.687}); & (1 \leq Re \leq 1000) \end{cases} \quad (8)$$

Re is the Reynolds number, calculated as follows:

$$Re = \frac{\rho d_p |u - u_p|}{\mu_d}. \quad (9)$$

Where x_p - the location of the particles, u_p - particle velocity, m_p - particle mass, u_f - the speed of movement of liquids, F_D - drag force, F_G - gravity, C_D - drag coefficient, d_p - particle diameter, Re - Reynolds number, μ_d - dynamic viscosity, ρ_p - particle density, ρ_f - the density of the liquid.

There are two fundamental concepts that play a crucial role in the accurate modeling of particle propagation in airflow: drag force and drag coefficient.

The drag force represents the resistance exerted by the surrounding medium on a moving particle. It arises due to viscous friction and inertial effects as the particle travels through a fluid (gas or liquid).

The drag coefficient is a dimensionless parameter that characterizes the magnitude of this resistance. It depends on the Reynolds number, particle shape, and flow conditions.

These two concepts are essential for describing the interaction between particles and the ambient air, especially when modeling particle transport and deposition in aerosols, liquid droplets, or solid particles. In the current study, the drag force influences both the trajectory and the eventual settling of particles, while the drag coefficient helps determine how particles of different sizes behave under airflow conditions in confined spaces.

Turbulent model. To calculate turbulent flows, a two-level k- SST turbulence model was used. At the same time, this method predicts the behavior of the boundary layer, especially in areas with a high velocity gradient. The main advantage of this method is that it demonstrates stable and accurate results for problems with complex geometry. It should be noted that this method has also proven its reliability and stability when modeling the air flow inside the room (Issakhov et al., 2021).

These equations are discretized using the finite volume method. The equations for the k- ω model can be written as follows:

SST k- ω

$$\frac{\partial k}{\partial t} + u \frac{\partial u_j}{\partial x} = \frac{1}{\rho} (P_k - \eta^* k \omega + \frac{\partial}{\partial x_j} ((\mu + \delta^* \mu_t) \frac{\partial k}{\partial x_j})), \quad (10)$$

$$\begin{aligned} \frac{\partial \omega}{\partial t} + u \frac{\partial u_j \omega}{\partial x_j} = & \frac{1}{\rho} \left(\alpha S^2 - \eta \omega^2 + \frac{\partial}{\partial x_j} \left((\mu + \delta_\omega \mu_t) \frac{\partial \omega}{\partial x_j} \right) + \right. \\ & \left. + 2(1 - f_1) \delta_{\omega_2} \frac{1}{\omega} \frac{\partial k}{\partial x_i} \frac{\partial \omega}{\partial x_i} \right), \end{aligned} \quad (11)$$

where:

$$\mu_t = \frac{\alpha_1 k}{\max(\alpha_1 \omega_1 f_2 S)}, \quad (12)$$

$$P_{k_1} = \mu_t \left(\frac{\partial u_i}{\partial x_j} + \frac{\partial u_j}{\partial x_i} \right) \frac{\partial u_i}{\partial x_j} - \frac{2}{3} \frac{\partial u_k}{\partial x_k} \left(3 \mu_t \frac{\partial u_k}{\partial x_k} + \rho k \right), \quad (13)$$

$$P_k = \min(P_{k_1}, 10 \eta^* k \omega), \quad (14)$$

$$f_1 = \tanh\left(\left(\min\left(\max\left(\frac{2\sqrt{k}}{\eta^* \omega y}, \frac{500\mu}{y^2 \omega}\right), \frac{4\delta\omega_2 k}{CD_{k\omega} y^2}\right)\right)^4\right), \quad (15)$$

$$f_2 = \tanh\left(\left(\max\left(\frac{2\sqrt{k}}{\eta^* \omega y}, \frac{500\mu}{y^2 \omega}\right)\right)^2\right), \quad (16)$$

$$CD_{k\omega} = \max\left(2\rho\delta_{\omega_2} \frac{1}{\omega} \frac{\partial k}{\partial x_i} \frac{\partial \omega_i}{\partial x_i}, 10^{-10}\right), \quad (17)$$

$$\phi = \phi_1 f_1 + \phi_2 (1 - f_1). \quad (18)$$

k - kinetic energy of turbulence, u_j - components of the velocity vector, ω - specific dissipation rate, P_k - turbulent kinetic energy production, μ_t - turbulence viscosity, η^* - the constant of the model, δ^* - the constant of the model, S - rate of

deformation, f_1 – function for switching between different model modes, $CD_{k\omega}$ – the correction term for ω , φ – is a unified function, φ_2 – function values in the second zone.

Constants of the model:

$$\alpha_1 = 1, \quad \alpha_2 = 0.52, \quad \eta_1 = \frac{3}{40}, \quad \eta_2 = 0.0828,$$

$$\eta^* = 0.09, \quad \delta_{k_1} = 1.178, \quad \delta_{k_2} = 1, \quad \delta_{\omega_1} = 2, \quad \delta_{\omega_2} = 1.168$$

Boundary conditions. Boundary conditions are conditions that are set at the boundaries of the area necessary for accurate and complete determination of the behavior of the simulated system. The following boundary conditions were set for my thesis:

Inlet (ventilation):

- The air velocity at the inlet is set constant and is 1 m/s.
- The inlet pressure is set according to the Neumann condition and is equal to 0 Pa.
- The temperature of the incoming air is set to 291° K, which corresponds to standard ventilation conditions.

- The conditions of the discrete phase model were like an escape.

Outlet (exhaust):

- The outlet pressure is set to 0 Pa.
- By default, the temperature on the outlet is set at 300 K.
- The air velocity through the outlet is determined by the mass balance in the design area.
- The conditions of the discrete phase model were like an escape.

Inlet (mouth):

- The particles are ejected in the time interval from 0.1 to 0.3 seconds.
- The rate of particle release varies depending on the reflex process (for example 6, 20 m/s).
- The particle temperature is set as 310.15 K.
- The particle composition was set to 0.59% for water, and the remaining 0.41% for air.

- The conditions of the discrete phase model were like a reflect.

Walls and desks:

- The walls and desks of the room are set to be impenetrable and smooth. (No slip)
- The heat flow on the walls and desks are set, which means that the walls and desks temperature will be calculated in the process of solving the problem.

- The conditions of the discrete phase model were like a trap.

People

- The surface of the body (teacher and students) is set at a constant temperature equal to 309.7 K.

- The condition of zero normal velocity is set on the surface of the body. (No slip)
- The conditions of the discrete phase model were like a reflect.

Numerical simulation. Numerical modeling allows to describe the modeling process in detail and solve the problem using computational algorithms. If we cannot solve the equation analytically and make an experiment, then a numerical solution is the best and less expensive way to study the problem. At the same time, the error that may be in the solution is not quite large, but exactly what error we cannot say for sure. By solving the problem numerically, we can take the results more natural and more accurate than nothing. For my research on solving equations, numerical methods implemented in the ANSYS Fluent package were used. The relationship between pressure and velocity was achieved using the SIMPLE numerical algorithm (Semi-Implicit Method for Pressure-Linked Equations). The SIMPLE method is an effective and reliable method for solving the Navier-Stokes equations in problems with incompressible flows. The SIMPLE method has a number of advantages, namely stability and convergence, ease of implementation and can be applied to various sampling schemes and used to solve complex geometries and boundary conditions (Han et al., 2019). Its use in this study allows us to obtain accurate and stable results of modeling the spread of viral particles in confined spaces. Complete the SIMPLE algorithm includes following steps:

1. Guess the pressure field and solve the momentum equations to obtain .

$$\frac{u^{**} - u^n}{\Delta t} = -\frac{1}{\rho} \frac{\partial P^*}{\partial x} + L_1 \rightarrow u^{**} = u^n + \Delta t \left(-\frac{1}{\rho} \frac{\partial P^*}{\partial x} + L_1 \right), \quad (19)$$

2. Solve the equation by substitute into the continuity equation and we get the Poisson equation.

$$\frac{u^{n+1} - u^{**}}{\Delta t} = -\frac{1}{\rho} \frac{\partial P'}{\partial x} + L_1 \rightarrow u^{n+1} = u^{**} - \frac{\Delta t}{\rho} \frac{\partial P'}{\partial x} \quad (20)$$

$$\frac{\partial^2 P'}{\partial x^2} + \frac{\partial^2 P'}{\partial y^2} + \frac{\partial^2 P'}{\partial z^2} = \frac{\rho}{\Delta t} \left(\frac{\partial u^{**}}{\partial x} + \frac{\partial v^{**}}{\partial y} + \frac{\partial w^{**}}{\partial z} \right), \quad (21)$$

3. Correct pressure field $P = P^* - P'$, (22)

4. Correct velocity field $u = u^* - u'$, (23)

For simplicity, the derivation above considers only the x-component of the velocity field. The corresponding expressions for the y- and z-components can be obtained analogously by applying the same discretization procedure to the respective momentum equations

Table 1— Simulation scenario.

Variant	Scenario	Particle velocity (m/s)	Supply air velocity (m/s)	Particle diameter (m)
1	1	V = 6	1	1×10^{-6} to 1×10^{-4}
	2	V = 20	1	1×10^{-6} to 1×10^{-4}
2	3	V = 6	1	1×10^{-6} to 1×10^{-4}
	4	V = 20	1	1×10^{-6} to 1×10^{-4}

All equations in the discrete phase model and turbulent models are solved by default using the explicit method.

The momentum was discretized utilizing the second-order discretization scheme. The energy which means temperature was discretized utilizing the first-order discretization scheme. The solution is considered converged when all the scaled residuals stabilize and reach a minimum of for the k , ω , continuity, and x , y , and z momentum equations, as well as for the energy equation.

Geometry and mesh. The COVID-19 pandemic has highlighted the importance of maintaining social distance, which has led to increased interest in analyzing the geometry of classrooms with the presence of teachers and students. The creation of a geometric model of the classroom was carried out taking into account the average parameters of the room. I conducted a detailed study of the geometry of the classroom, including its dimensions and the location of the entrances and exits. Thus, for the study, I took the average room size of $X*Y*Z = 7*3*4$ m. This room served as the main model for analyzing the spread of viral particles in a confined space

We examined two types of geometry of the classroom where the infected teacher is, and also took into account the presence of ventilation and entrance to the room. The height of the teacher inside the room was 1.94 m, and the teacher stood 0.2 m taller, which could affect the propagation of particles, as shown in Figure 2. The height of the infected person's mouth was about 1.76 m.

Ventilation in the room was carried out using a single grate on the side wall with a size $Y*Z = 0.125*0.5$ m, while an extractor hood of the same size was located 0.275 m below the ventilation on the opposite wall. All geometries consider made a standing teacher and four sitting students. The teacher looked at the students or at the blackboard, depending on the geometry option. For the realism of the model, desks in front of the students with dimensions $X*Y*Z = 0.5*0.9*0.8$ m were added.

The following distances were taken into account when describing the geometry in detail:

- The distance from the teacher to the students was 2.5 m.
- The distance between the students is 1.5 m and between the desks is 1 m.
- The distance from the wall to the desk is 0.7 m.
- The distance between the desk and the front wall is 2.5 m.

- The distance to the wall at the back is 2 m.

In this study, two types of geometry were considered:

- 1)The teacher looks at the students taking into account ventilation and exhaust. (which is shown in the Figure 1).
- 2)The teacher looks at the board, taking into account ventilation and exhaust. (which is shown in the Figure 1).

The simulation also took into account various velocities (1 m/s, 6 m/s, 20 m/s) corresponding to reflex processes (breathing, sneezing, coughing) in order to fully study the spread of viral particles.

Figure 3 shows a three-dimensional (3D) computational grid of the study area, in which the total number of elements is 2898449. The value of the grid size plays a key role in ensuring the accuracy of the results. The unstructured geometry caused by the presence of people in the room was taken into account when choosing a hexahedral grid. This choice of technology is due to its efficiency when working with solids and simplification of the grid generation process. Given this unstructured nature, creating a grid requires additional efforts to ensure its quality and accuracy. Nevertheless, the hexahedral grid remains the preferred choice, as it provides sufficient accuracy of the results and successfully solves the tasks set. It is important to note that the resulting hexahedral elements are used in the Finite Volume Method (FVM) for subsequent numerical analysis.




Figure 1— The geometry of the area under study.




Figure 2— The geometry of the area under study.




Figure 3 — Computational grid of the studied area.

Properties of materials. Air was modeled as an incompressible fluid with constant properties which shown in **Table 2**. The coefficient of thermal expansion was calculated using the formula given in 1.1.6, which indicates temperatures corresponding to the air through ventilation (291 K) and human body temperature (309.7 K), respectively. These values were chosen to most accurately reflect the conditions in the real system.

Table 2 — The property of air.

Property	Value	Unit
Density	1.225	kg/m^3
Specific Heat	1006.43	$J/(kg K)$
Thermal Conductivity	0.0242	$W/(m K)$
Viscosity	1.7894e-05	$kg/(m s)$
Molecular Weight	28.966	$kg/kmol$
Thermal Expansion Coefficient	0.00332696	K^{-1}

The particles were modeled as a mixture of water and air, simulating the composition of real respiratory droplets. The average particle density was set to $600 kg/m^3$, based on an assumed composition of 59% water and 41% air.

$$\rho_p = 0.41\rho_{air} \cdot 0.59\rho_{water}, \tag{24}$$

$$\rho_p = 0.41 \cdot 1.225 + 0.59 \cdot 1000 = 590.5 \text{ kg/m}^3. \tag{25}$$

This allowed us to take into account the peculiarities of the composition of viral particles and their impact on the environment. These steps provide a more accurate and realistic simulation of the spread of viral particles in the air, which is important for understanding and preventing transmission of infection.

Results

Particle distribution. The results of a numerical study of scenarios 1-2 are presented in Figures 4, 5. Figures 4, 5 show the results of particle propagation in a room with ventilation of 1 m/s at different points in time. Figure 4 shows the results of particle propagation at different points in time when coughing or sneezing 6 m/s. These results show that after 30 seconds the particles are transported by 3.36 m in length, which exceeds the social distance. The results presented in Figure 5 show that after 30 seconds the particles travel a distance of 4.94 m in length, which exceeds the social distance recommended by WHO. This means that option 3 is also dangerous for people in this range. As can be seen from this scenario, the spread has reached the opposite wall in the room. As we have seen, options 1 and 2 differ only with ventilation and exhaust. It should be noted that when using ventilation, particles spread a much longer distance than without ventilation, since particles with a smaller diameter under the ventilation flow can spread longer and further around the room.




Figure 4 — Particle distribution during coughing = 6 m/s and ventilation = 1 m/s (5 s, 30 s)




Figure 5 — Particle distribution during coughing = 20 m/s and ventilation = 1 m/s (5 s, 30 s)




Figure 6 — Particle distribution during coughing = 6 m/s and ventilation = 1 m/s (5 s, 30 s)




Figure 7 — Particle distribution during coughing = 20 m/s and ventilation = 1 m/s (5 s, 30 s)

Temperature of human body. Figures 8-11 show the results of human body temperature for all variants. It should be noted that in the ventilation and exhaust versions, the air flow significantly affects the temperature distribution, which leads to a higher temperature at the end of the room. The ventilation options have shown that the air temperature is more evenly distributed throughout the room, creating comfortable conditions.




Figure 8 — The effect of body temperature on particle distribution during coughing = 6 m/s and ventilation = 1 m/s (5 s, 30 s)




Figure 9 —The effect of body temperature on particle distribution during coughing = 20 m/s and ventilation = 1 m/s (5 s, 30 s)




Figure 10 —The effect of body temperature on particle distribution during coughing = 6 m/s and ventilation = 1 m/s (5 s, 30 s)




Figure 11— The effect of body temperature on particle distribution during coughing = 20 m/s and ventilation = 1 m/s (5 s, 30 s)

Discussion. The results of a numerical study of scenarios 3-4 are presented in Figures 6, 7. Figures 6, 7 show the results of particle propagation in a room with ventilation of 1 m/s at different points in time. Figure 6 shows the results of particle propagation at different points in time when coughing or sneezing 6 m/s. These results show that after 30 seconds the particles are transported by 3.63 m in length, which exceeds the social distance. The results presented in Figure 7 show that after 30 seconds the particles travel a distance of 3.95 m in length, which exceeds the social distance recommended by WHO. This means that option 2 is also dangerous for people in this range. As can be seen from this scenario, the spread has reached the opposite wall in the room. As we have seen, options 2 differ only with ventilation and exhaust. It should be noted that when using ventilation, since particles with a smaller diameter under the ventilation flow can spread longer and further around the room. Thus, this means that rooms with ventilation and exhaust are more dangerous than rooms. Because particles travel social distances and even spread further.

The processes of evaporation and condensation of particles depend on temperature conditions, and ventilation options contribute to faster evaporation of particles, which can reduce their concentration in the air. Efficient ventilation systems have shown their ability to quickly remove viral particles from the room, which underscores their importance for hygiene and safety.

Active ventilation creates turbulent flows that contribute to the chaotic spread of particles, increasing the likelihood of their deposition on surfaces or removal from the breathing zone.

However, the analysis of particle propagation showed that options with ventilation can be more dangerous for humans, since particles spread over a longer distance. This indicates the need for careful design of ventilation systems to minimize the risk of spreading viral particles. A possible solution may be to optimize the direction of air flows and use additional methods of air filtration and purification.

Conclusion. In this thesis, numerical modeling of the spread of viral particles

in various scenarios is carried out, taking into account the presence or absence of ventilation and exhaust. The study covered 4 scenarios, the results of which are shown in Figures 4-7 and 8-11. Data analysis allowed us to draw several important conclusions about the influence of various conditions on the distribution and deposition of particles.

Main conclusions:

- Particles with large diameters are deposited by gravity, which somewhat limits their propagation.
- Ventilation promotes the chaotic movement of particles due to turbulent flows, which increases the likelihood of their deposition on surfaces or their removal from the breathing zone.
- Poorly designed ventilation systems may unintentionally direct contaminated air toward occupants, increasing the risk of infection.
- Thermal effects from the human body induce upward convective currents that prolong particle suspension and affect their vertical distribution.

These findings emphasize the importance of optimizing HVAC systems in public indoor environments, especially classrooms, to minimize the transmission of airborne pathogens. The computational approach applied in this study can serve as a practical tool for assessing infection risks and guiding preventive strategies.

References

Aliyu A., Uzoka C., Singh D., & Mishra R. (2021) Dispersion of virus-laden droplets in ventilated rooms: Effect of homemade facemasks. *Journal of Building Engineering*, 44. — 102933 p. <https://doi.org/10.1016/j.jobbe.2021.102933> (in Eng.)

Benjamin P., David H.E., Ian D.P., Ronnak B.P., Surinder S.B., & Sergio M. (2006) Cough frequency, cough sensitivity and health status in patients with chronic cough. *Respiratory Medicine*, 100 (6). — P. 1105–1109. <https://doi.org/10.1016/j.rmed.2005.09.023> (in Eng.)

Busco G., Hassan Y.A., Seo J., & Yang S.R. (2020) Sneezing and asymptomatic virus transmission. *Physics of Fluids*, 32 (7), 073309. <https://doi.org/10.1063/5.0019090> (in Eng.)

Chen Q., Lin C.H., & Gupta J.K. (2009) Flow dynamics and characterization of a cough. *Indoor Air*, 19 (6). — P. 517–525. <https://doi.org/10.1111/j.1600-0668.2009.00619.x> (in Eng.)

Gao N. P., & Niu J.L. (2007) Modeling particle dispersion and deposition in indoor environments. *Atmospheric Environment*, 41 (18). — P. 3862–3876. <https://doi.org/10.1016/j.atmosenv.2007.01.016> (in Eng.)

Goniva C., Kahrimanovic D., & Pirker S. (2011) Improving the applicability of discrete phase simulations by smoothening their exchange fields. *Applied Mathematical Modelling*, 35 (12). — P. 5896–5909. <https://doi.org/10.1016/j.apm.2010.11.066> (in Eng.)

Han M., Kikumoto H., & Ooka R. (2019) Lattice Boltzmann method-based large-eddy simulation of indoor isothermal airflow. *International Journal of Heat and Mass Transfer*, 130. — P. 700–709. <https://doi.org/10.1016/j.ijheatmasstransfer.2018.10.137> (in Eng.)

Hansen B., & Mygind H. (2002) How often do normal persons sneeze and blow the nose? *Rhinology*, 40 (1). — P. 10–12. (in Eng.)

Issakhov A., Alimbek A., & Zhandaulet Y. (2021) The assessment of water pollution by chemical reaction products from the activities of industrial facilities: Numerical study. *Journal of Cleaner Production*, 282. — 125239 p. <https://doi.org/10.1016/j.jclepro.2020.125239> (in Eng.)

Lednický J.A., Pan M., & Wu C. (2019) Collection, particle sizing and detection of airborne viruses. *Journal of Applied Microbiology*, 127 (6). — P. 1596–1611. <https://doi.org/10.1111/jam.14278> (in Eng.)

Mei D., Li J., Jia M., Hou S., Duan W., & Liu Z. (2022) Analysis of the spread of cough droplets and body deposition fraction in the smart classroom in different seasons. *Health & Environmental Research Online*, 5. — 100015 p. <https://doi.org/10.1016/j.heha.2022.100015> (in Eng.)

Motamedi H., Shirzadi M., Mirzaei P., & Tominaga Y. (2021) CFD modeling of airborne pathogen transmission of COVID-19 in confined spaces under different ventilation strategies. *Sustainable Cities and Society*, 72. — 103397p. <https://doi.org/10.1016/j.scs.2021.103397> (in Eng.)

Mutlu M. (2020) Numerical investigation of indoor air quality in a floor heated room with different air change rates. *Building Simulation*, 13. — P. 1299–1312. <https://doi.org/10.1007/s12273-020-0683-5> (in Eng.)

Srivastava A., Ghosh B., & Lal H. (2015) Review of bioaerosols in indoor environment with special reference to sampling, analysis and control mechanisms. *Environment International*, 85. — P. 254–272. <https://doi.org/10.1016/j.envint.2015.09.018> (in Eng.)

Wölfel R., et al. (2020) Virological assessment of hospitalized patients with COVID-2019. *Nature*, 581 (7809). — P. 465–469. <https://doi.org/10.1038/s41586-020-2196-x> (in Eng.)

World Health Organization (2023) WHO coronavirus (COVID-19) dashboard with vaccination data. <https://covid19.who.int/> (in Eng.)

Publication Ethics and Publication Malpractice in the journals of the Central Asian Academic Research Center LLP

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the journals of the Central Asian Academic Research Center LLP implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The Central Asian Academic Research Center LLP follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the Central Asian Academic Research Center LLP.

The Editorial Board of the Central Asian Academic Research Center LLP will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайтах:

www.nauka-nanrk.kz

<http://physics-mathematics.kz/index.php/en/archive>

ISSN2518-1726 (Online),

ISSN 1991-346X (Print)

Ответственный редактор *А. Ботанқызы*

Редакторы: *Д.С. Аленов, Т. Апендиев*

Верстка на компьютере: *Г.Д. Жадырановой*

Подписано в печать 31.03.2026.

Формат 60x881/8.

20,0 п.л. Заказ 1.