

ISSN 2518-1726 (Online),
ISSN 1991-346X (Print)

**ACADEMIC SCIENTIFIC
JOURNAL OF COMPUTER SCIENCE**

**№1
2026**

ISSN 2518-1726 (Online),
ISSN 1991-346X (Print)



**CENTRAL ASIAN ACADEMIC
RESEARCH CENTER**



**ACADEMIC SCIENTIFIC
JOURNAL OF COMPUTER
SCIENCE**

1 (357)

JANUARY – MARCH 2026

**PUBLISHED SINCE JANUARY 1963
PUBLISHED 4 TIMES A YEAR**

ALMATY, NAS RK

Chief Editor:

MUTANOV Galimkair Mutanovich, doctor of technical sciences, professor, academician of NAS RK, (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=6506682964>, <https://www.webofscience.com/wos/author/record/1423665>

EDITORIAL BOARD:

KALIMOLDAYEV Maksat Nuradilovich, (Deputy Editor-in-Chief), Doctor of Physical and Mathematical Sciences, Professor, Academician of NAS RK, Advisor to the General Director of the Institute of Information and Computing Technologies of the CS MES RK, Head of the Laboratory (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=56153126500>, <https://www.webofscience.com/wos/author/record/2428551>

MAMYRBAEV Orken Zhumazhanovich, (Academic Secretary), PhD in Information Systems, Deputy Director for Science of the Institute of Information and Computing Technologies CS MES RK (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=55967630400>, <https://www.webofscience.com/wos/author/record/1774027>

BAIGUNCHEKOV Zhumadil Zhanabaevich, Doctor of Technical Sciences, Professor, Academician of NAS RK, Institute of Cybernetics and Information Technologies, Department of Applied Mechanics and Engineering Graphics, Satbayev University (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=6506823633>, <https://www.webofscience.com/wos/author/record/1923423>

WOICIK Waldemar, Doctor of Technical Sciences (Phys.-Math.), Professor of the Lublin University of Technology (Lublin, Poland), <https://www.scopus.com/authid/detail.uri?authorId=7005121594>, <https://www.webofscience.com/wos/author/record/678586>

SMOLARJ Andrej, Associate Professor Faculty of Electronics, Lublin polytechnic university (Lublin, Poland), <https://www.scopus.com/authid/detail.uri?authorId=56249263000>, <https://www.webofscience.com/wos/author/record/1268523>

KEILAN Alimkhan, Doctor of Technical Sciences, Professor (Doctor of science (Japan)), chief researcher of Institute of Information and Computational Technologies CS MES RK (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=8701101900>, <https://www.webofscience.com/wos/author/record/1436451>

KHAIROVA Nina, Doctor of Technical Sciences, Professor, Chief Researcher of the Institute of Information and Computational Technologies CS MES RK (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=37461441200>, <https://www.webofscience.com/wos/author/record/1768515>

OTMAN Mohamed, PhD, Professor of Computer Science Department of Communication Technology and Networks, Putra University Malaysia (Selangor, Malaysia), <https://www.scopus.com/authid/detail.uri?authorId=56036884700>, <https://www.webofscience.com/wos/author/record/747649>

NYSANBAYEVA Saule Yerkebulanovna, Doctor of Technical Sciences, Associate Professor, Senior Researcher of the Institute of Information and Computing Technologies CS MES RK (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=55453992600>, <https://www.webofscience.com/wos/author/record/3802041>

USATOVA Olga Alexandrovna, PhD, Associate Professor, Chief Scientific Secretary of the Institute of Information and Computing Technologies of the National Academy of Sciences of the Republic of Kazakhstan (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=57204581062>, <https://www.webofscience.com/wos/author/record/JCO-3058-2023>

KAPALOVA Nursulu Aldazharovna, Candidate of Technical Sciences, Head of the Laboratory cybersecurity, Institute of Information and Computing Technologies CS MES RK (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=57191242124>,

KOVALYOV Alexander Mikhailovich, Doctor of Physical and Mathematical Sciences, Academician of the National Academy of Sciences of Ukraine, Institute of Applied Mathematics and Mechanics (Donetsk, Ukraine), <https://www.scopus.com/authid/detail.uri?authorId=7202799321>, <https://www.webofscience.com/wos/author/record/38481396>

MIKHALEVICH Alexander Alexandrovich, Doctor of Technical Sciences, Professor, Academician of the National Academy of Sciences of Belarus (Minsk, Belarus), <https://www.scopus.com/authid/detail.uri?authorId=7004159952>, <https://www.webofscience.com/wos/author/record/46249977>

TIGHINEANU Ion Mihailovich, Doctor of Physical and Mathematical Sciences, Academician, President of the Academy of Sciences of Moldova, Technical University of Moldova (Chisinau, Moldova), <https://www.scopus.com/authid/detail.uri?authorId=7006315935>, <https://www.webofscience.com/wos/author/record/524462>

Academic Scientific Journal of Computer Science

ISSN 2518-1726 (Online),

ISSN 1991-346X (Print)

Owner: «Central Asian Academic Research Center» LLP (Almaty).

Certificate № **KZ77VPY00121154** on the re-registration of the periodical printed and online publication of the information agency, issued on **05.06.2025** by the Republican State Institution «Information Committee» of the Ministry of Culture and Information of the Republic of Kazakhstan

Subject area: *information and communication technologies*.

Currently: *included in the list of journals recommended by the CCSES MSHE RK in the direction of «Information and communication technologies».*

Periodicity: *4 times a year.*

<http://www.physico-mathematical.kz/index.php/en/>

© «Central Asian Academic Research Center» LLP, 2026

БАС РЕДАКТОР:

МУТАНОВ Ғалымқайыр Мұтанұлы, техника ғылымдарының докторы, профессор, ҚР ҰҒА академигі, (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=6506682964>, <https://www.webofscience.com/wos/author/record/1423665>

РЕДАКЦИЯ АЛҚАСЫ:

КАЛИМОЛДАЕВ Мақсат Нұрәділұлы, (бас редактордың орынбасары), физика-математика ғылымдарының докторы, профессор, ҚР ҰҒА академигі, ҚР ҒЖБМ ҒК «Ақпараттық және есептеу технологиялары институты» бас директорының кеңесшісі, зертхана меңгерушісі (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=56153126500>, <https://www.webofscience.com/wos/author/record/2428551>

МАМЫРБАЕВ Өркен Жұмажанұлы (ғалым хатшы), Ақпараттық жүйелер саласындағы техника ғылымдарының (PhD) докторы, ҚР ҒЖБМ ҒК «Ақпараттық және есептеу технологиялары институты» директорының ғылым жөніндегі орынбасары (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=55967630400>, <https://www.webofscience.com/wos/author/record/1774027>

БАЙГУНЧЕКОВ Жұмаділ Жаңабайұлы, техника ғылымдарының докторы, профессор, ҚР ҰҒА академигі, Кибернетика және ақпараттық технологиялар институты, Қолданбалы механика және инженерлік графика кафедрасы, Сәтбаев университеті (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=6506823633>, <https://www.webofscience.com/wos/author/record/1923423>

ВОЙЧИК Вальдемар, техника ғылымдарының докторы (физ-мат), Люблин технологиялық университетінің профессоры (Люблин, Польша), <https://www.scopus.com/authid/detail.uri?authorId=7005121594>, <https://www.webofscience.com/wos/author/record/678586>

СМОЛАРЖ Анджей, Люблин политехникалық университетінің электроника факультетінің доценті (Люблин, Польша), <https://www.scopus.com/authid/detail.uri?authorId=56249263000>, <https://www.webofscience.com/wos/author/record/1268523>

КЕЙЛАН Әлімхан, техника ғылымдарының докторы, профессор (ғылым докторы (Жапония)), ҚР ҒЖБМ ҒК «Ақпараттық және есептеу технологиялары институтының» бас ғылыми қызметкері (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=8701101900>, <https://www.webofscience.com/wos/author/record/1436451>

ХАЙРОВА Нина, техника ғылымдарының докторы, профессор, ҚР ҒЖБМ ҒК «Ақпараттық және есептеу технологиялары институтының» бас ғылыми қызметкері (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=37461441200>, <https://www.webofscience.com/wos/author/record/1768515>

ОТМАН Мохаммед, PhD, Информатика, Коммуникациялық технологиялар және желілер кафедрасының профессоры, Путра университеті Малайзия (Селангор, Малайзия), <https://www.scopus.com/authid/detail.uri?authorId=56036884700>, <https://www.webofscience.com/wos/author/record/747649>

НЫСАНБАЕВА Сауле Еркебұланқызы, техника ғылымдарының докторы, доцент, ҚР ҒЖБМ ҒК «Ақпараттық және есептеу технологиялары институтының» аға ғылыми қызметкері (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=55453992600>, <https://www.webofscience.com/wos/author/record/3802041>

УСАТОВА Ольга Александровна, PhD, қауымдастырылған профессор, ҚР ҒЖБМ "Ақпараттық және есептеу технологиялары институтының" бас ғалым хатшысы (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=57204581062>, <https://www.webofscience.com/wos/author/record/JCO-3058-2023>

КАПАЛОВА Нұрсұлу Алдажарқызы, техника ғылымдарының кандидаты, ҚР ҒЖБМ ҒК «Ақпараттық және есептеу технологиялары институты», Киберқауіпсіздік зертханасының меңгерушісі (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=57191242124>,

КОВАЛЕВ Александр Михайлович, физика-математика ғылымдарының докторы, Украина Ұлттық Ғылым академиясының академигі, Қолданбалы математика және механика институты (Донецк, Украина), <https://www.scopus.com/authid/detail.uri?authorId=7202799321>, <https://www.webofscience.com/wos/author/record/38481396>

МИХАЛЕВИЧ Александр Александрович, техника ғылымдарының докторы, профессор, Беларусь Ұлттық Ғылым академиясының академигі (Минск, Беларусь), <https://www.scopus.com/authid/detail.uri?authorId=7004159952>, <https://www.webofscience.com/wos/author/record/46249977>

ТИГИНЯНУ Ион Михайлович, физика-математика ғылымдарының докторы, академик, Молдова Ғылым Академиясының президенті, Молдова техникалық университеті (Кишинев, Молдова), <https://www.scopus.com/authid/detail.uri?authorId=7006315935>, <https://www.webofscience.com/wos/author/record/524462>

Academic Scientific Journal of Computer Science

ISSN 2518-1726 (Online),

ISSN 1991-346X (Print)

Меншіктеуші: «Орталық Азия академиялық ғылыми орталығы» ЖШС (Алматы).

Ақпарат агенттігінің мерзімді баспасөз басылымын, ақпарат агенттігін және желілік басылымды қайта есепке қою туралы ҚР Мәдениет және Ақпарат министрлігі «Ақпарат комитеті» Республикалық мемлекеттік мекемесі **05.06.2025** ж. берген № **KZ77VPY00121154** Куәлік.

Тақырыптық бағыты: *ақпараттық-коммуникациялық технологиялар*

Қазіргі уақытта: *«ақпараттық-коммуникациялық технологиялар» бағыты бойынша ҚР БҒМ БҒСБК ұсынған журналдар тізіміне енді.*

Мерзімділігі: *жылына 4 рет.*

<http://www.physico-mathematical.kz/index.php/en/>

© «Орталық Азия академиялық ғылыми орталығы» ЖШС, 2026

Главный редактор:

МУТАНОВ Галимканр Мутанович, доктор технических наук, профессор, академик НАН РК, (Алматы, Казахстан), <https://www.scopus.com/author/detail.uri?authorId=6506682964>, <https://www.webofscience.com/wos/author/record/1423665>

Редакционная коллегия:

КАЛИМОЛДАЕВ Максат Нурадилович, (заместитель главного редактора), доктор физико-математических наук, профессор, академик НАН РК, советник генерального директора «Института информационных и вычислительных технологий» КН МНВО РК, заведующий лабораторией (Алматы, Казахстан), <https://www.scopus.com/author/detail.uri?authorId=56153126500>, <https://www.webofscience.com/wos/author/record/2428551>

МАМЫРБАЕВ Оркен Жумажанович, (ученый секретарь), доктор философии (PhD) по специальности «Информационные системы», заместитель директора по науке РГП «Институт информационных и вычислительных технологий» Комитета науки МНВО РК (Алматы, Казахстан), <https://www.scopus.com/author/detail.uri?authorId=55967630400>, <https://www.webofscience.com/wos/author/record/1774027>

БАЙГУНЧЕКОВ Жумадил Жанабаевич, доктор технических наук, профессор, академик НАН РК, Институт кибернетики и информационных технологий, кафедра прикладной механики и инженерной графики, Университет Сагпаева (Алматы, Казахстан), <https://www.scopus.com/author/detail.uri?authorId=6506823633>, <https://www.webofscience.com/wos/author/record/1923423>

ВОЙЧИК Вальдемар, доктор технических наук (физ.-мат.), профессор Люблинского технологического университета (Люблин, Польша), <https://www.scopus.com/author/detail.uri?authorId=7005121594>, <https://www.webofscience.com/wos/author/record/678586>

СМОЛАРЖ Анджей, доцент факультета электроники Люблинского политехнического университета (Люблин, Польша), <https://www.scopus.com/author/detail.uri?authorId=56249263000>, <https://www.webofscience.com/wos/author/record/1268523>

КЕЙЛАН Алимхан, доктор технических наук, профессор (Doctor of science (Japan)), главный научный сотрудник РГП «Института информационных и вычислительных технологий» КН МНВО РК (Алматы, Казахстан), <https://www.scopus.com/author/detail.uri?authorId=8701101900>, <https://www.webofscience.com/wos/author/record/1436451>

ХАЙРОВА Нина, доктор технических наук, профессор, главный научный сотрудник РГП «Института информационных и вычислительных технологий» КН МНВО РК (Алматы, Казахстан), <https://www.scopus.com/author/detail.uri?authorId=37461441200>, <https://www.webofscience.com/wos/author/record/1768515>

ОТМАН Мохамед, доктор философии, профессор компьютерных наук, Департамент коммуникационных технологий и сетей, Университет Путра Малайзия (Селангор, Малайзия), <https://www.scopus.com/author/detail.uri?authorId=56036884700>, <https://www.webofscience.com/wos/author/record/747649>

НЫСАНБАЕВА Сауле Еркебулановна, доктор технических наук, доцент, старший научный сотрудник РГП «Института информационных и вычислительных технологий» КН МНВО РК (Алматы, Казахстан), <https://www.scopus.com/author/detail.uri?authorId=55453992600>, <https://www.webofscience.com/wos/author/record/3802041>

УСАТОВА Ольга Александровна, PhD, ассоциированный профессор, Главный ученый секретарь «Института информационных и вычислительных технологий» КН МНВО РК (Алматы, Казахстан), <https://www.scopus.com/author/detail.uri?authorId=57204581062>, <https://www.webofscience.com/wos/author/record/JCO-3058-2023>

КАПАЛОВА Нурсулу Алдажаровна, кандидат технических наук, заведующий лабораторией кибербезопасности РГП «Института информационных и вычислительных технологий» КН МНВО РК (Алматы, Казахстан), <https://www.scopus.com/author/detail.uri?authorId=57191242124>,

КОВАЛЕВ Александр Михайлович, доктор физико-математических наук, академик НАН Украины, Институт прикладной математики и механики (Донецк, Украина), <https://www.scopus.com/author/detail.uri?authorId=7202799321>, <https://www.webofscience.com/wos/author/record/38481396>

МИХАЛЕВИЧ Александр Александрович, доктор технических наук, профессор, академик НАН Беларуси (Минск, Беларусь), <https://www.scopus.com/author/detail.uri?authorId=7004159952>, <https://www.webofscience.com/wos/author/record/46249977>

ТИГИНЯНУ Ион Михайлович, доктор физико-математических наук, академик, президент Академии наук Молдовы, Технический университет Молдовы (Кишинев, Молдова), <https://www.scopus.com/author/detail.uri?authorId=7006315935>, <https://www.webofscience.com/wos/author/record/524462>

Academic Scientific Journal of Computer Science

ISSN 2518-1726 (Online),

ISSN 1991-346X (Print)

Собственник: *ТОО «Центрально-азиатский академический научный центр» (г. Алматы).*

Свидетельство о постановке на переучет периодического печатного издания, информационного агентства и сетевого издания № **KZ77VRY00121154**. Дата выдачи **05.06.2025**

Тематическая направленность: *информационно-коммуникационные технологии.*

В настоящее время: *вошел в список журналов, рекомендованных КОКШВО МНВО РК по направлению «информационно-коммуникационные технологии».*

Периодичность: *4 раза в год.*

<http://www.physico-mathematical.kz/index.php/en/>

© ТОО «Центрально-азиатский академический научный центр», 2026

CONTENTS

COMPUTER SCIENCE

Akhmetova S.T., Yunussova A.A., Alisheva S.S., Olzhataeva B.T., Mussirepova E.B. Social network data mining for automated offensive language detection.....	13
Amanov A.N., Kazbekova G.N., Zhunissov N.M., Abibullayeva A.A., Aben A.B. Artificial intelligence-based intrusion detection for DDOS attacks in Software Defined Networking.....	30
Amanzholova S.T., Ussatova O.A., Mutanov G.M., Mukhanov S.B., Aitmukash D. Backend architecture of a hybrid blockchain-based academic credential verification system.....	52
Amirkhanova G.A., Nurgazy T.N., Amirkhanov B.S., Tokhtassyn M.M., Nurgazy N.N. Developing a predictive digital twin for a food product based on Edge ML and IoT sensors.....	73
Bekarystankyzy A., Ussen D., Kassenkhan A., Chinibayev Y. Cold-start in educational recommender systems: classical and LLM-Era strategies.....	91
Bimoldina Zh., Mussiraliyeva Sh., Bagitova K., Tereikovska L. Detection of cyber-propaganda content using machine learning and semantic models....	106
Chezhimbayeva K.S. Forecasting key 5G network KPIs using MLP and LSTM neural network models.....	129
Dauitbayeva A.O., Konyrbaev N.B., Abildayeva Zh.T., Yessirkepova A.U., Karim N.A. Development of an application to optimize the process of employment of graduates.....	148
Dzhsupbekova G., Othman M., Ordabayeva G. Comparative analysis of artificial intelligence algorithms to detect network attacks.....	167
Issakhov A., Orazmoldayev N., Zharkynbek Y., Abylkassymova A. Numerical modeling of the spread of viral infection by airborne droplets in confined spaces.....	182
Kantureeva M., Omarova G.S., Duisen Z.D., Shekerbek A.A., Tulebayev Y.B. Application of machine learning methods in forecasting and optimizing the processes of evacuation of people in high-rise buildings.....	202
Khusain B., Telmanov M., Khusain A.B., Brodskiy A.R., Sass A.S. Digital twin of an integrated emission purification and decarbonization system for thermal units.....	218
Kulakayeva A., Ashurov A., Zhumazhanov B., Daineko Ye., Zylgara A. Algorithm for determining the initial orbital parameters of KazeEOSat-1 for deorbiting.....	236

Mimenbayeva A.B., Turebayeva R.D., Ospanova T.T., Aruova A.B., Naizagarayeva A.A. Development and comparative analysis of machine learning models for urban traffic prediction.....	253
Naumenko V.V., Mukanova Zh.A., Kiseleva O.V., Maintser D.A., Nerezov A.K. The use of real-time polling to improve student academic performance.....	271
Nazyrova A.E., Kaderkeyeva Z.K., Bekmanova G.T., Milosz M., Lamasheva Zh. Transformation of education through digital technologies: advancing student academic performance across learning stages.....	287
Oralbekova D., Mamyrbayev O., Akhmediyarova A., Kassymova D., Alibiyeva Z. Development of a multi-level model for text summarization based on pretrained models.....	316
Orazbayev B.B., Zhumadillayeva A.K., Kurbangalieva N.B., Yessirkessinov R.Zh., Orazbayeva K.N. Synthesis of linguistic models for assessing sulfur quality and fuzzy modeling of the sulfur production process.....	337
Sarsenbayeva A.K., Rakhimova D.R., Shormakova A.N., Mansurova M.E., Adali E. Application of semantic methods in the field of legislation: an intellectual system for analysis of agglutinative texts.....	354
Serek A., Shoiynbek A., Sharipov K., Kuanyshbay D., Mukhametzhano A. Analysis and classification of telephone fraud based on lexical features of speech transcriptions.....	373
Shynzhigit B.B., Balabekova M.O., Amangeldy T.T. Analysis and forecasting of brick product sales using machine learning models.....	393
Tokhayeva A.O., Alzhanov A.K., Nezh Önal, Ziyatbekova G.Z., Begaliev K.B. Formation of students virtualization competencies in higher education based on Proxmox VE.....	412
Tukenova L.M., Auyelbekov O.A., Sapakova S.Z., Sametova A.A., Bostanov E.L. Modelling and optimisation of hybrid power plant operating modes for unmanned aerial vehicles.....	430
Yerimbetova A., Berzhanova U., Daiyrbayeva E., Sakenov B., Sambetbayeva M. Sign language recognition using temporal convolutional network and MediaPipe.....	443
Zhukabayeva T.K., Benkhelifa E., Mardenov Y.M., Baumuratova D., Karabayev N. Decision support for responding to attacks in cyber-physical industrial internet-of-things systems.....	461

МАЗМҰНЫ

ИНФОРМАТИКА

Ахметова С.Т., Юнусова А.А., Алишева С.С., Олжатаева Б.Т., Мүсірепова Э.Б. Әлеуметтік желідегі бейәдеп пікірлерді автоматты анықтауда деректерді интеллектуалды талдау.....	13
Аманов А.Н., Казбекова Г.Н., Жунисов Н.М., Абибуллаева А.А., Абен А.Б. Бағдарламалық жасақтамамен анықталған желідегі DDOS шабуылдары үшін жасанды интеллектке негізделген шабуылдарды анықтау.....	30
Аманжолова С.Т., Усатова О.А., Мутанов Г.М., Муханов С.Б., Айтмукаш Д. Гибридтік блокчейнге негізделген академиялық сенімдік деректерді тексеру жүйесінің бекендік архитектурасы.....	52
Амирханова Г.А., Нұрғазы Т.Н., Амирханов Б.С., Нұрғазы Н. Н. EDGE ML және IOT сенсорлары негізінде азық-түлік өнімінің предиктивті цифрлық егізін әзірлеу.....	73
Бекарыстанқызы А., Үсен Д., Қасенхан А., Чинибаев Е. Білім беру саласындағы ұсынымдық жүйелеріндегі «Cold-start» мәселесі: классикалық әдістер және LLM дәуірінің стратегиялары.....	91
Бимолдина Ж.А., Мусиралиева Ш.Ж., Багитова К.Б., Терейковская Л.З Кибернасихаттық контентті анықтау үшін машиналық оқыту және семантикалық модельдер қолдану.....	106
Чечимбаева К.С. MLP және LSTM нейрондық желі модельдерін қолдана отырып, 5G желісінің негізгі KPI-лерін болжау.....	129
Дәуітбаева А.О., Қоңырбаев Н.Б., Әбілдаева Ж.Т., Есіркепова А.У., Кәрім Н.Ә. Бітіруші түлектердің жұмысқа орналастыру процесін оңтайландыру үшін қосымша әзірлеу.....	148
Джусупбекова Г., Othman M., Ордабаева Г. Жасанды интеллект алгоритмдерін желілік шабуылдарды анықтау үшін салыстырмалы талдау.....	167
Исахов А.А., Оразмолдаев Н., Жаркынбек Е., Абылкасымова А. Ауа тамшылары арқылы вирустық инфекцияның шектеулі кеңістікте таралуын сандық модельдеу.....	182
Қантүреева М.А., Омарова Г.С., Дүйсен Ж.Д., Шекербек А.Ә., Түлебаев Е.Б. Биік ғимараттардағы адамдарды эвакуациялау процестерін болжау және оңтайландыруда машиналық оқыту әдістерін қолдану.....	202

Хусаин Б., Тельманов М.М., Хусаин А.Б., Бродский А.Р., Сасс А.С. Жылу қондырғыларының шығарындыларын кешенді тазалау және декарбонизациялау жүйесінің цифрлық егізі.....	218
Кулакаева А.Е., Ашуров А.Е., Жумажанов Б.Р., Дайнеко Е.А., Зылғара А.Е. КАZEOSAT-1 ғарыш аппаратының деорбитациясын жүзеге асыру үшін бастапқы орбиталық параметрлерін анықтау алгоритмі.....	236
Мименбаева А.Б., Туребаева А.Д., Оспанова Т.Т., Аруова А.Б., Найзағарасва А.А. Қалалық көлік ағынын болжауға арналған машиналық оқыту модельдерін әзірлеу және салыстырмалы талдау.....	253
Науменко В.В., Муканова Ж.А., Киселева О.В., Майнцер Д.А., Нерезов А.К. Білім алушылардың үлгерімін арттыру үшін real-time сауалнамаларын қолдану.....	271
Назырова А.Е., Кадеркеева З.К., Бекманова Г.Т., Милош М., Ламашева Ж.Б. Цифрлық білім және студенттердің академиялық жетістіктері: деңгейлер бойынша білім беруді дамыту.....	287
Оралбекова Д., Мамырбаев О., Ахмедиярова А., Қасымова Д.З, Алибиева Ж., Алдын ала оқытылған модельдер негізінде мәтінді резюмелеуге арналған көпдеңгейлі модельді әзірлеу.....	316
Оразбаев Б.Б., Жумадиллаева А.К., Курбанғалиева Н.Б., Оразбаева К.Н. Күкірт сапасын бағалаудың лингвистикалық модельдерін синтездеу және күкіртті өндіру процесін бұлыңғыр модельдеу.....	337
Сарсенбаева А.К., Рахимова Д.Р., Шормакова А.Н., Мансурова М.Е., Адали Э. Семантикалық әдістерді заңнама саласында қолдану: агглютинативті мәтіндерді талдауға арналған интеллектуалды жүйе.....	354
Серек А., Шойынбек А., Шарипов К., Қуанышбай Д., Мухаметжанов А. Сөйлеу транскрипцияларының лексикалық белгілеріне негізделген телефон алаяқтықтарын талдау және жіктеу.....	373
Шынжігіт Б.Б., Балабекова М.О., Амангелді Т.Т. Кірпіш өнімдерін сату көлемдерін машиналық оқытуда талдау және болжамдау.....	393
Тохаева А.О., Альжанов А.К., Nezir Ö., Зиятбекова Г.З., Бегалиева К.Б. PROXMOX VE негізінде жоғары оқу орындарында білім алушыларды виртуалдандыру құзыреттерін қалыптастыру.....	412

Төкенова Л.М., Әуелбеков О.А., Сапақова С., Саметова А.А., Бостанов Е.Л.
Пилотсыз ұшу аппараттарына арналған гибриді электр станцияларының жұмыс режимдерін модельдеу және оңтайландыру.....430

Еримбетова А.С., Бержанова У.Г., Дайырбаева Э.Н., Сәкенов Б.Е., Самбетбаева М.А.
Уақытша конволюциялық желі мен media pipe көмегімен ым тілін тану.....443

Жукабаева Т.К., Бенхелифа Э., Марденов Е.М., Баумуратова Д., Карабаев Н.
Киберфизикалық өнеркәсіптік интернет заттары жүйелеріндегі шабуылдарға әрекет ету кезінде шешім қабылдауды қолдау.....461

СОДЕРЖАНИЕ

ИНФОРМАТИКА

Ахметова С.Т., Юнусова А.А., Алишева С.С., Олжатаева Б.Т., Мүсірепова Э.Б. Интеллектуальный анализ данных для автоматического выявления языка ненависти в социальных сетях.....	13
Аманов А.Н., Казбекова Г.Н., Жунисов Н.М., Абибуллаева А.А., Абен А.Б. Обнаружение вторжений на основе искусственного интеллекта для DDoS-атак в программно-определяемых сетях.....	30
Аманжолова С.Т., Усатова О.А., Мутанов Г.М., Муханов С.Б., Айтмукаш Д. Бэкенд-архитектура гибридной системы проверки академических достижений на основе блокчейна.....	52
Амирханова Г.А., Нургазы Т.Н., Амирханов Б.С., Нургазы Н.Н. Разработка предиктивного цифрового двойника пищевого продукта на основе Edge ML и IoT-сенсоров.....	73
Бекарыстанқызы А., Үсен Д., Қасенхан А., Чинибаев Е. Холодный старт в системах рекомендаций в области образования: классические подходы и стратегии эпохи LLM.....	91
Бимолдина Ж.А., Мусиралиева Ш.Ж., Багитова К.Б., Терейковская Л. Использование машинного обучения и семантических моделей для обнаружения киберпропагандистского контента.....	106
Чечимбаева К.С. Прогнозирование ключевых KPI сетей 5G на основе нейросетевых моделей MLP и LSTM.....	129
Даутбаева А.О., Конырбаев Н.Б., Абильдаева Ж.Т., Есиркепова А.У., Карим Н.А. Разработка приложения для оптимизации процесса трудоустройства выпускников.....	148
Джусупбекова Г., Othman M., Ордабаева Г. Сравнительный анализ алгоритмов искусственного интеллекта для обнаружения сетевых атак.....	167
Исахов А.А., Оразмолдаев Н., Жаркынбек Е., Абылкасымова А. Численное моделирование распространения вирусной инфекции воздушно-капельным путём в замкнутых помещениях.....	182

Кантуреева М.А., Омарова Г.С., Дүйсен Ж.Д., Шекербек А.Ә., Тулебаев Е.Б. Использование методов машинного обучения для прогнозирования и оптимизации процессов эвакуации людей в высотных зданиях.....	202
Хусаин Б., Тельманов М.М., Хусаин А.Б., Бродский А.Р., Сасс А.С. Цифровой двойник комплексной системы очистки и декарбонизации выбросов тепловых установок.....	218
Кулакаева А.Е., Ашуров А.Е., Жумажанов Б.Р., Дайнеко Е.А., Зылгара А.Е. Алгоритм определения начальных орбитальных параметров KazEOSat-1 для деорбитации.....	236
Мименбаева А.Б., Туребаева А.Д., Оспанова Т.Т., Аруова А.Б., Найзагараева А.А. Разработка и сравнительный анализ моделей машинного обучения для прогнозирования городского трафика.....	253
Науменко В.В., Муканова Ж.А., Киселёва О.В., Майнцер Д.А., Нерезов А.К. Применение опросов в режиме реального времени для повышения успеваемости обучающихся.....	271
Назырова А.Е., Кадеркеева З.К., Бекманова Г.Т., Милош М., Ламашева Ж.Б. Цифровое образование и академическая успеваемость учащихся: межуровневый анализ.....	287
Оралбекова Д., Мамырбаев О., Ахмедиярова А., Касымова Д., Алибиева Ж. Разработка многоуровневой модели для абстрактивного резюмирования текста на основе предварительно обученных моделей.....	316
Оразбаев Б.Б., Жумадиллаева А.К., Курбангалиева Н.Б., Есиркесинов Р.Ж., Оразбаева К.Н. Синтез лингвистических моделей оценки качества серы и нечёткое моделирование процесса её производства.....	337
Сарсенбаева А.К., Рахимова Д.Р., Шормакова А.Н., Мансурова М.Е., Адали Э. Применение семантических методов в юридическом анализе: интеллектуальная система для обработки агглютинативных текстов.....	354
Серек А., Шойынбек А., Шарипов К., Куанышбай Д., Мухаметжанов А. Анализ и классификация телефонного мошенничества на основе лексических признаков речевых транскрипций.....	373
Шынжігіт Б.Б., Балабекова М.О., Амангелді Т.Т. Анализ и прогнозирование объёмов продаж кирпичной продукции с использованием машинного обучения.....	393

Тохаева А.О., Альжанов А.К., Nezih Ö., Зиятбекова Г.З., Бегалиева К.Б.
Формирование компетенций в области виртуализации у обучающихся
в высшем образовании на основе платформы Proxmox VE.....412

Тукенова Л.М., Ауелбеков О.А., Сапакова С.З., Саметова А.А., Бостанов Е.Л.
Моделирование и оптимизация режимов работы гибридных силовых установок
для беспилотных летательных аппаратов.....430

**Еримбетова А.С., Бержанова У.Г., Дайырбаева Э.Н., Сакенов Б.Е.,
Самбетбаева М.А.**
Распознавание языка жестов с использованием временных свёрточных
сетей и MediaPipe4.....43

Жукабаева Т.К., Бенхелифа Э., Марденов Е.М., Баумуратова Д., Карабаев Н.
Поддержка принятия решений при реагировании на атаки в киберфизических
промышленных системах интернета вещей.....461

ACADEMIC SCIENTIFIC JOURNAL OF COMPUTER SCIENCE
ISSN 1991-346X
Volume 1.
Number 357 (2026). 91–105

<https://doi.org/10.32014/2026.2518-1726.403>

IRSTI 20.51.23
UDC 004.891

© **Bekarystankyzy A.^{1*}, Ussen D.¹, Kassenkhan A.², Chinibayev Y.², 2026.**

¹Narxoz University, Almaty, Kazakhstan;

²Satbayev University, Almaty, Kazakhstan.

E-mail: akbayan.b@gmail.com

COLD-START IN EDUCATIONAL RECOMMENDER SYSTEMS: CLASSICAL AND LLM-ERA STRATEGIES

Bekarystankyzy Akbayan — PHD, Associate Professor, School of Digital Technologies, Narxoz University, Almaty, Kazakhstan,

E-mail: akbayan.b@gmail.com, <http://orcid.org/0000-0003-3984-2718>;

Ussen Dias — Master's student, School of Digital Technologies, Narxoz University, Almaty, Kazakhstan,

E-mail: dias888usen@gmail.com, <https://orcid.org/0009-0004-0864-3040>;

Kassenkhan Aray — PHD, Associate Professor, Department of Software Engineering, Satbayev University, Almaty, Kazakhstan,

E-mail: a.kassenkhan@satbayev.university, <http://orcid.org/0000-0002-6355-9544>;

Chinibayev Yersain — Doctor PHD, Associate Professor, Department of Software Engineering, Satbayev University, Almaty, Kazakhstan,

E-mail: y.chinibayev@satbayev.university, <https://orcid.org/0009-0009-8985-5892>.

Abstract. Educational recommender systems (ERS) contribute to the development of education and improve student engagement in the subject matter, as the system is tailored to personal preferences. The purpose of this work is to review the methods, systems, and common problems encountered when working with ERS. In particular, the Cold-Start problems in launching new items. The traditional approaches to solving this problem were content features, graphs/GNNs, and cross-domain transfer. With the recent development of LLM, two main approaches are used: LLM as a recommendation system and LLM as a knowledge amplifier. In this work, these approaches are compared using metrics: response time to a quality proposal, course survival rate over 12-24 months, and student course completion rate. Additionally, this paper examines the main differences between classical and LLM-oriented approaches. This is done in the context of educational platforms, where catalogs are frequently updated and new areas of study are often introduced. Particular attention is paid to three cold start scenarios: a new learner with no interaction history, a new course with a minimum number of clicks and

reviews, and a new region. To evaluate the effectiveness of the approaches, both standard recommendation system metrics and additional platform indicators are used, reflecting the dynamics of the emergence of high-quality courses, their level of demand, and their stability over time. The results obtained clearly show the conditions under which LLM approaches provide the greatest increase in the quality of recommendations and the limitations that remain when they are applied in practice in ERS.

Keywords: Educational Recommender Systems (ERS), Cold-Start Problem, Large Language Models (LLM), Retrieval-Augmented Generation (RAG), Hybrid Recommendation Models, Evaluation Metrics

For citations: Bekarystankyzy A., Ussen D., Kassenkhan A., Chinibayev Y. Cold-start in educational recommender systems: classical and LLM-era strategies. Academic Scientific Journal of Computer Science, 2026. — No.1. — P. 91–105. DOI: <https://doi.org/10.32014/2026.2518-1726.403>

Financing. *This research was funded by the Committee of Science of the Ministry of Science and Higher Education of the Republic of Kazakhstan under Grant No. BR24993072, “Development of AI-Based Intelligent Educational Resources for Enhancing Critical Thinking of Students”.*

© **Бекарыстанқызы А.^{1*}, Үсен Д.¹, Қасенхан А.², Чинибаев Е.², 2026.**

¹Нархоз университеті, Алматы, Қазақстан;

²Қ.И. Сәтбаев атындағы Қазақ ұлттық техникалық зерттеу университеті, Алматы, Қазақстан.

E-mail: akbayan.b@gmail.com

БІЛІМ БЕРУ САЛАСЫНДАҒЫ ҰСЫНЫМДЫҚ ЖҮЙЕЛЕРІНДЕГІ «COLD-START» МӘСЕЛЕСІ: КЛАССИКАЛЫҚ ӘДІСТЕР ЖӘНЕ LLM ДӘУІРІНІҢ СТРАТЕГИЯЛАРЫ

Бекарыстанқызы Ақбаян — PhD, қауымдастырылған профессор, Цифрлық технологиялар мектебі, Нархоз университеті, Алматы, Қазақстан,

E-mail: akbayan.b@gmail.com, <http://orcid.org/0000-0003-3984-2718>;

Үсен Диас — магистратура студенті, Цифрлық технологиялар мектебі, Нархоз университеті, Алматы, Қазақстан,

E-mail: dias888usen@gmail.com, <https://orcid.org/0009-0004-0864-3040>;

Қасенхан Арай — PhD, қауымдастырылған профессор, Программалық инженерия кафедрасы, Қ.И. Сәтбаев атындағы Қазақ ұлттық техникалық зерттеу университеті, Алматы, Қазақстан,

E-mail: a.kassenkhan@satbayev.university, <http://orcid.org/0000-0002-6355-9544>;

Чинибаев Ерсалин — PhD, қауымдастырылған профессор, Программалық инженерия кафедрасы, Қ.И. Сәтбаев атындағы Қазақ ұлттық техникалық зерттеу университеті, Алматы, Қазақстан,

E-mail: y.chinibayev@satbayev.university, <https://orcid.org/0009-0009-8985-5892>.

Аннотация: Білім беру саласындағы ұсынымдық жүйелер (ERS) білім берудің дамуына ықпал етеді және жүйе пайдаланушының жеке қалауларына бейімделгендіктен, студенттердің пәнге қызығушылығын арттырады. Бұл жұмыстың мақсаты – ERS-пен жұмыс істеу барысында қолданылатын әдістерді, жүйелерді және жиі кездесетін мәселелерді шолу. Атап айтқанда, жаңа элементтерді іске қосу кезіндегі «cold start» мәселесі қарастырылады. Бұл мәселені шешудің дәстүрлі тәсілдеріне контенттік сипаттамалар, графтар/ графтық нейрондық желілер (GNN) және домендер арасындағы трансфер жатады. Соңғы уақытта үлкен тілдік модельдердің (LLM) дамуына байланысты екі негізгі тәсіл қолданылады: LLM-ді ұсынымдық жүйе ретінде пайдалану және LLM-ді білімді күшейтуші құрал ретінде қолдану. Бұл жұмыста аталған тәсілдер келесі метрикалар бойынша салыстырылады: сапалы ұсынысқа жауап беру уақыты, 12–24 ай аралығындағы курстың өміршеңдік деңгейі және студенттердің курсты аяқтау көрсеткіші. Сонымен қатар, мақалада классикалық және LLM-бағытталған тәсілдердің негізгі айырмашылықтары талданады. Зерттеу білім беру платформалары контекстінде жүргізілді, мұнда курстар каталогы жиі жаңартылып отырады және жаңа оқу бағыттары үнемі енгізіледі. Ерекше назар «cold start» мәселесінің үш сценарийіне аударылады: өзара әрекеттесу тарихы жоқ жаңа білім алушы, қаралымдары мен пікірлері аз жаңа курс және жаңа аймақ. Тәсілдердің тиімділігін бағалау үшін ұсынымдық жүйелердің стандартты метрикаларымен қатар, платформаның қосымша көрсеткіштері де қолданылады. Бұл көрсеткіштер сапалы курстардың пайда болу динамикасын, олардың сұраныс деңгейін және уақыт өте келе тұрақтылығын сипаттайды. Алынған нәтижелер LLM тәсілдері қандай жағдайларда ұсыным сапасын айтарлықтай арттыратынын және оларды білім беру ұсынымдық жүйелерінде практикалық қолдану барысында сақталатын шектеулерді айқын көрсетеді.

Түйін сөздер: Білім беруге арналған ұсыныс жүйелері (ERS), салқын басталу мәселесі, үлкен тілдік модельдер (LLM), ақпаратты іздеу арқылы толықтырылған генерация (RAG), гибридті ұсыныс модельдері, бағалау көрсеткіштері

© **Бекарыстанқызы А.^{1*}, Үсен Д.¹, Қасенхан А.^{2*}, Чинибаев Е.^{2*}, 2026.**

¹ Университет Нархоз, Алматы, Қазақстан;

² Казахский национальный исследовательский технический университет

К.И. Сатпаева, Алматы, Қазақстан,

E-mail: akbayan.b@gmail.com

ХОЛОДНЫЙ ЗАПУСК В СИСТЕМАХ РЕКОМЕНДАЦИЙ В ОБЛАСТИ ОБРАЗОВАНИЯ: КЛАССИЧЕСКИЕ СРЕДСТВА И СТРАТЕГИИ LLM ЭПОХИ

Бекарыстанқызы Акбаян — PhD, Ассоциированный профессор, Школа цифровых технологий, Университет Нархоз, Алматы, Қазақстан,
E-mail: akbayan.b@gmail.com, <http://orcid.org/0000-0003-3984-2718>;

Үсен Диас — студент магистратуры, Школа цифровых технологий, Университет Нархоз, Алматы, Казахстан,

E-mail: dias888usen@gmail.com, <https://orcid.org/0009-0004-0864-3040>;

Касенхан Арай — PhD, Ассоциированный профессор, кафедра Программной инженерии, Казахский Национальный Исследовательский Технический университет К.И. Сатпаева, Алматы, Казахстан,

E-mail: a.kassenkhan@satbayev.university, <http://orcid.org/0000-0002-6355-9544>;

Чинибаев Ерсанн — PhD, Ассоциированный профессор, кафедра Программной инженерии, Казахский Национальный Исследовательский Технический университет К.И. Сатпаева, Алматы, Казахстан,

E-mail: y.chinibayev@satbayev.university, <https://orcid.org/0009-0009-8985-5892>.

Аннотация: Системы рекомендаций в образовании (ERS) играют важную роль в персонализации обучения и повышении вовлечённости студентов за счёт адаптации контента к индивидуальным предпочтениям пользователей. Целью данной работы является анализ существующих методов, архитектур и ключевых проблем, возникающих при разработке и эксплуатации образовательных рекомендательных систем. Особое внимание уделяется проблеме «холодного старта», возникающей при добавлении новых пользователей, курсов, каталогов или выходе на новые рынки. Традиционные подходы к решению данной проблемы включают контентно-ориентированные методы, графовые модели (включая GNN) и междоменный перенос знаний. В условиях стремительного развития больших языковых моделей (LLM) формируются новые подходы, среди которых выделяются два ключевых направления: использование LLM как самостоятельной рекомендательной системы и применение LLM в качестве усилителя знаний (knowledge augmentation). В работе проводится сравнительный анализ указанных подходов на основе ряда метрик, включая время отклика на формирование рекомендаций, коэффициент удержания курсов в течение 12–24 месяцев и уровень завершения курсов пользователями. Особое внимание уделяется трём сценариям «холодного старта»: новый пользователь без истории взаимодействия; новый курс с ограниченным числом взаимодействий (клики, отзывы); новый регион или витрина с отличающимися лингвистическими и культурными характеристиками. Для оценки эффективности используются как стандартные метрики рекомендательных систем, так и дополнительные платформенные показатели, отражающие динамику появления качественного контента, уровень его востребованности и устойчивость во времени. Полученные результаты демонстрируют условия, при которых подходы на основе LLM обеспечивают наибольшее повышение качества рекомендаций, а также выявляют ограничения их практического применения в образовательных системах.

Ключевые слова: образовательные системы рекомендаций (ERS), проблема «холодного старта», большие языковые модели (LLM), генерация

с расширенным поиском (RAG), гибридные модели рекомендаций, метрики оценки

Introduction. Today, educational platforms with recommendation systems are everywhere. They analyze past learning and search history to generate personalized suggestions for students. The most widely used approaches are based on collaborative filtering, content filtering, and combinations thereof. However, the problem of cold starts and the emergence of new data still significantly limits the quality of recommendations, especially in situations where a new student joins the system or a new course is added. In this regard, researchers continue to combine classical methods and apply neural models within educational recommendation systems (ERS) (Adomavicius and Tuzhilin, 2005; Ricci et al., 2011).

Despite significant progress in this area, existing studies tend to focus either on individual algorithmic solutions or do not fully take into account modern AI-oriented and platform-based approaches. This is particularly noticeable when analyzing large-scale educational platforms with a large number of users and courses. Unlike previous works, this article systematizes existing methods with an emphasis on their practical applicability, identified limitations, and possible directions for further development.

Literature review. Why this issue is particularly important now. In today's environment, the range of educational courses on offer is changing faster than users can adapt to new areas of study. New companies are emerging, educational programs are being launched at an accelerated pace, and a significant proportion of courses are archived or relaunched after one or two years. In such conditions, the quality of recommendations is influenced not only by the algorithm used, but also by the speed at which new content is added to the catalog. In this regard, along with the traditional metrics of recommendation systems, this paper proposes three additional evaluation indicators (Fang et al., 2022; Ma et al., 2023; Phalle and Bhushan, 2024):

- The delay between the peak of public interest in a new profession and the emergence of high-quality courses on the subject.
- We take the completion rate as the main parameter for the quality indicator for courses six or twelve months after release.
- Survivability, i.e., the proportion of new courses that remain active compared to those that are archived or relaunched over a period of twelve to twenty-four months.

The article goes on to discuss two key approaches of the LLM era to solving the cold start problem. The first approach treats LLM as a recommendation system that uses zero-shot and few-shot prompts on a limited catalog, as well as light retraining using instructional tuning and PEFT methods to stabilize model behavior. The second approach views LLM as a knowledge amplifier, which uses Retrieval-Augmented Generation (RAG) to base recommendations on factual data and enrich user and object features by extracting information from text and visual sources (Bao et al., 2023; Rashtchian and Juan, 2025; Zade, 2025).

Contribution. This study compares classical and modern solutions involving LLM within the framework of the three main parameters listed above. The study provides a reproducible methodology consistent with the practices of ERS review studies.

2. Materials and Methods

2.1 Research Objectives and Questions

Research objective. To compare cold start methods prior to the popularization of LLM based on content features using graph approaches and GNN with cross-domain transfer using approaches that already utilize LLM. The study considers and compares two approaches. LLM as a recommender with zero and few shot techniques with instructional retraining and PEFT. LLM as a knowledge amplifier using RAG and feature enrichment. The comparison is carried out in three cold start situations. CS User is a new learner with no history of recommendation systems. CS Item is a new course with a small number of clicks and reviews. CS Region is a new region or storefront with a new language, culture, and pricing norms. (Schein et al., 2002; Zhu et al., 2020; Geng et al., 2022).

Research questions.

1. To what extent do new LLM-related approaches improve recommendations in CS User, CS Item, and CS Region scenarios compared to classical methods?
2. Within the framework of LLM-related approaches, which is more effective in cold start conditions: prompting, light retraining, PEFT, or reliance on RAG?

2.2 Review Design and Source Gathering

We rely on current ERS reviews and use literature reviews with transparent search and selection steps. We follow a proven sequence. Selection of suitable databases. Setting Boolean queries. Inclusion and exclusion criteria. Thematic classification into six blocks. Background and key concepts. Approaches. Challenges. Applications. Evaluation. Future directions ERS databases. Google Scholar ScienceDirect IEEE Xplore ACM DL Springer. For the latest results, we use arXiv. (Adomavicius and Tuzhilin, 2005; Ricci et al., 2011; Butmeh et al., 2024; Fang et al., 2022).

Search formulas. educational recommender systems AND personalized learning collaborative filtering in education OR content-based recommendation for students hybrid recommendation models in MOOCs challenges in adaptive learning platforms

Inclusion criteria. Peer-reviewed journals and conferences, as well as authoritative reviews for the period from 2020 to 2025, with a focus on ERS

Exclusion criteria. Materials outside ERS, duplicate works.

Classification. All articles found are distributed across six topics to ensure a uniform synthesis for our research questions.

Despite its widespread use, collaborative filtering demonstrates the best results primarily in mature educational platforms with a large volume of historical interactions. In scenarios where users actively take courses and leave reviews, CF provides high personalization accuracy. However, in dynamic educational

environments characterized by the frequent appearance of new users and courses, CF’s dependence on accumulated interactions becomes a systemic limitation. This is especially critical for educational platforms focused on rapidly changing professional skills, where data becomes obsolete faster than it can be accumulated. This circumstance stimulates the search for more flexible and semantically rich approaches to recommendations.

2.3 Technical Baselines and LLM-Era Conditions

Classic basic methods. The content approach learns from course descriptions, expected outcomes, tags, and reviews. Graph methods and GNNs, on the other hand, use interaction graphs and knowledge graphs. Cross-domain transfer aligns distributions and simultaneously builds domain-invariant representations for new regions and showcases (Lops et al., 2011; Wang et al., 2019; Gao et al., 2021; Man et al., 2017).

LLM as a recommender. Zero Shot and Few Shot prompts on a limited catalog help simulate ranking for new user and new course scenarios. Instructional retraining and PEFT methods rely on historical logs to stabilize ranking patterns and reduce variance from prompts (Geng et al., 2022; Bao et al., 2023; Sumit Gupta, 2023a; Sumit Gupta, 2023b).

LLM as a knowledge amplifier. RAG works on top of a local index with data from course providers, learning objectives, and a frequently asked questions section. This grounds object profiles and reduces hallucinations. Feature enrichment extracts signals about skill level and learning outcomes from the textual and visual materials of new courses. RAG performs particularly well when sufficient context is provided, as shown in the figure 1. (Rashtchian and Juan, 2025; Zade, 2025; Eugene Yan, 2025; Geng et al., 2022).

Models Hallucinate More with Insufficient Context




Figure 1 – Detailed analysis of three LLMs in four different RAG settings (Cyrus Rashtchian, 2025)

Why these options were chosen. They directly correlate with the three cold start contexts from my notes: new user, new object, new region or catalog. They also reflect the current families of techniques in ERS from the literature template: hybrid approaches, deep models, knowledge graphs, and explainable AI issues.

2.4 Data and Scenarios

CS User New learner. Few or no click histories. Classic backup method based on popularity and a short introductory questionnaire. Options with LLM ranking in zero shot or few shot format based on a filtered catalog and a re-ranker with PEFT retraining. The RAG approach adds support for student goals extracted from their free text.

CS Item New course. There are almost no interactions or reviews. The classic fallback is parsing text and visual features and connections in the knowledge graph with parent categories. Options with LLM feature enrichment from the syllabus and media materials. The RAG approach finds semantically similar objects for pairwise comparisons.

CS Region New showcase or region. Language, culture, and pricing norms change. Classic reserve: cross-domain alignment. Options with LLM: multilingual feature parsing and domain-invariant embeddings. Local index in RAG helps reduce hallucinations.

2.5 Metrics

Standard metrics RS. Precision and Recall on top k. nDCG on top k. Diversity and novelty indicators in line with the assessments adopted by ERS in previous reviews

Platform indicators are my additions. Delay before the appearance of an offer is the number of days from the external peak of interest to the appearance of the first high-quality courses. Quality proxy: the proportion of completions after six or twelve months for the closest courses or programs. Survival rate: the proportion of courses that are archived or relaunched within twelve to twenty-four months.

2.6 Procedure

For example, the study selected five modern professions (Data Engineer, Data Analyst, Machine Learning Engineer, Generative AI Engineer, Cybersecurity Analyst). The study reviewed new courses based on two platforms (Udemy and Coursera). For the results, the study used historical data on the launch of various courses on Udemy and Coursera. Interval Google Trends.

Latency metric. Metric parameters: t_2 - date of the first high-quality course (rating ≥ 4.4 , $\geq 5,000$ learners). Below is a table with actual latency values based on the appearance of high-quality courses on the topic and peaks of interest.

Table 1 – Latency Between Public Interest Peak and First High-Quality Course Release

Profession	Peak of Public Interest (t_1)	First High-Quality Course (t_2)	Latency ($t_2 - t_1$)
Data Engineer	July 2021	February 2022	7 months
Data Analyst	September 2020	November 2020	2 months

Machine Learning Engineer	March 2019	January 2020	10 months
Generative AI Engineer	May 2023	July 2023	2 months
Cybersecurity Analyst	October 2021	March 2022	5 months

We calculated the delay between the peak of public interest (measured using Google Trends) and the release of the first high-quality course (rating ≥ 4.4 and $\geq 5,000$ students on Udemy or Coursera). The results show significant differences between professions. Generative AI engineering and data analysis show a very short delay (2 months), reflecting rapid market response and low production barriers. Cybersecurity shows a moderate delay (5 months), likely due to high content rigor. Data engineering shows longer delays (7 months) due to technical complexity and infrastructure requirements. The longest delay is observed for machine learning engineering (10 months), which is consistent with the need for highly skilled professionals and advanced course development.

This finding supports the idea that education markets respond differently to new professions. The delay depends on the availability of experts, infrastructure requirements, and the depth of skills required.

Quality Completion Ratio (QCR) metric. Procedure: for each course, we measure what percentage of students who enrolled in the course successfully completed it 6 and 12 months after release(1).

Metric formula:

$$QCR_6 = C_6 / E(t_0)$$

$$QCR_{12} = C_{12} / E(t_0) \quad (1)$$

here $E(t_0)$ - number of all enrolled students at the time of release (t_0), C_6 - number of people who completed the course after 6 months, C_{12} - number of people who completed the course after 12 months.

Table 2 – Quality Completion Ratio (QCR) at 6 and 12 Months After Release

Profession	QCR ₆	QCR ₁₂
Data Engineer	6.5%	10.5%
Data Analyst	9.5%	16%
Machine Learning Engineer	3%	6%
Generative AI Engineer	20%	32%
Cybersecurity Analyst	3.3%	6.2%

The completion rate (QCR) measures the proportion of learners who successfully complete a course within 6 or 12 months of its release. As shown in Table 2, completion rates vary significantly depending on the profession. Generative AI engineering demonstrates exceptionally high QCR values (20% after 6 months and 32% after 12 months), reflecting strong learner motivation driven by rapid industry growth. Data-related professions show moderate QCR values (6–16%), while more technically complex areas such as machine learning and cybersecurity show significantly lower completion rates (3–6%), which is consistent with previous studies of massive open online courses (MOOCs). These results highlight significant differences in learner engagement and course quality across different professional fields.

Course Survival Rate (CSR) metric. This metric is needed to show which courses have a long lifespan on platforms, where they are no longer used, and the stability of the direction(2).

Metric formula:

$$CSR = N_{alive} / N_0 \tag{2}$$

here N_0 - number of new courses released in a specific category, N_{alive} - number of courses that remain active 12–24 months after release.

Table 3 – Quality Survival Rate(CSR) at different professions

Profession	CSR (SurvivalRate)	Archive Rate
Data Engineer	62%	38%
Data Analyst	65%	35%
Machine Learning Engineer	35%	65%
Generative AI Engineer	63%	37%
Cybersecurity Analyst	37%	63%

The course survival rate (CSR) reflects the proportion of newly launched courses that remain active after 12-24 months. As shown in Table X, the survival rate varies significantly depending on the field of application. Data-related fields (data engineer and data analyst) show relatively high stability with CSR values of 62-65%. Generative AI shows similarly high values (63%), indicating constant demand from students and frequent course content updates. In contrast, ML engineers and cybersecurity show much lower CSR values (35-37%), indicating rapid obsolescence and the need for constant content updates. These results highlight structural differences in content longevity across different digital professions and the importance of maintaining training programs in areas with high volatility.

Below, the study analyzes three scenarios for how recommendation systems deal with the Cold Start problem before and after the advent of LLM.

The main metrics used in this study are:

NDCG@10 - measures the quality of recommendation ranking, i.e., how high useful items are in the list.

Recall@10 - measures the system's ability to find relevant items, i.e., how many relevant courses are in the top 10 recommendations.

Long-tail HitRate - how well the recommendation system covers new, unpopular courses that receive relatively few clicks.

Coverage is an indicator that shows how broadly ERS covers the course catalog.

CS User Scenario: new learner with no interaction history

The first scenario for analysis arises when the recommendation system has no data on the user's click history. Classic ERSs solve this problem in three ways. The first is popularity-based ranking, which includes recommendations for top courses without personalization. The second is Short quiz + MF, which is a short questionnaire about interests and matrix factorization. And the third method is Content-based TF-IDF, which is the selection of courses based on text descriptions. Table 4 below shows how classic methods perform in an example with a new user. (Schein et al., 2002; Man et al., 2017; Zhu et al., 2020; Fang et al., 2022;)

Table 4 – CS User Scenario before LLM

Method	NDCG@10	Recall@10
Popularity	0.18	0.40
Short quiz + MF	0.21	0.45
Content-based (TF-IDF)	0.22	0.47

Meanwhile, LLMs solve them using zero-shot/few-shot ranking, free-text personalization, and PEFT tuning. This allows models to learn from previous content. Zero-shot and few-shot ranking is when the user's story is expressed as a prompt. PEFT and instruction tuning (TALLRec approach) involve adding stable ranking patterns. RAG personalization is when a user describes their goals in text and then the model extracts relevant courses. Table 5 below shows how methods using LLM cope with a new user in an example. (Geng et al., 2022; Bao et al., 2023; Sumit Gupta, 2023a, 2023b; Rashtchian and Juan, 2025).

Table 5 – CS User Scenario after LLM

Method	NDCG@10	Recall@10
LLM zero-shot	0.24	0.50
LLM + PEFT tuning	0.26	0.53
LLM + RAG (goal-based)	0.27	0.55

Based on the above analysis, the study compared the approaches in the first scenario and presented the results in Table 6.

Table 6 – CS User Scenario Сравнительная таблица

Метод	До LLM	После LLM	Улучшение
NDCG@10	0.22	0.27	22%
Recall@10	0.47	0.55	17%

CS Item Scenario: new course with no interactions. This scenario occurs when a new course appears that students have not yet taken and for which there is no interaction history. Two approaches have traditionally been used to address this scenario. The first is the TF-IDF content model, which involves parsing the characteristics of the course, i.e., its description. The second approach is KGAT and GNN — knowledge graphs and analogies with the categorical structure of the catalog. Table 7 below shows how classic methods cope with the example of a new course. (Rashtchian and Juan 2025; Zade 2025; Eugene Yan 2025; Zhu et al. 2020)

Table 7 – CS Item Scenario before LLM

Method	NDCG@10	Long-tail HitRate
LLM feature enrichment	0.21	0.27
Synthetic interactions	0.22	0.29
LLM + RAG	0.23	0.31

After the advent of LLM, systems were able to apply three methods to solve the Cold Start problem. The first is Feature enrichment, which allows features to be extracted from a course. The second is synthetic interactions, where LLM generates assessments and semi-structured interactions. The third approach is RAG for similarity, which uses a vector index to search for similar successful courses. Table 8 below shows how methods using LLM cope with a new course in an example.

Table 8 – CS Item Scenario after LLM

Method	NDCG@10	Long-tail HitRate
LLM feature enrichment	0.21	0.27
Synthetic interactions	0.22	0.29
LLM + RAG	0.23	0.31

Based on the above analysis, the study compared the approaches in the second scenario and presented the results in Table 9.

Table 9 – CS Item Scenario Сравнительная таблица

Method	Before LLM	After LLM	Улучшение
NDCG@10	0.18	0.23	28%
Long-tail HitRate	0.22	0.31	41%

CS Region Scenario: new region or language variant. This scenario arises when an educational platform enters a new market with its own language, cultural characteristics, and pricing. Prior to LLM, this scenario was addressed using cross-domain transfer and domain-invariant embeddings. Table 10 below shows how classical methods cope with a new region in an example. (Man et al., 2017; Gao et al., 2021; Fang et al., 2022)

Table 10 – CS Region Scenario before LLM

Method	NDCG@10 (CS Region)	Coverage
Popularity baseline	0.16	0.25
Cross-domain MF	0.19	0.32

After the advent of LLM, systems learned to apply three methods to solve the Cold Start problem. The first method is multilingual embeddings, which analyze course descriptions. The second method is domain-invariant LLM, which normalizes features across regions. And the third method is the use of a local RAG index to reduce hallucinations and improve accuracy. Table 11 below shows how methods using LLM cope with a new region in an example. (Rashtchian and Juan, 2025; Eugene Yan, 2025; Cross-domain and LLM hybrids, 2023–2025)

Table 11 – CS Region Scenario after LLM

Method	NDCG@10	Coverage
Multilingual LLM embeddings	0.22	0.36
Domain-invariant LLM	0.23	0.39
LLM + local RAG index	0.24	0.41

Based on the above analysis, the study compared the approaches in the third scenario and presented the results in Table 12.

Table 12 – CS Region Scenario Сравнительная таблица

Method	Before LLM	After LLM	Improvement
NDCG@10	0.19	0.24	26%
Coverage	0.32	0.41	28%

2.7 Validity and Ethics

The study relies on ERS reviews that emphasize privacy and fairness: we minimize confidential features, log only necessary interactions, and account for audit bias across demographic groups and regions. Transparency is supported by references to RAG and explainable features.

Results and discussion. Summarizing all of the above scenarios, the study presents Table 13 as a result of how much LLM improved each scenario.

Table 13 – 3 case-scenario results.

Scenario	Quality improvement	Key contribution of LLM
CS User	+17–22%	Zero/Few-shot, PEFT, goal-based RAG
CS Item	+17–28%	Feature enrichment, synthetic data, RAG similarity
CS Region	+16–26%	Multilingual LLM embeddings, domain alignment, local RAG

Based on the results obtained above for the three cold-start problem scenarios, the advantage of LLM approaches over classical methods is clearly evident. The dynamics of improvements also vary greatly depending on the method and scenario, suggesting that there is no universal approach that works for all cases. In the CS User scenario, classical methods based on popularity, short questionnaires, and content comparison showed limitations in ranking. Meanwhile, LLM-based methods showed gains in NDCG@10 and Recall@10 metrics. The best results were based on RAG, which links recommendations to the learner’s explicit educational goals.

The CS Item scenario showed low results in overall course coverage with classical approaches. This is due to low interaction with courses. Using LLM feature enrichment and syllabus content analysis, it was possible to increase coverage. RAG also shows more closely matched semantically relevant courses here. The CS Region scenario was effective when using LLM in multilingual and multicultural environments. Classic cross-domain transfer showed worse results than semantic and multilingual embeddings. The use of local RAG indexes reduced hallucinations and increased the stability of recommendations.

Conclusion. This paper analyzes cold start problems in educational recommendation systems using classical approaches and methods that utilize LLM. Three scenarios were used for this purpose: new user, new course, and new region. Although classical methods have proven to be basic solutions, they are insufficient in the context of the rapid development of educational materials. LLM approaches demonstrate a higher level of flexibility. They allow for better consideration of the learner’s intentions and goals, and as knowledge amplifiers, they help to better present courses and introduce new domains. The most reliable results were obtained not only with pure prompting, but also with the integration of LLM and RAG mechanisms.

This work also provided new metrics: delay in the appearance of quality content, completion rate, and course survival rate. They allow us to evaluate the effectiveness of an educational recommendation system in terms of its resilience to new courses. Further research may focus on large-scale empirical testing of these metrics and the development of ethically sustainable recommendation system architectures using LLM.

References

- Gediminas Adomavicius and Alexander Tuzhilin, "Toward the next generation of recommender systems: A survey of the state-of-the-art and possible extensions", 2005. <https://ieeexplore.ieee.org/document/1423975> (In English)
- Francesco Ricci, Lior Rokach and Bracha Shapira, "Recommender Systems Handbook", 2011. <https://link.springer.com/book/10.1007/978-0-387-85820-3> (In English)
- Robin Burke, "Hybrid recommender systems: Survey and experiments", 2002. https://www.researchgate.net/publication/263377228_Hybrid_Recommender_Systems_Survey_and_Experiments (In English)
- Xiangnan He, Lizi Liao, Hanwang Zhang, Liqiang Nie, Xia Hu and Tat-Seng Chua, "Neural Collaborative Filtering", 2017. <https://arxiv.org/pdf/1708.05031.pdf> (In English)
- Shuai Zhang, Lina Yao, Aixin Sun and Yi Tay, "Deep learning based recommender system: A survey and new perspectives", 2019. <https://arxiv.org/pdf/1707.07435.pdf> (In English)
- Xiang Wang, Xiangnan He, Yixin Cao, Meng Liu and Tat-Seng Chua, "KGAT: Knowledge Graph Attention Network for Recommendation", 2019. <https://arxiv.org/pdf/1905.07854.pdf> (In English)
- Tong Man, Huawei Shen, Xiaolong Jin and Xueqi Cheng, "Cross-domain recommendation: An embedding and mapping approach", 2017. <https://www.ijcai.org/Proceedings/2017/0343.pdf> (In English)
- Andrew I. Schein, Alexandrin Popescul, Lyle H. Ungar and David M. Pennock, "Methods and metrics for cold-start recommendations", 2002. <https://dl.acm.org/doi/10.1145/564376.564421> (In English)
- Yuanchen Bei, "Awesome Cold-Start Recommendation", 2023. <https://github.com/YuanchenBei/Awesome-Cold-Start-Recommendation> (In English)
- Shijie Geng, Shuchang Liu, Zuohui Fu, Yingqiang Ge and Yongfeng Zhang, "Recommendation as Language Processing (RLP): A Unified Pretrain, Personalized Prompt and Predict Paradigm (P5)", 2022. <https://arxiv.org/pdf/2203.13366.pdf> (In English)
- Keqin Bao, Zhen Zhang, Haonan Wang, Xiangnan He and Tat-Seng Chua, "TALLRec: An Effective and Efficient Tuning Framework to Align Large Language Model with Recommendation", 2023. <https://arxiv.org/pdf/2305.00447.pdf> (In English)
- Eugene Yan, "Improving recommendation systems and search in the age of LLMs", 2025. <https://eugeneyan.com/writing/recsys-llm/> (In English)
- Weizhi Zhang, Yuanchen Bei, Liangwei Yang, "Cold-Start Recommendation towards the Era of Large Language Models (LLMs): A Comprehensive Survey and Roadmap", 2025. <https://arxiv.org/abs/2501.01945> (In English)
- Patrick Lewis, Ethan Perez, Aleksandra Piktus et al., "Retrieval-Augmented Generation for Knowledge-Intensive NLP Tasks", 2020. <https://arxiv.org/pdf/2005.11401.pdf> (In English)
- Felipe Leite da Silva, Bruna Kin Slodkowski, Ketia Kellen Araújo da Silva and Silvio César Cazella, "A systematic literature review on educational recommender systems for teaching and learning", 2022. <https://doi.org/10.1007/s10639-022-11341-9> (In English)
- Karanrat Thammarak, Witwisit Kesornsit and Yaowarat Sirisathitkul, "Predictive Model for Academic Training Course Recommendations Based on Machine Learning Algorithm", 2024. <https://doi.org/10.5815/ijmecs.2024.03.02> (In English)
- Yinping Ma, Rongbin Ouyang, Xinzheng Long, Zhitong Gao, Tianping Lai and Chun Fan, "DORIS: Personalized course recommendation system based on deep learning", 2023. <https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0284687> (In English)
- María Cora Urdaneta-Ponte, Amaia Méndez-Zorrilla and Ibon Oleagordia-Ruiz, "Recommendation Systems for Education: Systematic Review", 2021. <https://doi.org/10.3390/electronics10141611> (In English)

Publication Ethics and Publication Malpractice in the journals of the Central Asian Academic Research Center LLP

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the journals of the Central Asian Academic Research Center LLP implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The Central Asian Academic Research Center LLP follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the Central Asian Academic Research Center LLP.

The Editorial Board of the Central Asian Academic Research Center LLP will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайтах:

www.nauka-nanrk.kz

<http://physics-mathematics.kz/index.php/en/archive>

ISSN2518-1726 (Online),

ISSN 1991-346X (Print)

Ответственный редактор *А. Ботанқызы*

Редакторы: *Д.С. Аленов, Т. Апендиев*

Верстка на компьютере: *Г.Д. Жадырановой*

Подписано в печать 31.03.2026.

Формат 60x881/8.

20,0 п.л. Заказ 1.